


## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.67



**WHOLESALE  
TRADE LIST**

# **EVERGREEN NURSERIES**

**FALL, 1953**

**SPRING, 1954**



**The Kallay Bros. Co.**

**Painesville, Ohio**

**Office: Cor. Madison Ave. and Bowhall Rd.**

**Phone 5662**

**For Nurserymen, Florists, Dealers  
and Landscape Architects**

# Conditions of Sale

Prices herein listed cancel all previous lists, and are subject to change without notice.

## Terms

Prices herein listed are F. O. B. NURSERY AT PAINESVILLE, OHIO. To those with established record for promptness or with satisfactory references, we shall be pleased to extend our regular terms of 30 days from date of invoice. Two per cent (2%) discount will be allowed if paid within ten (10) days, or three (3%) per cent discount for cash in full with order.

Absolutely no C. O. D. orders will be accepted unless accompanied by on-third ( $1/3$ ) of the amount of the order.

## Price Quotations

PRICE QUOTATIONS are made for immediate acceptance, subject to prior sale, and to stenographic, typographical errors, or omissions.

## Guarantee of Genuineness

We cannot guarantee any trees, shrubs and plants sold by us, other than that they are true to name, and free from any injurious insects or disease, and hold ourselves prepared to replace, on proper proof, all that may prove to be otherwise. Any and all such trees, shrubs and plants are sold upon the express condition and understanding that should any of them prove to be otherwise, we shall not be held responsible for a greater amount than the original price paid, and all orders booked are based on the distinct understanding that the purchaser agrees to the conditions as herein outlined.

## Claims

All orders accepted by us are booked on conditions that they shall be void should injury befall the stock from frost, fire, hail storm or other causes of whatsoever nature over which we have no control. All claims of whatsoever nature must be made within 10 days after receipt of the stock. Claims should be made promptly within the time limit specified, and in writing.

Plants become your property upon delivery to the transportation company, and we cannot be responsible for loss, damage, or delay in transit.



---

# **TRADE CONDITIONS**

## **Carloading**

We have a railroad siding on our own property and are equipped to load cars to all points promptly and without unnecessary extra handling of stock.

## **Explanatory Notes**

Figures following names throughout this list indicate in feet the approximate height of the plant at maturity.

The botanical and common names herein used are in conformity with the "Standardized Plant Names" which is the accepted authority on the plant nomenclature in the horticultural industry.

Our grading standards are based on a schedule which has been accepted and adopted by the American Association of Nurserymen.

## **Balling of Deciduous Stock**

All items herein listed "B. & B." will be balled and burlapped and the cost thereof is included in the prices herein listed.

Deciduous stock listed bare roots may be balled at the option of the purchaser, and a schedule of cost of balling such deciduous stock will be found on inside back cover.

We carry no stock in storage. Stock on all orders are freshly dug from the field after receipt of each order. The advantage of planting freshly dug stock is recognized by all expert planters.

## **Packing Costs**

When L. C. L. orders are placed for shipment by common carrier, there will be an additional charge for packing. A schedule of packing prices will be found on inside back cover.

**THE KALLAY BROS. CO.**  
**PAINESVILLE, OHIO**

---

For the benefit of the amateur planter, and those who care to follow these suggestions, we indicate herein, after, the name of each item of woody plant material, the type of soil, PH content of the soil, and exposure of the plant to sun and shade necessary for the best and lasting result and satisfaction.

|  | Each<br>1-4 | Each<br>5-24 | Each<br>25-up |
|--|-------------|--------------|---------------|
| <b>ABELIA</b>  |             |              |               |
| — <b>grandiflora</b> . 3ft. (Glossy Abelia) Light, peaty, moist<br>PH 6.0-7.5, sun-partial shade.      |             |              |               |
| 15 to 18 in. B&B.....  | \$1.75      | \$1.50       | \$1.25        |
| 18 to 24 in. B&B.....  | 2.00        | 1.75         | 1.50          |
| 2 to 3 ft. B&B.....  | 2.25        | 2.00         |               |
| <b>ABIES</b>   |             |              |               |
| — <b>balsamea</b> . 40 ft. (Balsam Fir) Loam, moist, PH 5.0-6.5, sun.                                  |             |              |               |
| 15 to 18 in. B&B.....  | 1.75        | 1.50         |               |
| 18 to 24 in. B&B.....  | 2.50        | 2.25         | 2.00          |
| 2 to 3 ft. B&B.....  | 3.50        | 3.25         | 3.00          |
| 3 to 4 ft. B&B.....  | 4.50        | 4.00         |               |
| — <b>concolor</b> . 50 ft. (White Fir) Loam, moist, PH 5.5-6.5, sun.                                   |             |              |               |
| 6 to 7 ft. B&B.....  | 20.00       |              |               |
| 7 to 8 ft. B&B.....  | 25.00       |              |               |
| 8 to 10 ft. B&B.....   | 30.00       |              |               |
| — <b>douglasi</b> . (See <i>Pseudotsuga douglasi</i> )   |             |              |               |
| <b>ACANTHOPANAX</b>  |             |              |               |
| <b>Seiboldianus</b> . 8 ft. (Five Leaf Aralia) Sandy to silty loam, moist, PH 5.5-7.5, sun-shade.      |             |              |               |
| 18 to 24 in. ....  | .45         | .40          | .35           |
| 2 to 3 ft. ....  | .55         | .50          | .45           |
| <b>ACER</b>  |             |              |               |
| — <b>dasycarpum (saccharinum)</b> 60 ft. (Silver Maple)<br>Sandy to clay loam, moist, PH 6.0-7.5, sun. |             |              |               |
| 6 to 8 ft.....   | 2.00        | 1.75         | 1.50          |
| 8 to 10 ft.....  | 2.50        | 2.25         | 2.00          |
| 1¼ to 1½ in.....   | 2.75        | 2.50         | 2.25          |
| 1½ to 1¾ in.....   | 3.50        | 3.25         | 3.00          |
| 1¾ to 2 in.....  | 6.00        | 5.50         | 5.00          |
| 2 to 2½ in.....  | 10.00       | 9.00         | 8.00          |
| 2½ to 3 in.....  | 12.00       | 11.00        | 10.00         |
| 3 to 3½ in.....  | 16.00       | 15.00        | 14.00         |
| 3½ to 4 in.....  | 25.00       | 20.00        |               |
| — <b>dasycarpum wieri</b> . 75 ft. (wier cut leaf maple) Sandy to clay loam, moist, PH 6.0-7.5, sun.   |             |              |               |
| 6 to 8 ft.....   | 3.00        | 2.75         | 2.50          |
| 8 to 10 ft.....  | 3.50        | 3.25         | 3.00          |
| 1¼ to 1½ ft. ....  | 4.00        | 3.75         | 3.50          |
| 1½ to 1¾ in.....   | 4.50        | 4.25         | 4.00          |
| 1¾ to 2 in.....  | 6.50        | 6.00         |               |
| 2 to 2½ in.....  | 11.00       | 10.00        |               |
| — <b>ginnala</b> . 15 ft. (Amur Maple) Good loam, moist, PH 6.0-7.5, sun-partial shade.                |             |              |               |
| 2 to 3 ft.....   | 1.00        | .85          | .75           |
| 3 to 4 ft.....   | 1.25        | 1.15         | 1.00          |
| 4 to 5 ft.....   | 2.00        | 1.75         | 1.50          |
| 5 to 6 ft.....   | 2.50        | 2.25         | 2.00          |
| 6 to 8 ft.....   | 3.50        | 3.00         |               |

**ACER — Continued**

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
|--|-------------|--------------|---------------|

—**negundo**. 60 ft. (Box Elder) Sandy to clay loam, moist, PH 6.0-7.5, sun.

|              |      |      |  |
|--------------|------|------|--|
| 6 to 8 ft.   | 2.50 | 2.00 |  |
| 8 to 10 ft.  | 2.75 | 2.50 |  |
| 1¼ to 1½ in. | 4.00 | 3.50 |  |
| 1½ to 1¾ in. | 5.00 | 4.50 |  |
| 1¾ to 2 in.  | 6.00 | 5.50 |  |

—**palmatum**. 12 ft. (Greenleaf Japanese Maple) Silty clay loam, moist, PH 6.0-7.5, sun-partial shade.

|                |      |      |  |
|----------------|------|------|--|
| 3 to 4 ft. B&B | 4.50 | 4.00 |  |
| 4 to 5 ft. B&B | 5.50 | 5.00 |  |
| 6 to 8 ft. B&B | 9.00 | 8.00 |  |

—**palmatum atropurpureum**. 10 ft. (Redleaf Japanese Maple) Silty clay loam, moist, PH 6.0-7.5, sun for best color.

|                  |      |      |      |
|------------------|------|------|------|
| 15 to 18 in. B&B | 5.00 | 4.50 | 4.00 |
| 18 to 24 in. B&B | 6.50 | 6.00 |      |

—**pennsylvanicum**. 20 ft. (Striped Maple) Woodsy loam, moist, PH 5.0-6.5, partial shade.

|             |      |      |      |
|-------------|------|------|------|
| 5 to 6 ft.  | 3.50 | 3.25 | 3.00 |
| 6 to 8 ft.  | 5.00 | 4.50 | 4.00 |
| 8 to 10 ft. | 7.00 | 6.00 |      |

—**platanoides**. 50 ft. (Norway Maple) Silty to clay loam, moist, PH 6.0-7.5, sun.

|              |       |       |       |
|--------------|-------|-------|-------|
| 6 to 8 ft.   | 3.50  | 3.25  | 3.00  |
| 8 to 10 ft.  | 4.00  | 3.75  | 3.50  |
| 1¼ to 1½ in. | 5.00  | 4.75  | 4.50  |
| 1½ to 1¾ in. | 7.00  | 6.50  | 6.00  |
| 1¾ to 2 in.  | 9.00  | 8.00  |       |
| 2 to 2½ in.  | 11.00 | 10.00 |       |
| 2½ to 3 in.  | 15.00 | 14.00 |       |
| 3 to 3½ in.  | 22.50 | 20.00 |       |
| 3½ to 4 in.  | 27.50 | 25.00 | 22.50 |
| 4 to 5 in.   | 30.00 | 27.50 | 25.00 |

—**platanoides calumnare**. 75 ft.

(Calumnar Norway Maple)

Silty to clay loam, moist, P.H. 6.0-7.5 sun.

|            |      |      |  |
|------------|------|------|--|
| 6 to 8 ft. | 5.50 | 5.00 |  |
|------------|------|------|--|

—**platanoides schwedleri**. 50 ft. (Schwedler Maple) Silty to clay loam, moist, PH 6.0-7.5, sun.

|              |       |       |      |
|--------------|-------|-------|------|
| 6 to 8 ft.   | 4.00  | 3.75  | 3.50 |
| 8 to 10 ft.  | 5.00  | 4.75  | 4.50 |
| 1¼ to 1½ in. | 6.00  | 5.75  | 5.50 |
| 1½ to 1¾ in. | 7.50  | 7.00  | 6.50 |
| 1¾ to 2 in.  | 10.00 | 9.00  |      |
| 2 to 2½ in.  | 15.00 | 13.00 |      |
| 2½ to 3 in.  | 16.00 | 15.00 |      |
| 3 to 3½ in.  | 30.00 | 25.00 |      |
| 3½ to 4 in.  | 35.00 | 30.00 |      |
| 4 to 5 in.   | 45.00 | 40.00 |      |

—**pseudoplatanus**. 60 ft. (plane tree maple) Medium loam, well drained, PH 6.0-7.5 sun.

|             |      |      |  |
|-------------|------|------|--|
| 6 to 8 ft.  | 3.50 | 3.00 |  |
| 8 to 10 ft. | 4.50 | 4.00 |  |



|   |    |        | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|----|--------|-------------|--------------|---------------|
| <b>ACER — Continued</b>   |    |        |             |              |               |
| — <b>rubrum.</b> 50 ft. (Red Maple) Medium silty loam,<br>moist, PH 6.0-7.5, sun. |    |        |             |              |               |
| 6   | to | 8 ft.  | \$4.00      | \$3.50       | \$3.00        |
| 8   | to | 10 ft. | 4.50        | 4.00         | 3.50          |
| 1¼  | to | 1½ in. | 5.00        | 4.75         | 4.50          |
| 1½  | to | 1¾ in. | 7.00        | 6.50         | 6.00          |
| 1¾  | to | 2 in.  | 8.50        | 8.00         | 7.50          |
| 2   | to | 2½ in. | 12.00       | 11.00        | 10.00         |
| 2½  | to | 3 in.  | 15.00       | 14.00        |               |
| 3   | to | 3½ in. | 22.50       | 20.00        |               |
| 3½  | to | 4 in.  | 25.00       | 22.50        |               |

|   |    |        |                       |       |       |
|---|----|--------|-----------------------|-------|-------|
| — <b>saccharum.</b> 60 ft. (Sugar or Rock Maple) Medium<br>loam, well drained, PH 6.0-7.5, sun. |    |        |                       |       |       |
| 6   | to | 8 ft.  | 4.00                  | 3.50  | 3.00  |
| 8   | to | 10 ft. | 4.50                  | 4.00  | 3.50  |
| 1¼  | to | 1½ in. | 5.00                  | 4.75  | 4.50  |
| 1½  | to | 1¾ in. | 7.00                  | 6.50  | 6.00  |
| 1¾  | to | 2 in.  | 8.50                  | 8.00  | 7.50  |
| 2   | to | 2½ in. | 12.00                 | 11.00 | 10.00 |
| 2½  | to | 3 in.  | 15.00                 | 14.00 |       |
| 3   | to | 3½ in. | 22.50                 | 20.00 |       |
| 3½  | to | 4 in.  | 25.00                 | 22.50 |       |
| 4   | to | 5 in.  | 40.00                 | 35.00 |       |
| 5   | to | 6 in.  | in., price on request |       |       |

**AESCULUS**

|   |    |        |       |       |  |
|---|----|--------|-------|-------|--|
| — <b>carnea.</b> 40 ft. (Red Flowering Horsechestnut) Sandy<br>to silty loam, moist, PH 6.0-7.0, sun. |    |        |       |       |  |
| 3   | to | 3½ in. | 45.00 | 40.00 |  |
| 3½  | to | 4 in.  | 55.00 | 50.00 |  |

|   |    |        |      |      |  |
|---|----|--------|------|------|--|
| — <b>glabra.</b> 25' (Ohio buckeye) Sandy to silty loam,<br>moist,, PH 6.0-7.5 sun. |    |        |      |      |  |
| 6   | to | 8 ft.  | 4.00 | 3.50 |  |
| 8   | to | 10 ft. | 5.50 | 5.00 |  |

|  |    |        |       |       |  |
|--|----|--------|-------|-------|--|
| — <b>hippocastanum.</b> 40 ft. (Horsechestnut) Sandy to silty<br>loam, moist, PH 6.0-7.5, sun. |    |        |       |       |  |
| 3  | to | 4 ft.  | 2.50  | 2.00  |  |
| 4  | to | 5 ft.  | 3.00  | 2.50  |  |
| 5  | to | 6 ft.  | 3.50  | 3.00  |  |
| 6  | to | 8 ft.  | 4.00  | 3.50  |  |
| 2  | to | 2½ in. | 12.00 | 10.00 |  |

|  |    |        |       |       |  |
|--|----|--------|-------|-------|--|
| — <b>octandra.</b> 60 ft. (Yellow Buckeye) Sandy to silty<br>loam, moist, PH 6.0-7.5, sun. |    |        |       |       |  |
| 6  | to | 8 ft.  | 3.50  | 3.00  |  |
| 8  | to | 10 ft. | 5.00  | 4.50  |  |
| 1¼   | to | 1½ in. | 5.50  | 5.00  |  |
| 1½   | to | 1¾ in. | 6.50  | 6.00  |  |
| 1¾   | to | 2 in.  | 9.00  | 8.00  |  |
| 2  | to | 2½ in. | 12.00 | 10.00 |  |
| 2½   | to | 3 in.  | 16.00 | 14.00 |  |

|  |    |       |      |      |  |
|--|----|-------|------|------|--|
| — <b>pavia.</b> 30 ft. (Red Buckeye) Sandy to silty loam,<br>moist, PH 6.0-7.0, sun. |    |       |      |      |  |
| 3  | to | 4 ft. | 4.50 | 4.00 |  |
| 4  | to | 5 ft. | 6.00 | 5.00 |  |
| 5  | to | 6 ft. | 6.50 | 6.00 |  |



**AILANTHUS**

|                      |  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|----------------------|--|-------------|--------------|---------------|
| — <i>altissima</i> . | (glandulosa) 40 ft. (Tree of Heaven) Sandy to clay loam, dry-moist, PH 6.0-7.0, sun. |             |              |               |
| 6                    | to 8 ft.   | 3.00        | 2.50         |               |
| 8                    | to 10 ft.  | 4.50        | 4.00         |               |
| 1½                   | to 2 in.   | 6.00        | 5.50         |               |
| 2                    | to 2½ in.  | 8.50        | 8.00         |               |

**AKEBIA**

|                    |  |     |      |  |
|--------------------|--|-----|------|--|
| — <i>quinata</i> . | 15 ft. (Fiveleaf Akebia) Sandy loam, well drained, moist, PH 6.0-7.5, partial shade. |     |      |  |
| 2                  | year   | .60 | 5.00 |  |
| 3                  | year   | .70 | 6.00 |  |

**ALNUS**

|                      |   |      |      |  |
|----------------------|---|------|------|--|
| — <i>glutinosa</i> . | 50 ft. (European Alder) Medium loam, moist, PH 5.5-7.0, sun, tolerates wet soil.        |      |      |  |
| 4                    | to 5 ft.  | 2.50 | 2.00 |  |
| 5                    | to 6 ft.  | 3.00 | 2.50 |  |
| 6                    | to 8 ft.  | 3.50 | 3.00 |  |
| 8                    | to 10 ft.   | 4.50 | 4.00 |  |
| — <i>incana</i> .    | 50 ft. (Speckled Alder) Medium loam, moist, PH 5.5-6.5, partial shade, stands wet soil. |      |      |  |
| 6                    | to 8 ft.  | 3.50 | 3.00 |  |
| 8                    | to 10 ft.   | 4.50 | 4.00 |  |

**ALTHEA — See Hibiscus****AMELANCHIER**

|                        |  |      |      |      |
|------------------------|--|------|------|------|
| — <i>canadensis</i> .  | 30 ft. (Downy Shadblow) Woodsy loam, moist, PH 5.0-6.0, sun or partial shade.                          |      |      |      |
| 2                      | to 3 ft.   | 1.25 | 1.15 | 1.00 |
| 3                      | to 4 ft.   | 1.75 | 1.50 | 1.25 |
| 4                      | to 5 ft.   | 1.75 | 1.65 | 1.50 |
| 5                      | to 6 ft.   | 2.00 | 1.75 |      |
| 6                      | to 8 ft.   | 3.50 | 3.00 |      |
| — <i>stolonifera</i> . | 3 ft. (Running Shadblow) Medium loam, moist, PH 6.0-7.5, sun or partial shade, good for underplanting. |      |      |      |
| 18                     | to 24 in.  | .90  | .80  | .70  |
| 2                      | to 3 ft.   | 1.00 | .90  | .80  |

**AMORPHA**

|                      |   |      |      |  |
|----------------------|---|------|------|--|
| — <i>fruticosa</i> . | 10 ft. (Indigobush) Sandy to loam, moist, PH 6.0-7.5, sun, well drained soil. |      |      |  |
| 2                    | to 3 ft.  | .45  | .40  |  |
| 3                    | to 4 ft.  | .60  | .50  |  |
| 4                    | to 5 ft.  | .80  | .75  |  |
| 5                    | to 6 ft.  | 1.25 | 1.00 |  |

**AMPELOPSIS**

|                               |  |     |     |     |
|-------------------------------|--|-----|-----|-----|
| — <i>brevi. maxomowiczi</i> . | 25 ft. (Procelain Ampelopsis) Medium loam, dry-moist, PH 6.0-7.5, sun or part shade. |     |     |     |
| 2                             | year   | .50 | .45 | .40 |
| 3                             | year   | .60 | .55 | .50 |

**AMYGDALUS** — see *prunus persica*

**AMPELOPSIS** — see *Parthenocissus*

**ARISTOLOCHIA**

|   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------------|--------------|---------------|
| — <i>durior</i> . (Dutch Pipe) medium loam, moist, sun or part shade, PH 6.0-7.5. |             |              |               |
| 2 years, field grown.....   | 1.75        | 1.50         | 1.25          |
| 3 years, field grown.....   | 2.25        | 2.00         | 1.75          |

**ARALIA**

|  |      |      |  |
|--|------|------|--|
| — <i>spinosa</i> . 20 ft. (Hercules Club) Sandy to silty loam, dry-moist, PH 6.0-7.5, sun or part shade. |      |      |  |
| 5 to 6 ft.....   | 1.50 | 1.25 |  |
| 6 to 8 ft.....   | 1.75 | 1.50 |  |
| 8 to 10 ft.....  | 3.00 | 2.50 |  |

**ARONIA. Pyrus**

|  |      |     |     |
|--|------|-----|-----|
| — <i>arbutifolia</i> . 6 ft. (Red Chokeberry) Medium loam, moist or well drained, PH 5.0-6.5, sun or part shade. |      |     |     |
| 18 to 24 in.....   | .75  | .65 | .60 |
| 2 to 3 ft.....   | .80  | .75 | .70 |
| 3 to 4 ft.....   | 1.00 | .85 |     |

—*atropurpurea*. 6 ft. (Purple Chokeberry) Medium loam, moist, PH 5.0-6.5, moist, well drained soil.

|                  |     |     |     |
|------------------|-----|-----|-----|
| 18 to 24 in..... | .75 | .65 | .60 |
| 2 to 3 ft.....   | .80 | .75 |     |

—*brilliantissima*. 6 ft. (Brilliant Chokeberry) Medium loam, moist, PH 5.0-6.5, sun or part shade, well drained soil.

|                  |     |     |     |
|------------------|-----|-----|-----|
| 18 to 24 in..... | .75 | .65 | .60 |
| 2 to 3 ft.....   | .80 | .75 |     |

—*melanocarpa*. 8 ft. (Black Chokeberry) Medium loam, dry or moist, PH 5.0-6.5, sun or part shade.

|                  |     |     |     |
|------------------|-----|-----|-----|
| 18 to 24 in..... | .75 | .65 | .60 |
| 2 to 3 ft.....   | .80 | .75 |     |

—*melanocarpa elata*. 8 ft. (Glossy Chokeberry) Medium loam, dry or moist, PH 5.0-6.5, sun or part shade.

|                  |     |     |     |
|------------------|-----|-----|-----|
| 18 to 24 in..... | .75 | .65 | .60 |
| 2 to 3 ft.....   | .80 | .75 |     |

**AZALEA**

—*calendulacea*. 8 ft. (Flame Azalea) Woodsy loam, moist-drained, PH 4.5-5.5, sun or light shade, acid high organic.

|                       |      |      |  |
|-----------------------|------|------|--|
| 18 to 24 in. B&B..... | 4.50 | 4.00 |  |
| 2 to 3 ft. B&B.....   | 5.50 | 5.00 |  |

—*canescens roseum*. 6 ft. (Pink) Woodsy loam, moist-drained, PH 4.5-5.5, sun, acid high organic.

|                       |      |      |  |
|-----------------------|------|------|--|
| 18 to 24 in. B&B..... | 4.50 | 4.00 |  |
| 2 to 3 ft. B&B.....   | 5.50 | 5.00 |  |

—*latifolia alba* 5' (snow azalea) PH 4.5-6.5, sun, acid.

|                       |      |      |      |
|-----------------------|------|------|------|
| 9 to 12 in. B&B.....  | 2.50 | 2.25 | 2.00 |
| 12 to 15 in. B&B..... | 3.00 | 2.50 |      |

—*kaempferi* 5' (torch azalea) woodsy loam, moist, well drained, PH 4.5-6.5 sun.

|                       |      |      |      |
|-----------------------|------|------|------|
| 9 to 12 in. B&B.....  | 2.25 | 2.00 | 1.75 |
| 12 to 15 in. B&B..... | 2.50 | 2.25 | 2.00 |

**AZALEA** — Continued

| 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-------------|--------------|---------------|
|-------------|--------------|---------------|

—**mollis** — **red and pink**. 3 ft. (Chinese Azalea) Woodsy loam, moist-drained, PH 4.5-6.5, sun, acid high organic.

|                       |      |      |      |
|-----------------------|------|------|------|
| 9 to 12 in. B&B.....  | 1.25 | 1.15 | 1.00 |
| 12 to 15 in. B&B..... | 2.00 | 1.75 | 1.50 |
| 15 to 18 in. B&B..... | 2.50 | 2.25 | 2.00 |
| 18 to 24 in. B&B..... | 3.50 | 3.25 | 3.00 |

—**mollis white**, 3 ft. (white Chinese azalea) woodsy loam, moist, well drained, PH 4.5-6.5 sun, acid high organic.

|                       |      |      |      |
|-----------------------|------|------|------|
| 12 to 15 in. B&B..... | 2.50 | 2.00 |      |
| 15 to 18 in. B&B..... | 3.00 | 2.75 | 2.50 |

—**ponica** (Yellow Azalea) Woodsy loam, moist, drained, PH 4.5-5.5, sun or light shade, acid high organic.

|                       |      |      |      |
|-----------------------|------|------|------|
| 15 to 18 in. B&B..... | 3.50 | 3.25 | 3.00 |
| 18 to 24 in. B&B..... | 5.00 | 4.50 |      |
| 24 to 30 in. B&B..... | 6.50 | 6.00 |      |

—**nudiflora**. 6 ft. (Pinxterbloom). Woodsy loam, moist-drained, PH 4.5-5.5, sun or part shade, acid high organic.

|                       |      |      |  |
|-----------------------|------|------|--|
| 18 to 24 in. B&B..... | 4.50 | 4.00 |  |
| 2 to 3 ft. B&B.....   | 5.50 | 5.00 |  |

**BENZOIN** — see *Lindera***BERBERIS**

| 1-24<br>Each | 25-249<br>Each | 250-up<br>Each |
|--------------|----------------|----------------|
|--------------|----------------|----------------|

—**koreana** 6' (korean barberry) sandy to clay loam, moist, PH 6.0-7.5 sun, part shade.

|                  |     |     |  |
|------------------|-----|-----|--|
| 12 to 15 in..... | .40 | .35 |  |
| 15 to 18 in..... | .45 | .40 |  |

—**mentorensis**. 6 ft. (Mentor Barberry) semi-evergreen sandy to clay loam, PH 6.0-7.5, sun or part shade.

|                  |     |     |     |
|------------------|-----|-----|-----|
| 12 to 15 in..... | .60 | .55 | .50 |
| 15 to 18 in..... | .70 | .65 | .60 |

—**thunbergi**. 5 ft. (Japanese Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun or part shade.

|                  |     |     |     |
|------------------|-----|-----|-----|
| 12 to 15 in..... | .20 | .17 | .15 |
| 15 to 18 in..... | .25 | .22 | .20 |
| 18 to 24 in..... | .30 | .27 | .25 |
| 24 to 30 in..... | .40 | .37 | .35 |
| 30 to 36 in..... | .50 | .45 | .40 |

—**thunbergi atropurpurea**. 5 ft. (Red Japanese Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun for best color.

|                  |     |     |     |
|------------------|-----|-----|-----|
| 12 to 15 in..... | .40 | .35 | .30 |
| 15 to 18 in..... | .45 | .40 | .35 |
| 18 to 24 in..... | .50 | .45 | .40 |

—**thunbergi minor**. 3 ft. (Box Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun or part shade.

|                  |     |     |     |
|------------------|-----|-----|-----|
| 9 to 12 in.....  | .60 | .55 | .50 |
| 12 to 15 in..... | .70 | .65 | .60 |
| 15 to 18 in..... | .80 | .75 | .70 |



| BETULA  |  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|--|-------------|--------------|---------------|
| — <i>lenta</i> . 40 ft. (Sweet Birch) Good medium loam, moist, PH 5.0-7.0, sun or part shade.                         |  |             |              |               |
| 4 to 5 ft.  |  | 1.25        | 1.15         | 1.00          |
| 5 to 6 ft.  |  | 1.75        | 1.50         |               |
| 6 to 8 ft.  |  | 3.50        | 3.00         |               |
| 8 to 10 ft.   |  | 4.50        | 4.00         |               |
| — <i>lutea</i> . 40 ft. (Yellow Birch) Good, Medium loam, moist, PH 5.0-7.0, sun or part shade, tolerant to wet soil. |  |             |              |               |
| 6 to 8 ft.  |  | 3.50        | 3.00         |               |
| 8 to 10 ft.   |  | 4.50        | 4.00         |               |
| 1¼ to 1½ in.  |  | 5.50        | 5.00         |               |
| 1½ to 1¾ in.  |  | 6.50        | 6.00         |               |
| — <i>pendula (alba)</i> . 40 ft. (European White Birch) Sandy loam, dry-moist, PH 5.0-6.5, sun or part shade.         |  |             |              |               |
| 4 to 5 ft.  |  | 1.75        | 1.50         | 1.25          |
| 5 to 6 ft.  |  | 2.00        | 1.75         | 1.50          |
| 6 to 8 ft.  |  | 3.50        | 3.00         |               |
| 8 to 10 ft.   |  | 4.50        | 4.00         |               |
| 1¼ to 1½ in.  |  | 5.50        | 5.00         |               |
| 1½ to 1¾ in.  |  | 6.50        | 6.00         |               |
| 1¾ to 2 in.   |  | 8.50        | 8.00         |               |
| 2 to 2½ in.   |  | 12.00       | 10.00        |               |
| 2½ to 3 in.   |  | 17.50       | 15.00        |               |
| 3 to 3½ in.   |  | 22.50       | 20.00        |               |
| — <i>P. lacinata</i> . 40 ft. (Cut Leaf Weeping Birch) Sandy loam, dry-moist, PH 5.0-6.5, sun-part shade.             |  |             |              |               |
| 6 to 8 ft.  |  | 4.50        | 4.00         |               |
| 8 to 10 ft.   |  | 5.50        | 5.00         |               |
| — <i>nigra</i> . Multiple Stems. Good, medium loam, moist, PH 5.0-7.0, sun or part shade, tolerant to wet soil.       |  |             |              |               |
| 4 to 5 ft.  |  | 1.75        | 1.50         | 1.25          |
| 5 to 6 ft.  |  | 2.25        | 2.00         | 1.75          |
| 6 to 8 ft.  |  | 3.50        | 3.00         |               |
| 8 to 10 ft.   |  | 5.00        | 4.50         |               |
| — <i>papyrifera</i> . 50 ft. (Canoe Birch) Good loam, moist, PH 5.0-6.5, sun or part shade, good moist soil.          |  |             |              |               |
| 5 to 6 ft.  |  | 2.00        | 1.50         |               |
| 6 to 8 ft.  |  | 3.50        | 3.00         |               |
| 8 to 10 ft.   |  | 4.50        | 4.00         |               |
| — <i>populifolia</i> . 40 ft. (gray birch) medium loam, moist, PH 5.0-7.0 sun or part shade                           |  |             |              |               |
| 4 to 5 ft.  |  | 1.50        | 1.25         |               |
| 5 to 6 ft.  |  | 2.00        | 1.75         |               |
| 6 to 8 ft.  |  | 3.50        | 3.00         |               |

# **BIGNONIA** — (see *Campsis*)

# **BUDDLEIA** — (Butterfly Bush)

—*alternifolia* (fountain butterfly bush). Sandy loam, well drained, PH 6.0-7.5, sun.

|         |     |     |     |
|---------|-----|-----|-----|
| 2 years | .60 | .55 | .50 |
|---------|-----|-----|-----|

—*charming*. (Bright Pink) Sandy loam, moist, well drained, PH 6.0-7.5, sun.

|        |     |     |     |
|--------|-----|-----|-----|
| 2 year | .40 | .35 | .30 |
|--------|-----|-----|-----|

|   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------------|--------------|---------------|
| <b>BUDDLEIA</b> — Continued   |             |              |               |
| — <b>concord.</b> (Reddish Blue) Sandy loam, moist, well-drained, PH 6.0-7.5, sun.        |             |              |               |
| 2 year .....  | .40         | .35          | .30           |
| — <b>dubonnet.</b> (Wine Red) Sandy loam, moist, well-drained, PH 6.0-7.5, sun.           |             |              |               |
| 2 year .....  | .40         | .35          | .30           |
| — <b>eleanor.</b> (Blue, Orange Eye) Sandy loam, moist, well-drained, PH 6.0-7.5, sun.    |             |              |               |
| 2 year .....  | .40         | .35          | .30           |
| — <b>ile de france.</b> (Claret-Purple) Sandy loam, moist, well-drained, PH 6.0-7.5, sun. |             |              |               |
| 2 year .....  | .40         | .35          | .30           |
| — <b>royal red.</b> Sandy loam, moist, well drained, PH 6.0-7.5, sun.                     |             |              |               |
| 2 year .....  | .45         | .40          | .35           |
| — <b>white beauty.</b> Sandy loam, moist, well drained, PH 6.0-7.5, sun.                  |             |              |               |
| 2 year .....  | .45         | .40          | .35           |

**BUXUS**

|  |      |      |      |
|--|------|------|------|
| — <b>sempervierens.</b> 12 ft. (Boxwood) unsheared. Rich, medium loam, moist, well-drained, PH 6.0-7.5, sun, part shade. |      |      |      |
| 9 to 12 in. B&B.....   | 2.50 | 2.25 | 2.00 |
| 12 to 15 in. B&B.....  | 3.00 | 2.75 | 2.50 |

**CALLICARPA**

|  |     |     |     |
|--|-----|-----|-----|
| — <b>americana.</b> 6 ft. (American Beautyberry) Medium loam, moist, PH 6.0-7.5, sun.          |     |     |     |
| 15 to 18 in.....   | .45 | .40 | .35 |
| 18 to 24 in.....   | .60 | .55 | .50 |
| 2 to 3 ft.....   | .75 | .70 | .65 |
| — <b>dichotoma (purpurea)</b> 4 ft. (Chinese Beautyberry) Medium loam, moist, PH 6.0-7.5, sun. |     |     |     |
| 15 to 18 in.....   | .45 | .40 | .35 |
| 18 to 24 in.....   | .60 | .55 | .50 |
| 2 to 3 ft.....   | .75 | .70 | .65 |
| — <b>giraldiana.</b> 6 ft. (Girald Beautyberry). Medium loam, moist, PH 6.0-7.5 sun.           |     |     |     |
| 18 to 24 in.....   | .75 | .70 | .65 |
| 2 to 3 ft.....   | .85 | .80 | .75 |

**CALYCANTHUS**

|   |     |     |     |
|---|-----|-----|-----|
| — <b>floridus.</b> 5 ft. (Strawberry Shrub) Medium loam, moist, PH 6.0-7.5, sun or light shade, tolerant to wet soil. |     |     |     |
| 15 to 18 in.....  | .50 | .45 | .40 |
| 18 to 24 in.....  | .60 | .55 | .50 |
| 2 to 3 ft.....  | .75 | .65 | .60 |

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
|--|-------------|--------------|---------------|

**CAMPSIS**

—**grandiflora**. 20 ft. (Chinese Trumpetreeper) Rich silty to clay loam, dry-moist, PH 6.0-7.5, sun.

|        |      |      |      |
|--------|------|------|------|
| 2 year | 1.00 | .85  | .75  |
| 3 year | 1.25 | 1.15 | 1.00 |

—**radicans**. 25 ft. (Trumpetreeper) Sandy to silty clay loam, dry-moist, PH 6.0-7.5, sun or part shade.

|               |     |     |     |
|---------------|-----|-----|-----|
| 2 year, No. 1 | .30 | .27 | .25 |
| 3 year, No. 1 | .35 | .32 | .30 |

**CARAGANA**

—**arborescens**. 12 ft. (Siberian Peashrub) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun or shade.

|              |     |     |     |
|--------------|-----|-----|-----|
| 18 to 24 in. | .40 | .35 | .30 |
| 2 to 3 ft.   | .60 | .55 | .50 |
| 3 to 4 ft.   | .75 | .65 | .60 |
| 4 to 5 ft.   | .90 | .85 | .75 |

**CARPINUS**

—**betulus fastigiata**. 40 ft. (Pyramidal European Hornbeam) Medium loam, moist, PH 6.0-7.5, sun or shade.

|                 |       |       |      |
|-----------------|-------|-------|------|
| 3 to 4 ft. B&B  | 5.00  | 4.50  | 4.00 |
| 4 to 5 ft. B&B  | 7.50  | 7.00  |      |
| 5 to 6 ft. B&B  | 11.00 | 10.00 |      |
| 6 to 8 ft. B&B  | 17.50 | 15.00 |      |
| 8 to 10 ft. B&B | 25.00 | 20.00 |      |

—**carolineana**. 35 ft. (American Hornbeam) Medium loam, moist, PH 6.0-7.5, sun or shade.

|                  |       |       |       |
|------------------|-------|-------|-------|
| 3 to 4 ft. B&B   | 4.00  | 3.50  | 3.00  |
| 4 to 5 ft. B&B   | 6.00  | 5.50  | 5.00  |
| 5 to 6 ft. B&B   | 10.00 | 9.00  | 8.00  |
| 6 to 8 ft. B&B   | 12.00 | 11.00 | 10.00 |
| 8 to 10 ft. B&B  | 15.00 | 14.00 | 13.00 |
| 1½ to 1¾ in. B&B | 22.00 | 20.00 |       |
| 2 to 2½ in. B&B  | 25.00 | 22.50 |       |
| 2½ to 3 in. B&B  | 27.50 | 25.00 |       |

**CASTANEA**

—**mollissima** (Chinese Chestnut) Medium loam, moist, PH 5.5-7.0, sun.

|             |       |      |      |
|-------------|-------|------|------|
| 2 to 3 ft.  | 1.75  | 1.50 | 1.25 |
| 3 to 4 ft.  | 2.25  | 2.00 | 1.75 |
| 4 to 5 ft.  | 3.00  | 2.50 |      |
| 5 to 6 ft.  | 4.50  | 4.00 |      |
| 6 to 8 ft.  | 7.00  | 6.00 |      |
| 8 to 10 ft. | 10.00 | 8.00 |      |

**CATALPA**

—**speciosa**. 35 ft. (Western Catalpa) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

|              |      |      |      |
|--------------|------|------|------|
| 6 to 8 ft.   | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft.  | 2.50 | 2.25 | 2.00 |
| 1½ to 1¾ in. | 3.50 | 3.00 |      |
| 1¾ to 2 in.  | 5.00 | 4.50 |      |
| 2 to 2½ in.  | 6.00 | 5.50 |      |
| 2½ to 3 in.  | 9.00 | 8.00 |      |



**CEANOTHUS**

—**americanus**. 3 ft. (Jerseytea) Sandy to sandy loam, dry-moist, PH 4.5-6.5, partial shade.

|                  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|------------------|-------------|--------------|---------------|
| 12 to 15 in..... | .45         | .40          |               |
| 15 to 18 in..... | .60         | .50          |               |
| 18 to 24 in..... | .65         | .60          |               |

**CELASTRUS**

—**orbiculatus**. 15 ft. (Oriental Bittersweet) Medium loam, dry-moist, PH 5.0-7.0, sun or shade.

|                   |     |     |     |
|-------------------|-----|-----|-----|
| 2 year No. 1..... | .40 | .35 | .30 |
| 3 year No. 1..... | .45 | .40 | .35 |

—**scandens**. 20 ft. (American Bittersweet) Medium loam, dry-moist, PH 5.0-7.0, sun or shade, fruits best in sun.

|                   |     |     |     |
|-------------------|-----|-----|-----|
| 2 year No. 1..... | .40 | .35 | .30 |
| 3 year No. 1..... | .45 | .40 | .35 |

**CELTIS**

—**occidentalis**. 45 ft. (Hackberry) Sandy to silty clay moist, PH 6.0-7.5, sun, stand poor soil.

|                  |       |       |      |
|------------------|-------|-------|------|
| 5 to 6 ft.....   | 2.00  | 1.75  | 1.50 |
| 6 to 8 ft.....   | 3.00  | 2.75  | 2.50 |
| 8 to 10 ft.....  | 3.50  | 3.00  |      |
| 1¼ to 1½ in..... | 4.50  | 4.00  |      |
| 1½ to 1¾ in..... | 5.50  | 5.00  |      |
| 1¾ to 2 in.....  | 6.50  | 6.00  |      |
| 2 to 2½ in.....  | 12.00 | 10.00 |      |
| 2½ to 3 in.....  | 13.00 | 12.00 |      |
| 3 to 3½ in.....  | 16.00 | 15.00 |      |
| 3½ to 4 in.....  | 22.00 | 20.00 |      |

**CEPHALANTHUS**

—**occidentalis**. 6 ft. (Buttonbush) Loam to silty clay moist, PH 6.0-7.5, sun to part shade.

|                |     |     |     |
|----------------|-----|-----|-----|
| 2 to 3 ft..... | .50 | .45 | .40 |
| 3 to 4 ft..... | .60 | .55 | .50 |
| 4 to 5 ft..... | .75 | .65 | .60 |

**CERCIS**

—**canadensis**. 30 ft. (Judas Tree) Medium loam, moist, PH 6.0-7.5, sun or part shade.

|                |      |      |      |
|----------------|------|------|------|
| 2 to 3 ft..... | .85  | .80  | .75  |
| 3 to 4 ft..... | 1.25 | 1.15 | 1.00 |
| 4 to 5 ft..... | 2.25 | 2.00 | 1.75 |
| 5 to 6 ft..... | 3.50 | 3.25 | 3.00 |
| 6 to 8 ft..... | 5.50 | 5.00 |      |

**CHAENOMELES (Cydonia)**

—**japonica**. 5 ft. (Japan Quince) Sandy to silty clay, moist, well drained, PH 6.0-7.5, sun or part shade.

|                  |     |     |     |
|------------------|-----|-----|-----|
| 15 to 18 in..... | .40 | .35 | .30 |
| 18 to 24 in..... | .50 | .45 | .40 |
| 2 to 3 ft.....   | .60 | .55 | .50 |

**CHAENOMELES** — Continued

—**japonica pygmaea**. 3 ft. (Dwarf Japan Quince) Sandy to silty clay, moist, well drained, PH 6.0-7.5, sun or part shade.

|                  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|------------------|-------------|--------------|---------------|
| 15 to 18 in..... | .40         | .35          | .30           |
| 18 to 24 in..... | .50         | .45          | .40           |
| 2 to 3 ft.....   | .60         | .55          | .50           |

—**japonica umbilicata**. 8 ft. (Navel Flowering Quince) Sandy to silty clay, moist, drained, PH 6.0-7.5, sun or part shade.

|                  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|------------------|-------------|--------------|---------------|
| 15 to 18 in..... | .45         | .40          | .35           |
| 18 to 24 in..... | .60         | .55          | .50           |

**CHIONANTHUS**

—**virginica**. 15 ft. (White Fringe) Well drained medium loam, moist, PH 5.0-6.0, sun.

|                  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|------------------|-------------|--------------|---------------|
| 15 to 18 in..... | .60         | .55          | .50           |
| 18 to 24 in..... | .80         | .75          | .70           |
| 2 to 3 ft.....   | 1.25        | 1.00         |               |
| 8 to 10 ft.....  | 8.00        | 7.00         |               |

**CHAMAECYPARIS**

—**obtusa crippii aurea**. 8 ft. (Golden Hinoki Cypress) rich, medium loam, moist, well drained, PH 5.5-6.5, sun-shade.

|                       | 1-4<br>Each | 5-24<br>Each |
|-----------------------|-------------|--------------|
| 15 to 18 in. B&B..... | 2.00        | 1.75         |
| 18 to 24 in. B&B..... | 2.50        | 2.00         |
| 2½ to 3 ft. B&B.....  | 4.00        | 3.50         |
| 3 to 4 ft. B&B.....   | 5.50        | 5.00         |

—**obtusa nana**. 5 ft. rich, medium loam, moist, well drained, PH 5.5-6.5, sun-part shade.

|                       | 1-4<br>Each | 5-24<br>Each |
|-----------------------|-------------|--------------|
| 15 to 18 in. B&B..... | 2.00        | 1.75         |
| 18 to 24 in. B&B..... | 2.50        | 2.00         |

—**pisifera**. 25 ft. (Sawara Cypress) medium loam moist, well drained, PH 6.0-7.0, sun-partial shade.

|                       | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-----------------------|-------------|--------------|---------------|
| 18 to 24 in. B&B..... | 2.25        | 2.00         | 1.75          |
| 2 to 2½ ft. B&B.....  | 2.75        | 2.50         | 2.25          |
| 2½ to 3 ft. B&B.....  | 4.00        | 3.50         | 3.00          |
| 3 to 4 ft. B&B.....   | 5.00        | 4.50         | 4.00          |
| 4 to 5 ft. B&B.....   | 6.00        | 5.50         | 5.00          |

—**pisifera aurea**. 25 ft. (Golden Sawara Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

|                       | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-----------------------|-------------|--------------|---------------|
| 18 to 24 in. B&B..... | 2.25        | 2.00         | 1.75          |
| 2 to 2½ ft. B&B.....  | 2.75        | 2.50         | 2.25          |
| 2½ to 3 ft. B&B.....  | 4.00        | 3.50         | 3.00          |
| 3 to 4 ft. B&B.....   | 5.00        | 4.50         | 4.00          |
| 4 to 5 ft. B&B.....   | 6.00        | 5.50         | 5.00          |

—**p. filifera**. 10 ft. (Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

|                       | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-----------------------|-------------|--------------|---------------|
| 15 to 18 in. B&B..... | 2.00        | 1.75         | 1.50          |
| 18 to 24 in. B&B..... | 2.50        | 2.25         | 2.00          |
| 2 to 2½ ft. B&B.....  | 4.00        | 3.50         | 3.00          |
| 2½ to 3 ft. B&B.....  | 5.00        | 4.50         | 4.00          |
| 3 to 4 ft. B&B.....   | 6.00        | 5.50         |               |

|  |       | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------|-------------|--------------|---------------|
| <b>Chamaecyparis — Continued</b>   |       |             |              |               |
| — <b>p. filifera aurea</b> . 6 ft. (Golden Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.               |       |             |              |               |
| 12 to 15 in. B&B   | ..... | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B   | ..... | 2.25        | 2.00         | 1.75          |
| 18 to 24 in. B&B   | ..... | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B   | ..... | 4.00        | 3.75         | 3.50          |
| 30 to 36 in. B&B   | ..... | 5.00        | 4.75         | 4.50          |
| 3 to 4 ft. B&B   | ..... | 6.00        | 5.50         |               |
| — <b>p. filifera aurea variegata</b> . 8 ft. (Variegated Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade. |       |             |              |               |
| 15 to 18 in. B&B   | ..... | 2.00        | 1.75         |               |
| 18 to 24 in. B&B   | ..... | 3.00        | 2.50         |               |
| 2 to 2½ in. B&B  | ..... | 4.00        | 3.75         |               |
| — <b>p. plumosa</b> . 20 ft. (Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.                                      |       |             |              |               |
| 18 to 24 in. B&B   | ..... | 2.25        | 2.00         | 1.75          |
| 2 to 2½ ft. B&B  | ..... | 2.75        | 2.50         | 2.25          |
| 2½ to 3 ft. B&B  | ..... | 4.00        | 3.75         | 3.50          |
| 3 to 4 ft. B&B   | ..... | 5.00        | 4.50         | 4.00          |
| 4 to 5 ft. B&B   | ..... | 6.00        | 5.50         | 5.00          |
| 5 to 6 ft. B&B   | ..... | 7.00        | 6.50         | 6.00          |
| 6 to 8 ft. B&B   | ..... | 8.00        | 7.50         | 7.00          |
| — <b>p. plumosa aurea</b> . 18 ft. (Golden Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.                         |       |             |              |               |
| 18 to 24 in. B&B   | ..... | 2.25        | 2.00         | 1.75          |
| 2 to 2½ ft. B&B  | ..... | 2.75        | 2.50         | 2.25          |
| 2½ to 3 ft. B&B  | ..... | 4.00        | 3.75         | 3.50          |
| 3 to 4 ft. B&B   | ..... | 5.00        | 4.50         | 4.00          |
| 4 to 5 ft. B&B   | ..... | 6.00        | 5.50         | 5.00          |
| 5 to 6 ft. B&B   | ..... | 7.00        | 6.50         | 6.00          |
| — <b>p. plumosa argentea</b> . 15 ft. (Silver Tip Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.                        |       |             |              |               |
| 15 to 18 in. B&B   | ..... | 2.50        | 2.00         |               |
| 18 to 24 in. B&B   | ..... | 3.00        | 2.50         |               |
| 24 to 30 in. B&B   | ..... | 4.00        | 3.50         |               |
| — <b>p. plumosa sulphurea</b> . 20 ft. (Sulphur Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.                    |       |             |              |               |
| 15 to 18 in. B&B   | ..... | 2.50        | 2.00         |               |
| 18 to 24 in. B&B   | ..... | 3.00        | 2.50         |               |
| — <b>p. squarrosa veitchi</b> . 20 ft. (Gray Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.                             |       |             |              |               |
| 18 to 24 in. B&B   | ..... | 2.25        | 2.00         | 1.75          |
| 2 to 2½ ft. B&B  | ..... | 2.75        | 2.50         | 2.25          |
| 2½ to 3 ft. B&B  | ..... | 4.00        | 3.75         | 3.50          |
| 3 to 4 ft. B&B   | ..... | 5.00        | 4.50         | 4.00          |
| 4 to 5 ft. B&B   | ..... | 6.00        | 5.50         | 5.00          |



| CLADRASTIS   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <i>lutea</i> . 35 ft. (Yellowwood) Medium loam, moist, PH 6.0-7.5, sun, high organic matter. |             |              |               |
| 18 to 24 in.....   | 1.25        | 1.00         |               |
| 2 to 3 ft.....   | 1.75        | 1.50         |               |

**CLEMATIS**

|   |     |     |     |
|---|-----|-----|-----|
| — <i>paniculata</i> . 20 ft. (Sweet Autumn Clematis) Rich, medium loam, moist, well drained, PH 6.5-7.5, sun or part shade. |     |     |     |
| 2 year Medium.....  | .35 | .30 | .25 |
| 2 year No. 1.....   | .45 | .40 | .35 |
| — <i>hybrids</i> , large flowering  |     |     |     |
| <i>henryi</i> (Snow-white) .....  | .75 | .65 |     |
| <i>jackmanni</i> (Violet-blue) ....   | .75 | .65 |     |
| <i>Mad. Ed. Andre</i> (Wine-red) ..   | .75 | .65 |     |
| — <i>virginiana</i> . 25 ft. (Virgins-bower) rich, medium loam, moist, well drained, PH 6.5-7.5, sun or part shade.         |     |     |     |
| 2 year .....  | .50 | .45 | .40 |
| 3 year .....  | .60 | .55 | .50 |

**CLETHRA**

|  |     |     |     |
|--|-----|-----|-----|
| — <i>alnifolia</i> . 6 ft. (Sweet Pepperbush Bush) Woodsy moist, PH 4.5-5.5, sun or part shade, high organic matter. |     |     |     |
| 15 to 18 in.....   | .50 | .45 | .40 |
| 18 to 24 in.....   | .60 | .55 | .50 |
| 24 to 30 in.....   | .75 | .65 | .60 |
| 30 to 36 in.....   | .80 | .75 | .65 |

**CLERODENDRON**

|   |      |      |  |
|---|------|------|--|
| — <i>trichotomum</i> . 6 ft. (Harlequin) Medium loam, moist, PH 6.0-7.5, sun or slight shade. |      |      |  |
| 5 to 6 ft. ....   | 1.50 | 1.25 |  |
| 6 to 8 ft.....  | 2.50 | 2.00 |  |

**COLUTHEA**

|   |      |      |     |
|---|------|------|-----|
| — <i>arborescens</i> . 10 ft. (Bladder Senna) Sandy to clay loam, dry-moist, PH 6.0-7.5, sun. |      |      |     |
| 2 to 3 ft.....  | .60  | .55  | .50 |
| 3 to 4 ft.....  | .75  | .65  |     |
| 6 to 8 ft.....  | 3.00 | 2.50 |     |

**COMPTONIA**

|   |     |     |     |
|---|-----|-----|-----|
| — <i>peregrina esplenifolia</i> . 3 ft. (Sweet Fern) Porous sandy loam, dry, PH 5.0-6.0, sun-light shade. |     |     |     |
| 15 to 18 in.....  | .75 | .65 | .60 |
| 18 to 24 in.....  | .90 | .85 | .75 |

**CORNUS**

|   |      |      |      |
|---|------|------|------|
| — <i>alba elegantissima</i> . 6 ft. (Silverblotch Dogwood) Medium loam, moist, PH 6.0-7.5, sun.   |      |      |      |
| 15 to 18 in.....  | .50  | .45  | .40  |
| 18 to 24 in.....  | .60  | .55  | .50  |
| 2 to 3 ft.....  | .75  | .70  | .60  |
| 3 to 4 ft.....  | 1.00 | .90  |      |
| — <i>alba sibirica</i> . 8 ft. (Coral Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade. |      |      |      |
| 2 to 3 ft.....  | .50  | .45  | .40  |
| 3 to 4 ft.....  | .55  | .50  | .45  |
| 4 to 5 ft.....  | .70  | .65  | .60  |
| 5 to 6 ft.....  | .85  | .80  | .75  |
| 6 to 8 ft.....  | 1.25 | 1.15 | 1.00 |

**Cornus** — Continued

|   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------------|--------------|---------------|
| <b>—alba spaethi.</b> 6 ft. (Golden Leaved Dogwood) Medium loam, moist, PH 6.0-7.5, sun.                                    |             |              |               |
| 18 to 24 in. ....   | .60         | .55          | .50           |
| 2 to 3 ft. ....   | .75         | .70          | .60           |
| 3 to 4 ft. ....   | 1.00        | .90          |               |
| <b>—alternifolia.</b> 20 ft. (pagoda dogwood) Medium loam, moist, PH 5.5-7.0 sun or shade.                                  |             |              |               |
| 18 to 24 in. ....   | .50         | .45          | .40           |
| 2 to 3 ft. ....   | .50         | .45          |               |
| 3 to 4 ft. ....   | .80         | .75          |               |
| 4 to 5 ft. ....   | .85         | .80          |               |
| <b>—amomum.</b> 8 ft. (Silky Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.                                    |             |              |               |
| 2 to 3 ft. ....   | .50         | .45          | .40           |
| 3 to 4 ft. ....   | .55         | .50          | .45           |
| 4 to 5 ft. ....   | .70         | .65          | .60           |
| 5 to 6 ft. ....   | .85         | .80          | .75           |
| <b>—baileyi.</b> 10 ft. (Bailey Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.                                 |             |              |               |
| 2 to 3 ft. ....   | .50         | .45          | .40           |
| 3 to 4 ft. ....   | .55         | .50          | .45           |
| 4 to 5 ft. ....   | .70         | .65          | .60           |
| 5 to 6 ft. ....   | .85         | .80          | .75           |
| <b>—florida.</b> 20 ft. (White Flowering Dogwood) Good medium loam, moist, well drained, PH 5.0-6.5, sun or part shade.     |             |              |               |
| 2 to 3 ft. B&B. ....  | 2.50        | 2.25         | 2.00          |
| 3 to 4 ft. B&B. ....  | 3.00        | 2.75         | 2.50          |
| 4 to 5 ft. B&B. ....  | 5.00        | 4.50         | 4.00          |
| 5 to 6 ft. B&B. ....  | 6.00        | 5.50         | 5.00          |
| 6 to 8 ft. B&B. ....  | 8.00        | 7.50         | 7.00          |
| 8 to 10 ft. B&B. ....   | 12.00       | 11.00        | 10.00         |
| 10 to 12 ft. B&B. ....  | 17.00       | 16.00        | 15.00         |
| Heavy Specimen, \$2.50 per ft.  |             |              |               |
| Multiple Stems B&B, 48"   | 60.00       | 50.00        |               |
| <b>—florida tree form.</b> Same as above  |             |              |               |
| 2½ to 3 in. B&B 32 in. ....   | 32.50       | 30.00        |               |
| 3 to 3½ in. B&B 36 in. ....   | 37.50       | 35.00        |               |
| 3½ to 4 in. B&B 42 in. ....   | 45.00       | 42.50        |               |
| 4 to 5 in. B&B 48 in. ....  | 60.00       | 50.00        |               |
| <b>—florida rubra.</b> 20 ft. (Red Flowering Dogwood) Good medium loam, moist, well drained, PH 5.0-6.5, sun or part shade. |             |              |               |
| 18 to 24 in. B&B. ....  | 3.00        | 2.75         | 2.50          |
| 2 to 3 ft. B&B. ....  | 4.00        | 3.75         | 3.50          |
| 3 to 4 ft. B&B. ....  | 6.00        | 5.75         | 5.50          |
| 4 to 5 ft. B&B. ....  | 7.00        | 6.50         |               |
| 5 to 6 ft. B&B. ....  | 10.00       | 9.00         |               |
| 6 to 8 ft. B&B. ....  | 16.00       | 15.00        |               |
| 8 to 10 ft. B&B. ....   | 22.50       | 20.00        |               |
| 10 to 12 ft. B&B. ....  | 27.50       | 25.00        | 22.50         |
| Heavy Specimen 10x10' B&B   |             |              |               |
| 36" Ball. ....  | 65.00       | 60.00        |               |
| Heavy Specimen 12x12' B&B   |             |              |               |
| 48" Ball. ....  | 75.00       | 70.00        |               |

| Cornus — Continued  |  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|--|-------------|--------------|---------------|
| — <b>kousa</b> . 20 ft. (kousa dogwood) medium loam, moist, well drained, PH 5.0-6.5 partial shade preferred. |  |             |              |               |
| 18 to 24 in.  |  | 1.00        | .75          |               |
| 2 to 3 ft.  |  | 1.50        | 1.25         |               |
| — <b>mas</b> . 20 ft. (Cornelian Cherry) Good, medium loam, moist, PH 6.0-7.5, sun or part shade.             |  |             |              |               |
| 18 to 24 in.  |  | .80         | .70          |               |
| 2 to 3 ft.  |  | 1.00        | .75          |               |
| 6 to 8 ft.  |  | 4.00        | 3.50         |               |
| — <b>paniculata</b> . (see <i>racemosa</i> )  |  |             |              |               |
| — <b>rasemosa</b> . 12 ft. (Gray Dogwood) Medium loam, moist, PH 6.0-7.5, sun or shade.                       |  |             |              |               |
| 15 to 18 in.  |  | .30         | .25          | .22           |
| 18 to 24 in.  |  | .45         | .40          | .35           |
| 2 to 3 ft.  |  | .55         | .50          | .45           |
| 3 to 4 ft.  |  | .60         | .55          |               |
| — <b>sanguinea</b> . 10 ft. (Bloodtwig Dogwood) Medium loam moist, PH 6.0-7.5, sun or part shade.             |  |             |              |               |
| 2 to 3 ft.  |  | .50         | .45          | .40           |
| 3 to 4 ft.  |  | .55         | .50          | .45           |
| 4 to 5 ft.  |  | .70         | .65          | .60           |
| 5 to 6 ft.  |  | .85         | .80          | .75           |
| — <b>stolonifera</b> . 10 ft. (Red Osier Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.          |  |             |              |               |
| 2 to 3 ft.  |  | .50         | .45          | .40           |
| 3 to 4 ft.  |  | .55         | .50          | .45           |
| 4 to 5 ft.  |  | .70         | .65          | .60           |
| 5 to 6 ft.  |  | .85         | .80          | .75           |
| 6 to 8 ft.  |  | 1.25        | 1.15         | 1.00          |
| — <b>stolonifera flaviramae</b> . 6 ft. (Golden Twig Dogwood) Medium loam, moist, PH 6.0-7.5, sun.            |  |             |              |               |
| 2 to 3 ft.  |  | .50         | .45          | .40           |
| 3 to 4 ft.  |  | .55         | .50          | .45           |
| 4 to 5 ft.  |  | .70         | .65          | .60           |
| 5 to 6 ft.  |  | .85         | .80          | .75           |

## CORYLUS

|  |  |      |      |  |
|--|--|------|------|--|
| — <b>america</b> . 12 ft. (American Hazelnut) Medium loam, moist, PH 6.0-7.0, sun or medium shade. |  |      |      |  |
| 2 to 3 ft.   |  | .85  | .75  |  |
| 3 to 4 ft.   |  | 1.00 | .90  |  |
| 4 to 5 ft.   |  | 1.50 | 1.25 |  |
| — <b>avellana</b> . 15 ft. (European filbert) Medium loam, moist, PH 6.0-7.0, medium shade, sun.   |  |      |      |  |
| 2 to 3 ft.   |  | .85  | .75  |  |
| 3 to 4 ft.   |  | 1.00 | .90  |  |
| 4 to 5 ft.   |  | 1.50 | 1.25 |  |

## COTINUS

|  |  |      |      |      |
|--|--|------|------|------|
| — <b>coggygrina</b> (smoke tree) 15 ft. Medium loam, well drained, PH 5.5-7.5 sun. |  |      |      |      |
| 18 to 24 in.   |  | 1.00 | .85  | .75  |
| 2 to 3 ft.   |  | 1.25 | 1.15 | 1.00 |
| 3 to 4 ft.   |  | 1.50 | 1.35 | 1.25 |

**COTONEASTER**

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| <b>—acutifolia.</b> 12 ft. (Peking Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.                   |             |              |               |
| 18 to 24 in.   | .60         | .55          | .50           |
| 2 to 3 ft.   | .75         | .70          | .65           |
| <b>—adpressa.</b> 2 ft. (Creeping Cotoneaster) Rich medium loam, moist, PH 6.0-7.5, sun.                     |             |              |               |
| 10 to 12 in. B&B   | 1.75        | 1.65         | 1.50          |
| 12 to 15 in. B&B   | 2.50        | 2.25         | 2.00          |
| 15 to 18 in. B&B   | 3.00        | 2.75         | 2.50          |
| 18 to 24 in. B&B   | 3.50        | 3.00         |               |
| <b>—apiculata.</b> 5 ft. (Large Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun or slight shade.      |             |              |               |
| 12 to 15 in. B&B   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B   | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B   | 4.00        | 3.50         |               |
| <b>—bullata.</b> 6 ft. (Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun.                              |             |              |               |
| 2 to 3 ft. B&B   | 2.50        | 2.25         | 2.00          |
| 3 to 4 ft. B&B   | 3.00        | 2.75         | 2.50          |
| 4 to 5 ft. B&B   | 5.00        | 4.50         |               |
| <b>—conspicua</b> 3 ft. (wintergreen cotoneaster). Rich medium loam, moist. PH 6.0-7.5, sun.                 |             |              |               |
| 12 to 15 in. B&B   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B   | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B   | 3.00        | 2.50         |               |
| 24 to 30 in. B&B   | 3.50        | 3.25         | 3.00          |
| <b>—dielsiana.</b> 6 ft. (Diel's Cotoneaster) Rich medium loam, moist, PH 6.0-7.5, sun.                      |             |              |               |
| 15 to 18 in. B&B   | 1.75        | 1.50         |               |
| 18 to 24 in. B&B   | 2.25        | 2.00         |               |
| 2 to 3 ft. B&B   | 3.00        | 2.75         | 2.50          |
| <b>—divericata.</b> 6 ft. (Spreading Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun or slight shade. |             |              |               |
| 18 to 24 in. B&B   | 2.50        | 2.25         | 2.00          |
| 2 to 2½ ft. B&B  | 3.00        | 2.75         | 2.50          |
| 2½ to 3 ft. B&B  | 4.00        | 3.75         | 3.50          |
| <b>—cotoneaster foveolata</b> 10 ft. (glossy cotoneaster). Rich, medium loam, moist, PH 6.0-7.5.             |             |              |               |
| 2 to 3 ft. B&B   | 2.50        | 2.25         |               |
| 3 to 4 ft. B&B   | 3.50        | 3.00         |               |
| <b>—francheti</b> 10 ft. (Franchet cotoneaster) medium loam, moist, PH 6.0-7.5.                              |             |              |               |
| 12 to 15 in. B&B   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B   | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B   | 3.00        | 2.50         |               |
| <b>—horizontalis.</b> 3 ft. (Prostrate Quinceberry) Rich, medium loam, moist, PH 6.0-7.5, sun.               |             |              |               |
| 12 to 15 in. B&B   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B   | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B   | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B   | 3.50        | 3.00         |               |



|   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------------|--------------|---------------|
| <b>Cotoneaster — Continued</b>  |             |              |               |
| — <b>hupehensis</b> . 5 ft. (Hupen Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.                      |             |              |               |
| 18 to 24 in. B&B .....  | 2.25        | 2.00         | 1.75          |
| 2 to 3 ft. B&B .....  | 3.00        | 2.50         |               |
| — <b>microphylla</b> . 15 ft. (Rockspray) Rich, medium loam, moist, PH 6.0-7.5, sun.                            |             |              |               |
| 12 to 15 in. B&B .....  | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B .....  | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B .....  | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B .....  | 3.50        | 3.00         |               |
| — <b>rotundifolia</b> . 6 ft. (Roundleaf Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.                |             |              |               |
| 12 to 15 in. B&B .....  | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B .....  | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B .....  | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B .....  | 3.50        | 3.00         |               |
| — <b>salicifolia</b> . 10 ft. (Willowleaf Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade. |             |              |               |
| 18 to 24 in. B&B .....  | 2.00        | 1.75         | 1.50          |
| 2 to 3 ft. B&B .....  | 2.50        | 2.25         | 2.00          |
| 3 to 4 ft. B&B .....  | 3.00        | 2.75         | 2.50          |
| — <b>wilsoni</b> . 4 ft. (Wilson Cotoneaster) Rich, medium loam, moist well drained, PH 6.0-7.5, sun.           |             |              |               |
| 12 to 15 in. B&B .....  | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B .....  | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B .....  | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B .....  | 3.50        | 3.00         |               |

**CRATAEGUS**

|  |       |      |      |
|--|-------|------|------|
| — <b>coccinea</b> ( <b>Intricata</b> ) 15 ft. (Thicket Hawthorn) Medium loam, or heavy soil, moist, PH 6.0-7.5, sun. |       |      |      |
| 2 to 3 ft. ....  | 2.50  | 2.25 |      |
| 6 to 8 ft. ....  | 6.50  | 6.00 |      |
| 8 to 10 ft. ....   | 10.00 | 9.00 |      |
| — <b>crusgalli</b> . 15 ft. (Cockspur Thorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.                      |       |      |      |
| 2 to 3 ft. ....  | 2.50  | 2.25 | 2.00 |
| 3 to 4 ft. ....  | 3.00  | 2.75 | 2.50 |
| 4 to 5 ft. ....  | 4.00  | 3.75 | 3.50 |
| 5 to 6 ft. ....  | 4.50  | 4.25 | 4.00 |
| 6 to 8 ft. ....  | 6.50  | 6.00 |      |
| 8 to 10 ft. ....   | 10.00 | 9.00 |      |
| — <b>mollis</b> . 18 ft. (Downy Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.                         |       |      |      |
| 2 to 3 ft. ....  | 2.50  | 2.25 | 2.00 |
| 3 to 4 ft. ....  | 3.00  | 2.75 | 2.50 |
| 4 to 5 ft. ....  | 4.00  | 3.75 | 3.50 |
| 5 to 6 ft. ....  | 4.50  | 4.00 |      |
| 6 to 8 ft. ....  | 6.50  | 6.00 |      |
| 8 to 10 ft. ....   | 10.00 | 9.00 |      |

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| <b>CRATAEGUS</b> — Continued   |             |              |               |
| — <b>nitida</b> . 15 ft. (Glossy Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.                                |             |              |               |
| 4 to 5 ft.....   | 4.00        | 3.50         |               |
| 5 to 6 ft.....   | 4.50        | 4.00         |               |
| 6 to 8 ft.....   | 6.50        | 6.00         |               |
| — <b>oxyacantha</b> . 12 ft. (English Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun or part shade.             |             |              |               |
| 2 to 3 ft.....   | 2.50        | 2.25         | 2.00          |
| 3 to 4 ft.....   | 3.00        | 2.75         | 2.50          |
| 4 to 5 ft.....   | 4.00        | 3.75         | 3.50          |
| 5 to 6 ft.....   | 4.50        | 4.00         |               |
| 6 to 8 ft.....   | 6.50        | 6.00         |               |
| 8 to 10 ft.....  | 10.00       | 9.00         |               |
| — <b>oxyacantha pauli</b> . 15 ft. (Paul's Scarlet Thorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.                 |             |              |               |
| 2 to 3 ft.....   | 2.50        | 2.25         | 2.00          |
| 3 to 4 ft.....   | 3.50        | 3.25         | 3.00          |
| 4 to 5 ft.....   | 5.00        | 4.50         | 4.00          |
| 5 to 6 ft.....   | 6.00        | 5.50         |               |
| 6 to 8 ft.....   | 7.50        | 7.00         |               |
| — <b>oxyacantha plena</b> . 15 ft. double English hawthorn). Medium loam or heavy soil, moist, PH 6.0-7.5 sun.               |             |              |               |
| 4 to 5 ft.....   | 5.00        | 4.50         |               |
| 5 to 6 ft.....   | 6.00        | 5.50         |               |
| 6 to 8 ft.....   | 7.50        | 7.00         |               |
| — <b>oxyacantha punicea</b> . 15 ft. (single red English hawthorn) medium loam or heavy soil, moist, PH 6.0-7.5, sun.        |             |              |               |
| 4 to 5 ft.....   | 5.00        | 4.50         |               |
| 5 to 6 ft.....   | 6.00        | 5.50         |               |
| 6 to 8 ft.....   | 7.50        | 7.00         |               |
| — <b>phaenopyrum (cordata)</b> 20 ft. (Washington Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun or part shade. |             |              |               |
| 2 to 3 ft.....   | 2.50        | 2.25         | 2.00          |
| 3 to 4 ft.....   | 3.00        | 2.75         | 2.50          |
| 4 to 5 ft.....   | 4.00        | 3.75         | 3.50          |
| 5 to 6 ft.....   | 4.50        | 4.00         |               |
| 6 to 8 ft.....   | 6.50        | 6.00         |               |
| 8 to 10 ft.....  | 10.00       | 9.00         |               |
| <b>CYDONIA</b> See Chaenomeles   |             |              |               |
| <b>DAPHNE</b>  |             |              |               |
| — <b>cneorum</b> . 15 in. (Garland Flower) Porous peaty or sandy, moist, well drained, PH 5.5-7.5, sun.                      |             |              |               |
| 6 to 8 in. B&B.....  | .90         | .85          | .75           |
| 9 to 12 in. B&B.....   | 1.15        | 1.00         | .90           |
| 12 to 15 in. B&B.....  | 1.75        | 1.50         | 1.25          |
| 15 to 18 in. B&B.....  | 2.00        | 1.75         | 1.50          |
| 18 to 24 in. B&B.....  | 2.50        | 2.25         | 2.00          |
| <b>DESMODIUM</b> (see Lespedeza)   |             |              |               |

**DEUTZIA**

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <b>gracilis</b> . 3 ft. (Slender Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.                       |             |              |               |
| 9 to 12 in.  | .40         | .35          | .30           |
| 12 to 15 in.   | .50         | .45          | .40           |
| 15 to 18 in.   | .55         | .50          | .45           |
| 18 to 24 in.   | .65         | .60          |               |
| — <b>gracilis rosea</b> . 4 ft. (Rose Panicle Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.            |             |              |               |
| 12 to 15 in.   | .45         | .40          | .35           |
| 15 to 18 in.   | .50         | .45          | .40           |
| 18 to 24 in.   | .65         | .60          | .55           |
| — <b>lemoini</b> . 5 ft. (Lemoine Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun or partial shade.       |             |              |               |
| 15 to 18 in.   | .45         | .40          | .35           |
| 18 to 24 in.   | .55         | .50          | .45           |
| 24 to 30 in.   | .70         | .60          | .50           |
| — <b>scabra candissima</b> . 12 ft. (Snowflake Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.            |             |              |               |
| 2 to 3 ft.   | .50         | .45          | .40           |
| 3 to 4 ft.   | .55         | .50          | .45           |
| — <b>scabra crenata rosea plena</b> . 7 ft. (Double Rose Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun. |             |              |               |
| 2 to 3 ft.   | .50         | .45          | .40           |
| 3 to 4 ft.   | .55         | .50          | .45           |
| 4 to 5 ft.   | .75         | .70          | .60           |
| 5 to 6 ft.   | .85         | .80          | .75           |
| — <b>scabra pride of Rochester</b> . 7 ft. (Double Rose Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.  |             |              |               |
| 2 to 3 ft.   | .50         | .45          | .40           |
| 3 to 4 ft.   | .55         | .50          | .45           |
| 4 to 5 ft.   | .75         | .70          | .60           |

**DIERVILLA**

|  |     |     |     |
|--|-----|-----|-----|
| — <b>trifida</b> . 4 ft. (Dwarf Bush Honeysuckle) Sandy to silty loam, moist, PH 6.0-7.5, sun or part shade. |     |     |     |
| 15 to 18 in.   | .45 | .40 | .35 |
| 18 to 24 in.   | .50 | .45 |     |
| 2 to 3 ft.   | .60 | .50 |     |
| 3 to 4 ft.   | .75 | .60 |     |

**DIOSPYROS**

|  |      |      |  |
|--|------|------|--|
| — <b>virginiana</b> . 15 ft. (Common Persimmon) Silty clay loam, moist, PH 6.0-7.5, sun or part shade. |      |      |  |
| 2 to 3 ft.   | 1.00 | .75  |  |
| 3 to 4 ft.   | 1.25 | 1.00 |  |
| 6 to 8 ft.   | 4.00 | 3.50 |  |
| 8 to 10 ft.  | 5.00 | 4.50 |  |
| 1½ to 1¾ in.   | 6.00 | 5.50 |  |
| 1¾ to 2 in.  | 7.00 | 6.50 |  |

## ELEAGNUS

|   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------------|--------------|---------------|
| — <b>angustifolia</b> . 15 ft. (Russian Olive) Silty clay, moist well drained, PH 6.0-7.5, sun.               |             |              |               |
| 18 to 24 in.....  | .40         | .35          | .30           |
| 2 to 3 ft.....  | .55         | .50          | .45           |
| 3 to 4 ft.....  | .65         | .60          | .55           |
| 4 to 5 ft.....  | .90         | .85          | .75           |
| 5 to 6 ft.....  | 1.25        | 1.15         | 1.00          |
| 6 to 8 ft.....  | 2.50        | 2.25         | 2.00          |
| 8 to 10 ft.....   | 3.50        | 3.00         |               |
| — <b>argentea</b> . 12 ft. (Silverberry) Silty clay, moist, well drained, PH 6.0-7.5, sun or part shade.      |             |              |               |
| 4 to 5 ft.....  | 1.00        | .85          | .75           |
| 5 to 6 ft.....  | 1.25        | 1.15         | 1.00          |
| 6 to 8 ft.....  | 2.50        | 2.25         | 2.00          |
| — <b>umbellata</b> . 12 ft. (Autumn Eleagnus) Silty clay, moist, well drained, PH 6.0-7.5, sun or part shade. |             |              |               |
| 2 to 3 ft.....  | .55         | .50          | .45           |
| 3 to 4 ft.....  | .75         | .65          | .60           |
| 4 to 5 ft.....  | 1.00        | .85          | .75           |
| 5 to 6 ft.....  | 1.25        | 1.15         | 1.00          |
| 6 to 8 ft.....  | 2.50        | 2.25         | 2.00          |

## EUONYMUS

|   |      |      |      |
|---|------|------|------|
| — <b>alatus</b> . 8 ft. (Winged Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.                      |      |      |      |
| 15 to 18 in.....  | .85  | .75  | .65  |
| 18 to 24 in.....  | 1.15 | 1.00 | .90  |
| — <b>alatus compacta</b> . 6 ft. (Dwarf Winged Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.       |      |      |      |
| 12 to 15 in.....  | .90  | .85  | .75  |
| 15 to 18 in.....  | 1.25 | 1.15 | 1.00 |
| 18 to 24 in.....  | 1.75 | 1.50 | 1.25 |
| — <b>americanus</b> . 8 ft. (Brook Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or part shade, tolerates wet soil. |      |      |      |
| 18 to 24 in.....  | .60  | .50  | .45  |
| 2 to 3 ft.....  | .85  | .75  |      |
| — <b>atropurpureus</b> 15' (Wahoo) silty clay loam, moist, PH 5.5-7.5 sun or part shade, tolerant of wet soil.          |      |      |      |
| 15 to 18 in.....  | .40  | .35  | .30  |
| 18 to 24 in.....  | .45  | .40  | .35  |
| — <b>bungeanus</b> . 15 ft. (Winterberry Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.             |      |      |      |
| 4 to 5 ft.....  | .70  | .65  | .60  |
| 5 to 6 ft.....  | .85  | .80  | .75  |
| 6 to 8 ft.....  | 1.25 | 1.15 | 1.00 |
| — <b>europaeus</b> . 15 ft. (European Burning Bush) Silty clay loam, moist, PH 5.5-7.5, sun-shade.                      |      |      |      |
| 18 to 24 in.....  | .45  | .40  | .35  |
| 2 to 3 ft.....  | .60  | .55  | .50  |
| 3 to 4 ft.....  | .75  | .65  | .60  |
| 4 to 5 ft.....  | .85  | .80  | .75  |
| 5 to 6 ft.....  | 1.25 | 1.00 |      |



**EUONYMUS** — Continued

|   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------------|--------------|---------------|
| — <b>f. carriere.</b> 3 ft. (Glossy Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun-shade.           |             |              |               |
| 9 to 12 in.....   | .60         | .55          | .50           |
| 12 to 15 in.....  | .70         | .65          | .60           |
| 15 to 18 in.....  | .80         | .75          | .70           |
| — <b>f. coloratus.</b> 1 ft. (Red-leaved Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade.   |             |              |               |
| 12 to 15 in.....  | .60         | .55          | .50           |
| 15 to 18 in.....  | .70         | .65          | .60           |
| 18 to 24 in.....  | .80         | .75          | .70           |
| 24 to 30 in.....  | 1.00        | .90          | .80           |
| — <b>f. erecta.</b> 3 ft. (Upright Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade.         |             |              |               |
| 12 to 15 in.....  | .70         | .65          | .60           |
| 15 to 18 in.....  | .85         | .80          | .75           |
| 18 to 24 in.....  | 1.10        | 1.00         | .90           |
| — <b>fortuni radicans.</b> 1 ft. (Wintercreeper) Sandy to silty clay, moist, PH 5.5-7.5, sun or shade.      |             |              |               |
| 9 to 12 in.....   | .60         | .55          | .50           |
| 12 to 15 in.....  | .70         | .65          | .60           |
| — <b>f. vegetus.</b> 4 ft. (Largeleaf Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade.      |             |              |               |
| 9 to 12 in.....   | .75         | .70          | .65           |
| 12 to 15 in.....  | 1.00        | .90          | .80           |
| 15 to 18 in.....  | 1.25        | 1.15         | 1.00          |
| 18 to 24 in.....  | 1.50        | 1.35         | 1.25          |
| — <b>kiautschovicus</b> (patens). 8 ft. Sandy to silty clay, moist, well drained, PH 5.5-7.5, sun or shade. |             |              |               |
| 12 to 15 in.....  | .75         | .65          | .60           |
| 15 to 18 in.....  | 1.00        | .90          | .80           |
| 18 to 24 in.....  | 1.50        | 1.35         | 1.25          |
| 24 to 30 in.....  | 1.75        | 1.65         | 1.50          |
| — <b>oxyphyllus</b> 15' Silty clay loam, moist, PH 5.5-7.5, sun-shade.                                      |             |              |               |
| 18 to 24 in.....  | .45         | .40          | .35           |
| 2 to 3 ft.....  | .60         | .55          | .50           |

—**patens** (see *kiautschovicus*).

|  |      |     |     |
|--|------|-----|-----|
| — <b>yedoensis.</b> 10 ft. (Yeddo Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or part shade. |      |     |     |
| 2 to 3 ft.....   | .60  | .55 | .50 |
| 3 to 4 ft.....   | .75  | .65 | .60 |
| 4 to 5 ft.....   | 1.00 | .90 | .80 |

**EXOCHORDIA**

|   |     |     |     |
|---|-----|-----|-----|
| — <b>rasemosa.</b> 10 ft. (Pearl Bush) Medium loam, moist, well drained, PH 6.0-7.5- sun. |     |     |     |
| 18 to 24 in.....  | .40 | .35 | .30 |
| 2 to 3 ft.....  | .50 | .45 | .40 |
| 3 to 4 ft.....  | .60 | .55 | .50 |
| 4 to 5 ft.....  | .70 | .65 |     |

**FAGUS**

|   |      |      |      |
|---|------|------|------|
| — <b>grandiflora.</b> 60 ft. (American Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun or part shade, avoid alkaline soil. |      |      |      |
| 3 to 4 ft. B&B.....   | 5.00 | 4.50 | 4.00 |
| 4 to 5 ft. B&B.....   | 6.00 | 5.50 | 5.00 |
| 5 to 6 ft. B&B.....   | 9.00 | 8.00 |      |

| <b>FAGUS</b> — Continued   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <i>sylvatica</i> . 75 ft. (European Beech) Medium loam, moist, well drained, PH 6.0-7.0, sun-slight shade.               |             |              |               |
| 3 to 4 ft. B&B.....  | 6.00        | 5.50         |               |
| 4 to 5 ft. B&B.....  | 8.00        | 7.00         |               |
| 5 to 6 ft. B&B.....  | 12.00       | 10.00        |               |
| 6 to 8 ft. B&B.....  | 15.00       | 14.00        |               |
| 8 to 10 ft. B&B.....   | 20.00       | 18.00        |               |
| 10 to 12 ft. B&B.....  | 25.00       | 22.00        |               |
| — <i>sylvatica fastigiata</i> . 25 ft. (Pyramidal European beech). Medium loam, moist, well drained, PH 6.0-7.0 sun.       |             |              |               |
| 6 to 8 ft. B&B.....  | 15.00       | 14.00        |               |
| 8 to 10 ft. B&B.....   | 20.00       | 18.00        |               |
| 10 to 12 ft. B&B.....  | 25.00       | 22.00        |               |
| — <i>sylvatica heterophylla</i> . 40 ft. (Fernleaf Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun or shade.      |             |              |               |
| 2 to 3 ft. B&B.....  | 4.50        | 4.00         |               |
| 3 to 4 ft. B&B.....  | 6.50        | 6.00         |               |
| 4 to 5 ft. B&B.....  | 11.00       | 10.00        |               |
| — <i>sylvatica pendula</i> . 40 ft. (Weeping Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun or part shade.       |             |              |               |
| 6 to 8 ft. B&B.....  | 30.00       |              |               |
| 2½ to 3 in. B&B.....   | 50.00       |              |               |
| 3 to 3½ in. B&B.....   | 60.00       |              |               |
| — <i>sylvatica riversi</i> . 45 ft. (Rivers Purple Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun or part shade. |             |              |               |
| 6 to 8 ft. B&B.....  | 30.00       | 25.00        |               |
| 2 to 2½ in. B&B.....   | 45.00       | 40.00        |               |
| 2½ to 3 in. B&B.....   | 65.00       | 60.00        |               |
| 3 to 3½ in. B&B.....   | 80.00       |              |               |
| 3½ to 4 in. B&B.....   | 100.00      |              |               |
| — <i>sylvatica tricolor</i> . 40 ft. Medium loam, moist well drained, PH 5.0-7.0, sun or part shade.                       |             |              |               |
| 3 in. pots 2 yr. grafts, 12-18 in.   | 1.75        | 1.50         |               |

## FONTANESIA

|   |     |     |     |
|---|-----|-----|-----|
| — <i>fortunei</i> . 15 ft. (fortune fontanesia). Sandy to silty clay, moist, sun or part shade, PH 6.0-7.5. |     |     |     |
| 18 to 24 in.....  | .40 | .35 | .30 |
| 2 to 3 ft.....  | .50 | .45 | .40 |
| 3 to 4 ft.....  | .55 | .50 | .45 |
| 4 to 5 ft.....  | .65 | .60 |     |
| 5 to 6 ft.....  | .85 | .75 |     |

## FORSYTHIA

|   |     |     |     |
|---|-----|-----|-----|
| — <i>intermedia</i> . 7 ft. (Border Forsythia) Rich medium loam, moist, PH 6.0-7.5, sun or light shade. |     |     |     |
| 2 to 3 ft.....  | .55 | .50 | .45 |
| 3 to 4 ft.....  | .60 | .55 | .50 |
| 4 to 5 ft.....  | .75 | .65 | .60 |
| 5 to 6 ft.....  | .85 | .80 | .75 |

| FORSYTHIA — Continued   |       | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------|-------------|--------------|---------------|
| — <i>intermedia primula</i> . 10 ft. (primrose border forsythia)<br>Rich, medium loam, moist, PH 6.0-7.5, sun or<br>part shade. |       |             |              |               |
| 2 to 3 ft.  | ..... | .55         | .50          | .45           |
| 3 to 4 ft.  | ..... | .60         | .55          | .50           |
| — <i>intermedia spectabilis</i> . 8 ft. (Showy Border Forsythia) Rich, medium loam, moist, PH 6.0-7.5,<br>sun or light shade.   |       |             |              |               |
| 2 to 3 ft.  | ..... | .55         | .50          | .45           |
| 3 to 4 ft.  | ..... | .60         | .55          | .50           |
| 4 to 5 ft.  | ..... | .75         | .65          | .60           |
| 5 to 6 ft.  | ..... | .85         | .80          | .75           |
| — <i>ovata</i> . 8 ft. (Korean Forsythia) Rich, medium loam,<br>moist, PH 6.0-7.5, sun or light shade.                          |       |             |              |               |
| 2 to 3 ft.  | ..... | .60         | .50          |               |
| 3 to 4 ft.  | ..... | .70         | .60          |               |
| 4 to 5 ft.  | ..... | .80         | .75          |               |
| — <i>suspensa</i> . 5 ft. (Weeping Forsythia) Rich medium<br>loam, moist, PH 6.0-7.5, sun or light shade.                       |       |             |              |               |
| 2 to 3 ft.  | ..... | .55         | .50          | .45           |
| 3 to 4 ft.  | ..... | .60         | .55          | .50           |
| 4 to 5 ft.  | ..... | .75         | .65          | .60           |
| 5 to 6 ft.  | ..... | .85         | .80          | .75           |
| — <i>suspensa fortunei</i> . 7 ft. (Fortune Forsythia) Rich,<br>medium loam, moist, PH 6.0-7.5, sun or light<br>shade.          |       |             |              |               |
| 2 to 3 ft.  | ..... | .55         | .50          | .45           |
| 3 to 4 ft.  | ..... | .60         | .55          | .50           |
| 4 to 5 ft.  | ..... | .75         | .65          | .60           |
| 5 to 6 ft.  | ..... | .85         | .80          | .75           |
| — <i>viridissima</i> . 5 ft. (Greenstem Forsythia) Rich, medium<br>loam, moist, PH 6.0-7.5, sun or part shade.                  |       |             |              |               |
| 2 to 3 ft.  | ..... | .55         | .50          | .45           |
| 3 to 4 ft.  | ..... | .60         | .55          | .50           |
| 4 to 5 ft.  | ..... | .75         | .65          | .60           |

## FRAXINUS

|  |       |       |       |      |
|--|-------|-------|-------|------|
| — <i>americana</i> . 60 ft. (White Ash) Medium loam, moist,<br>PH 6.0-7.5, sun.    |       |       |       |      |
| 6 to 8 ft.   | ..... | 2.25  | 2.00  | 1.75 |
| 8 to 10 ft.  | ..... | 2.75  | 2.50  | 2.25 |
| 1¼ to 1½ in.   | ..... | 3.25  | 3.00  | 2.75 |
| 1½ to 1¾ in.   | ..... | 4.00  | 3.75  | 3.50 |
| 1¾ to 2 in.  | ..... | 6.00  | 5.50  | 5.00 |
| 2 to 2½ in.  | ..... | 8.00  | 7.50  | 7.00 |
| 2½ to 3 in.  | ..... | 12.00 | 10.00 |      |
| 3 to 3½ in.  | ..... | 15.00 | 14.00 |      |
| — <i>excelsior</i> . 90 ft. (European Ash) Medium loam, moist,<br>PH 6.0-7.5, sun. |       |       |       |      |
| 6 to 8 ft.   | ..... | 2.25  | 2.00  | 1.75 |
| 8 to 10 ft.  | ..... | 2.75  | 2.50  | 2.25 |
| 1¼ to 1½ in.   | ..... | 3.25  | 3.00  | 2.75 |
| 1½ to 1¾ in.   | ..... | 4.00  | 3.75  | 3.50 |
| 1¾ to 2 in.  | ..... | 6.00  | 5.50  | 5.00 |

**FRAXINUS** — Continued

1-4 Each      5-24 Each      25-up Each

—**lanceolata**. 60 ft. (Green Ash) Medium loam, moist,  
PH 6.0-7.5, sun, tolerates wet soil.

|    |    |    |     |       |       |       |
|----|----|----|-----|-------|-------|-------|
| 6  | to | 8  | ft. | 2.25  | 2.00  | 1.75  |
| 8  | to | 10 | ft. | 2.75  | 2.50  | 2.25  |
| 1¼ | to | 1½ | in. | 3.25  | 3.00  | 2.75  |
| 1½ | to | 1¾ | in. | 4.00  | 3.75  | 3.50  |
| 1¾ | to | 2  | in. | 6.00  | 5.50  | 5.00  |
| 2  | to | 2½ | in. | 8.00  | 7.50  | 7.00  |
| 2½ | to | 3  | in. | 12.00 | 11.00 | 10.00 |
| 3  | to | 3½ | in. | 15.00 | 14.00 |       |
| 3½ | to | 4  | in. | 22.50 | 20.00 |       |

—**mandshurica**. 75 ft. (Manchurian Ash) Medium loam,  
moist, PH 6.0-7.5, sun.

|    |    |    |     |      |      |      |
|----|----|----|-----|------|------|------|
| 6  | to | 8  | ft. | 2.50 | 2.25 | 2.00 |
| 8  | to | 10 | ft. | 3.00 | 2.75 | 2.50 |
| 1¼ | to | 1½ | in. | 3.50 | 3.00 |      |
| 1½ | to | 1¾ | in. | 4.50 | 4.00 |      |

**GINKGO**

—**biloba**. 60 ft. (Maidenhair Tree) Rich sandy to silty  
loam, moist, well drained, PH 5.5-7.5, sun.

|    |    |    |     |       |       |       |
|----|----|----|-----|-------|-------|-------|
| 1¼ | to | 1½ | in. | 6.00  | 5.50  |       |
| 1½ | to | 1¾ | in. | 7.50  | 7.00  |       |
| 1¾ | to | 2  | in. | 12.00 | 11.00 | 10.00 |
| 2  | to | 2½ | in. | 14.00 | 13.00 | 12.00 |
| 2½ | to | 3  | in. | 16.00 | 15.00 | 14.00 |
| 3  | to | 3½ | in. | 25.00 | 22.50 | 20.00 |
| 3½ | to | 4  | in. | 35.00 | 30.00 |       |
| 4  | to | 5  | in. | 45.00 | 40.00 |       |

**GLEDITSIA**

—**triocanthos**. 60 ft. (Honey Locust) Rich silty clay  
loam, moist, PH 6.0-8.0, sun.

|    |    |    |     |      |      |      |
|----|----|----|-----|------|------|------|
| 5  | to | 6  | ft. | 1.75 | 1.50 |      |
| 6  | to | 8  | ft. | 2.25 | 2.00 |      |
| 8  | to | 10 | ft. | 3.00 | 2.75 | 2.50 |
| 1¼ | to | 1½ | in. | 3.50 | 3.25 |      |
| 1½ | to | 1¾ | in. | 5.00 | 4.50 |      |
| 1¾ | to | 2  | in. | 6.50 | 6.00 |      |

—**triocanthos inermis**. 50 ft. (Thornless Honey Locust)  
Rich, silty clay loam, moist, PH 6.0-8.0, sun.

|    |    |    |     |       |       |      |
|----|----|----|-----|-------|-------|------|
| 5  | to | 6  | ft. | 2.50  | 2.25  | 2.00 |
| 6  | to | 8  | ft. | 3.00  | 2.75  | 2.50 |
| 8  | to | 10 | ft. | 3.50  | 3.25  | 3.00 |
| 1¼ | to | 1½ | in. | 6.00  | 5.50  | 5.00 |
| 1½ | to | 1¾ | in. | 7.00  | 6.50  |      |
| 1¾ | to | 2  | in. | 8.50  | 8.00  |      |
| 2  | to | 2½ | in. | 11.00 | 10.00 |      |
| 2½ | to | 3  | in. | 14.00 | 12.00 |      |
| 3  | to | 3½ | in. | 20.00 | 17.50 |      |
| 3½ | to | 4  | in. | 25.00 | 22.50 |      |
| 4  | to | 5  | in. | 35.00 | 30.00 |      |



**GYMNOCLADUS**1-4  
Each 5-24  
Each 25-up  
Each

—**dioeca**. 40 ft. (Kentucky Coffee Tree) Rich, medium loam, moist, PH 6.0-8.0, sun.

|   |    |    |     |       |       |
|---|----|----|-----|-------|-------|
| 3 | to | 4  | ft. | 2.00  | 1.50  |
| 4 | to | 5  | ft. | 3.00  | 2.50  |
| 5 | to | 6  | ft. | 4.50  | 4.00  |
| 6 | to | 8  | ft. | 6.50  | 6.00  |
| 2 | to | 2½ | in. | 15.00 | 13.00 |

**HALESIA**

—**carolina** (**carolina**). 14 ft. (Great Silverbell) Rich medium loam, moist, well drained, PH 5.5-7.5, sun.

|    |    |    |     |      |      |
|----|----|----|-----|------|------|
| 4  | to | 5  | ft. | 1.50 | 1.35 |
| 5  | to | 6  | ft. | 2.00 | 1.75 |
| 6  | to | 8  | ft. | 4.00 | 3.50 |
| 8  | to | 10 | ft. | 5.50 | 5.00 |
| 10 | to | 12 | ft. | 8.00 | 7.00 |

**HAMAMELIS**

—**vernalis**. 8 ft (vernal witchazel). Medium loam, moist, well drained, PH 5.5-7.5.

|    |    |    |     |     |     |     |
|----|----|----|-----|-----|-----|-----|
| 15 | to | 18 | in. | .50 | .45 | .40 |
| 18 | to | 24 | in. | .60 | .55 | .50 |
| 2  | to | 3  | ft. | .90 | .75 |     |

—**virginiana**. 15 ft. (Witch-Hazel) Medium loam, moist, well drained, PH 6.0-7.0, sun-medium shade.

|   |    |   |     |      |      |      |
|---|----|---|-----|------|------|------|
| 2 | to | 3 | ft. | .90  | .75  | .65  |
| 3 | to | 4 | ft. | 1.25 | 1.00 | .75  |
| 4 | to | 5 | ft. | 1.50 | 1.25 | 1.00 |
| 5 | to | 6 | ft. | 1.75 | 1.50 | 1.25 |

**HEDERA**

—**helix**. 20 ft. (English Ivy) Medium loam, moist, well drained, PH 6.0-7.5, partial shade-shade.

|   |       |    |          |     |     |     |
|---|-------|----|----------|-----|-----|-----|
| 1 | year, | 2¼ | in. pots | .35 | .30 | .25 |
| 2 | year, | 3  | in. pots | .45 | .40 | .35 |

—**helix baltica**. 15 ft. (Small Leaf English Ivy) Medium loam, moist, well drained, PH 6.0-7.5, partial shade-shade.

|   |       |    |          |     |     |     |
|---|-------|----|----------|-----|-----|-----|
| 1 | year, | 2¼ | in. pots | .40 | .35 | .30 |
| 2 | year, | 3  | in. pots | .50 | .45 | .40 |

**HIBISCUS** — **Syriacus**. 15 ft. (Althea) Deep, sandy to silty loam, moist, PH 6.5-7.5, sun or part shade.

—**anemonaeflorus** — double rose

—**ardens** — double violet

—**banner** — double white, red stripes

—**coelestis** — single blue

—**lucy** — double red

—**pulcherrima** — double flesh, red center

—**totus albus** — single white

|    |    |    |     |     |     |     |
|----|----|----|-----|-----|-----|-----|
| 18 | to | 24 | in. | .40 | .35 | .30 |
| 2  | to | 3  | ft. | .50 | .45 | .40 |
| 3  | to | 4  | ft. | .55 | .50 | .45 |
| 4  | to | 5  | ft. | .75 | .65 | .60 |

**HYDRANGEA**

—**arborescens grandiflora**. 6 ft. (Hills of Snow) Medium to silty clay loam, moist, PH 6.5-8.0, sun-slight shade.

|    |    |    |     |     |     |     |
|----|----|----|-----|-----|-----|-----|
| 12 | to | 18 | in. | .35 | .30 | .25 |
| 18 | to | 24 | in. | .40 | .35 | .30 |
| 2  | to | 3  | ft. | .50 | .45 | .40 |

**HYDRANGEA** — Continued

|   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------------|--------------|---------------|
| — <b>nikko blue</b> . 3 ft. (Hardy blue hydrangea) Medium loam, moist, PH 6.0-7.5, sun.                       |             |              |               |
| 9 to 12 in.....   | .60         | .55          | .50           |
| 12 to 15 in.....  | .75         | .70          | .65           |
| 15 to 18 in.....  | .90         | .85          | .80           |
| — <b>paniculata grandiflora</b> . 7 ft. (Peegee Hydrangea) Medium to silty clay loam, moist, PH 6.0-7.5, sun. |             |              |               |
| 12 to 18 in.....  | .35         | .30          | .25           |
| 18 to 24 in.....  | .40         | .35          | .30           |
| 2 to 3 ft.....  | .50         | .45          | .40           |
| 3 to 4 ft.....  | .75         | .65          | .60           |

**HYPERICUM**

|  |     |     |     |
|--|-----|-----|-----|
| — <b>aureum</b> . 4 ft. (Golden St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.      |     |     |     |
| 18 to 24 in.....   | .45 | .40 | .35 |
| 2 to 2½ ft.....  | .50 | .45 | .40 |
| 2½ to 3 ft.....  | .60 | .55 | .50 |
| — <b>densiflorum</b> . 4 ft. (St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.        |     |     |     |
| 18 to 24 in.....   | .45 | .40 | .35 |
| 2 to 2½ ft.....  | .50 | .45 | .40 |
| 2½ to 3 ft.....  | .60 | .55 | .50 |
| 3 to 4 ft.....   | .70 | .65 | .60 |
| — <b>kalmianum</b> 4' sandy to medium loam, moist, well drained, PH 6.5-8.0 sun, light shade.                                |     |     |     |
| 18 to 24 in.....   | .45 | .40 | .35 |
| 24 to 30 in.....   | .50 | .45 | .40 |
| — <b>patulum henryi</b> . 4 ft. (Henry St. Johnswort). Sandy to medium loam, moist, well drained, PH 6.5-8.0.                |     |     |     |
| 12 to 15 in.....   | .40 | .35 | .30 |
| 15 to 18 in.....   | .45 | .40 | .35 |
| 18 to 24 in.....   | .60 | .55 | .50 |
| — <b>prolificum</b> . 5 ft. (Shrubby St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade. |     |     |     |
| 18 to 24 in.....   | .45 | .40 | .35 |
| 2 to 2½ ft.....  | .50 | .45 | .40 |
| 2½ to 3 ft.....  | .60 | .55 | .50 |
| 3 to 4 ft.....   | .70 | .65 | .60 |

**ILEX**

|  |      |      |
|--|------|------|
| — <b>crenata</b> 10 ft. (Japanese Holly) medium loam, moist, well drained, PH 5.5-7.0.                                       |      |      |
| 12 to 15 in. B&B.....  | 2.50 | 2.00 |
| 15 to 18 in. B&B.....  | 3.50 | 3.00 |
| 18 to 24 in. B&B.....  | 4.50 | 4.00 |
| — <b>crenata convexa</b> 10 ft. (convexleaf Japanese Holly) medium loam, moist, well drained, sun or part shade, PH 5.5-7.0. |      |      |
| 12 to 15 in. B&B.....  | 2.75 | 2.50 |
| 15 to 18 in. B&B.....  | 4.00 | 3.50 |
| 18 to 24 in. B&B.....  | 5.00 | 4.50 |

| ILEX — Continued  |       |              | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------|--------------|-------------|--------------|---------------|
| — <b>glabra</b> . 5 ft. (Ink Berry) Medium loam, moist, PH 4.5-6.0, sun or shade.                                     |       |              |             |              |               |
| 12  | to 15 | in. B&B..... | 1.75        | 1.65         | 1.50          |
| 15  | to 18 | in. B&B..... | 2.50        | 2.25         | 2.00          |
| 18  | to 24 | in. B&B..... | 3.00        | 2.75         | 2.50          |
| 2   | to 2½ | ft. B&B..... | 3.50        | 3.25         | 3.00          |
| 2½  | to 3  | ft. B&B..... | 4.50        | 4.00         |               |
| 3   | to 3½ | ft. B&B..... | 5.50        | 5.00         |               |
| 3½  | to 4  | ft. B&B..... | 6.50        | 6.00         |               |
| — <b>opaca</b> . 20 ft. (American Holly) Sandy to silty clay, moist, well drained, PH 5.0-7.0, sun-part shade.        |       |              |             |              |               |
| 12  | to 15 | in. B&B..... | 2.50        | 2.25         | 2.00          |
| 15  | to 18 | in. B&B..... | 3.00        | 2.75         | 2.50          |
| 18  | to 24 | in. B&B..... | 4.50        | 4.00         | 3.50          |
| 24  | to 30 | in. B&B..... | 5.00        | 4.50         |               |
| 4   | to 5  | ft. B&B..... | 10.00       | 9.00         |               |
| 6   | to 8  | ft. B&B..... | 25.00       | 22.00        |               |
| — <b>verticillata</b> . 6 ft. (Winterberry) Light to medium loam, moist, well drained, PH 5.0-6.0, sun or part shade. |       |              |             |              |               |
| 18  | to 24 | ft.....      | .60         | .55          | .50           |
| 2   | to 3  | ft.....      | .90         | .80          | .70           |

## JUGLANS

|  |       |         |       |       |  |
|--|-------|---------|-------|-------|--|
| — <b>nigra</b> . 80 ft. (Black Walnut) Medium loam, moist, PH 6.0-7.5, sun.          |       |         |       |       |  |
| 5  | to 6  | ft..... | 3.00  | 2.50  |  |
| 6  | to 8  | ft..... | 4.00  | 3.50  |  |
| 8  | to 10 | ft..... | 4.50  | 4.00  |  |
| 1½   | to 2  | in..... | 5.50  | 5.00  |  |
| 2  | to 2½ | in..... | 10.00 | 8.00  |  |
| 2½   | to 3  | in..... | 16.00 | 15.00 |  |
| — <b>sieboldiana</b> . 50 ft. (Japanese Walnut) Medium loam, moist, PH 6.0-7.5, sun. |       |         |       |       |  |
| 6  | to 8  | ft..... | 4.50  | 4.00  |  |
| 8  | to 10 | ft..... | 5.50  | 5.00  |  |
| 1¾   | to 2  | in..... | 8.00  | 7.00  |  |

## JUNIPERUS

|  |       |              |      |      |      |
|--|-------|--------------|------|------|------|
| — <b>chinensis</b> . 20 ft (Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.                         |       |              |      |      |      |
| 5  | to 6  | ft. B&B..... | 8.50 | 8.00 |      |
| — <b>chinensis columnaris glauca</b> . 20 ft. (Blue Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun. |       |              |      |      |      |
| 18   | to 24 | in. B&B..... | 2.75 | 2.50 | 2.25 |
| 2  | to 2½ | ft. B&B..... | 3.50 | 3.25 | 3.00 |
| 2½   | to 3  | ft. B&B..... | 4.50 | 4.25 | 4.00 |
| 3  | to 4  | ft. B&B..... | 5.50 | 5.25 | 5.00 |
| 4  | to 5  | ft. B&B..... | 6.50 | 6.25 | 6.00 |
| — <b>chinensis mascula</b> . 12 ft. Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.                                  |       |              |      |      |      |
| 2  | to 2½ | ft. B&B..... | 3.50 | 3.25 | 3.00 |
| 2½   | to 3  | ft. B&B..... | 4.50 | 4.25 | 4.00 |
| 3  | to 4  | ft. B&B..... | 5.50 | 5.25 | 5.00 |
| 4  | to 5  | ft. B&B..... | 6.50 | 6.25 | 6.00 |

**JUNIPERUS** — Continued

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| <b>—chinensis pfitzeriana.</b> 6 ft. (Pfitzer Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.                       |             |              |               |
| 12 to 15 in. spreading B&B   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. spreading B&B   | 2.75        | 2.50         | 2.25          |
| 18 to 24 in. spreading B&B   | 3.50        | 3.25         | 3.00          |
| 24 to 30 in. spreading B&B   | 4.50        | 4.25         | 4.00          |
| 30 to 36 in. spreading B&B   | 5.50        | 5.00         |               |
| <b>—pfitzeriana glauca</b> 6 ft. (blue pfitzer juniper) medium to silty clay, well drained, PH 5.5-7.0. sun.                             |             |              |               |
| 12 to 15 in. B&B   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B   | 2.75        | 2.50         | 2.25          |
| 18 to 24 in. B&B   | 3.50        | 3.25         | 3.00          |
| 24 to 30 in. B&B   | 4.50        | 4.25         | 4.00          |
| 30 to 36 in. B&B   | 5.50        | 5.00         | 4.50          |
| 3 to 3½ ft. B&B  | 6.00        | 5.50         | 5.00          |
| <b>—pfitzeriana Kallay's Compacta.</b> Same as above.  |             |              |               |
| 12 to 15 in. B&B   | 2.25        | 2.00         | 1.75          |
| 15 to 18 in. B&B   | 2.75        | 2.50         | 2.25          |
| 18 to 24 in. B&B   | 3.50        | 3.25         | 3.00          |
| 24 to 30 in. B&B   | 4.50        | 4.25         | 4.00          |
| <b>—chinensis sargentii.</b> 1½ ft. (Sargent Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.                        |             |              |               |
| 12 to 15 in. B&B   | 2.50        | 2.25         | 2.00          |
| 15 to 18 in. B&B   | 3.00        | 2.75         | 2.50          |
| 18 to 24 in. B&B   | 3.75        | 3.50         |               |
| <b>—communis depressa.</b> 2 ft. (Prostrate Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.                    |             |              |               |
| 12 to 15 in. B&B   | 2.00        | 1.75         |               |
| 15 to 18 in. B&B   | 2.50        | 2.25         |               |
| 18 to 24 in. B&B   | 3.50        | 3.25         | 3.00          |
| 24 to 30 in. B&B   | 4.00        | 3.75         | 3.50          |
| 30 to 36 in. B&B   | 5.00        | 4.50         |               |
| <b>—communis depressa aureo spica.</b> 2 ft. (Golden Prostrate Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun. |             |              |               |
| 12 to 15 in. B&B   | 2.25        | 2.00         |               |
| <b>—communis depressa vase shaped</b> 10 ft. Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.                            |             |              |               |
| 15 to 18 in. B&B   | 2.50        | 2.25         |               |
| 18 to 24 in. B&B   | 3.50        | 3.25         | 3.00          |
| 24 to 30 in. B&B   | 4.00        | 3.75         |               |
| 30 to 36 in. B&B   | 5.00        | 4.50         |               |
| <b>—communis hibernica.</b> 15 ft. (Irish Juniper) Medium to silty clay loam, moist, well drained. PH 5.5-7.0, sun.                      |             |              |               |
| 18 to 24 in. B&B   | 1.50        | 1.35         | 1.25          |
| 24 to 30 in. B&B   | 2.00        | 1.75         | 1.50          |
| 30 to 36 in. B&B   | 2.75        | 2.50         | 2.25          |
| <b>—excelsa stricta.</b> 12 ft. (Spiny Greek Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.                         |             |              |               |
| 12 to 15 in. B&B   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B   | 2.25        | 2.00         | 1.75          |
| 18 to 24 in. B&B   | 2.75        | 2.50         | 2.25          |
| 24 to 30 in. B&B   | 3.50        | 3.00         |               |



**JUNIPERUS** — Continued

|   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------------|--------------|---------------|
| — <b>horizontalis plumosa</b> . 2 ft. (Andorra Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.              |             |              |               |
| 12 to 15 in. B&B.....   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B.....   | 2.75        | 2.50         | 2.25          |
| 18 to 24 in. B&B.....   | 3.50        | 3.25         | 3.00          |
| 24 to 30 in. B&B.....   | 4.00        | 3.75         | 3.50          |
| — <b>horizontalis</b> . 1 ft. (Creeping Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or slight shade.           |             |              |               |
| 12 to 15 in. B&B.....   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B.....   | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B.....   | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B.....   | 3.50        | 3.25         | 3.00          |
| — <b>horizontalis douglasi</b> . 1 ft. (Creeping Savin) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or part shade.      |             |              |               |
| 12 to 15 in. B&B.....   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B.....   | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B.....   | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B.....   | 3.50        | 3.25         | 3.00          |
| — <b>horizontalis glauca</b> . 1 ft. (Blue Creeping Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or part shade. |             |              |               |
| 12 to 15 in. B&B.....   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B.....   | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B.....   | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B.....   | 3.50        | 3.25         | 3.00          |
| — <b>sabina</b> . 5 ft. (Savin Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.                                    |             |              |               |
| 12 to 15 in. B&B.....   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B.....   | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B.....   | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B.....   | 3.50        | 3.25         | 3.00          |
| — <b>sabina tamariscifolia</b> . 1½ ft. (Tamarix Savin) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.                    |             |              |               |
| 12 to 15 in. B&B.....   | 2.25        | 2.00         | 1.75          |
| 15 to 18 in. B&B.....   | 3.00        | 2.75         | 2.50          |
| 18 to 24 in. B&B.....   | 3.50        | 3.25         | 3.00          |
| — <b>sabina von ehron</b> . 10 ft. Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.   |             |              |               |
| 12 to 15 in. B&B.....   | 2.00        | 1.75         | 1.50          |
| 15 to 18 in. B&B.....   | 2.50        | 2.25         | 2.00          |
| 18 to 24 in. B&B.....   | 3.00        | 2.75         | 2.50          |
| 24 to 30 in. B&B.....   | 3.50        | 3.25         | 3.00          |
| — <b>scopularum Chandlers Blue</b> . 25 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.                          |             |              |               |
| 2 to 2½ ft. B&B.....  | 3.50        | 3.25         | 3.00          |
| 2½ to 3 ft. B&B.....  | 4.50        | 4.25         | 4.00          |
| 3 to 4 ft. B&B.....   | 5.50        | 5.25         | 5.00          |
| — <b>scopularum hill's silver</b> . 20 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.                           |             |              |               |
| 2 to 2½ ft. B&B.....  | 3.50        | 3.25         | 3.00          |
| 2½ to 3 ft. B&B.....  | 4.50        | 4.25         | 4.00          |
| 3 to 4 ft. B&B.....   | 5.50        | 5.25         | 5.00          |

**JUNIPERUS** — Continued

| 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-------------|--------------|---------------|
|-------------|--------------|---------------|

—**squamata meyeri**. 4 ft. (Meyer's Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

|                       |      |      |      |
|-----------------------|------|------|------|
| 12 to 15 in. B&B..... | 2.00 | 1.75 | 1.50 |
| 15 to 18 in. B&B..... | 2.50 | 2.25 | 2.00 |
| 18 to 24 in. B&B..... | 3.00 | 2.75 | 2.50 |

—**virginiana**. 25 ft. (Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

|                      |       |       |      |
|----------------------|-------|-------|------|
| 2 to 2½ ft. B&B..... | 3.00  | 2.75  | 2.50 |
| 2½ to 3 ft. B&B..... | 3.50  | 3.25  | 3.00 |
| 3 to 4 ft. B&B.....  | 4.50  | 4.25  | 4.00 |
| 4 to 5 ft. B&B.....  | 5.00  | 4.75  | 4.50 |
| 5 to 6 ft. B&B.....  | 7.00  | 6.50  |      |
| 6 to 7 ft. B&B.....  | 9.00  | 8.00  |      |
| 7 to 8 ft. B&B.....  | 11.00 | 10.00 |      |

—**vir. burki**, **syn. virg-venusta**. 15 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

|                      |      |      |      |
|----------------------|------|------|------|
| 2 to 2½ ft. B&B..... | 3.50 | 3.25 | 3.00 |
| 2½ to 3 ft. B&B..... | 4.50 | 4.25 | 4.00 |
| 3 to 4 ft. B&B.....  | 5.50 | 5.25 | 5.00 |
| 4 to 5 ft. B&B.....  | 6.50 | 6.00 |      |

—**virg. canaerti**. 18 ft. (Cannert Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

|                      |      |      |      |
|----------------------|------|------|------|
| 2 to 2½ ft. B&B..... | 3.50 | 3.25 | 3.00 |
| 2½ to 3 ft. B&B..... | 4.50 | 4.25 | 4.00 |
| 3 to 4 ft. B&B.....  | 5.50 | 5.25 | 5.00 |
| 4 to 5 ft. B&B.....  | 6.50 | 6.00 |      |

—**virg. elegantissima lee**. 5 ft. (Goldtip Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

|                      |      |      |      |
|----------------------|------|------|------|
| 2 to 2½ ft. B&B..... | 3.50 | 3.25 | 3.00 |
| 2½ to 3 ft. B&B..... | 4.50 | 4.25 |      |
| 3 to 4 ft. B&B.....  | 5.50 | 5.00 |      |

—**virg. glauca**. 20 ft. (Blue Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

|                      |      |      |      |
|----------------------|------|------|------|
| 2 to 2½ ft. B&B..... | 3.50 | 3.25 | 3.00 |
| 2½ to 3 ft. B&B..... | 4.50 | 4.25 | 4.00 |
| 3 to 4 ft. B&B.....  | 5.50 | 5.25 | 5.00 |
| 4 to 5 ft. B&B.....  | 6.50 | 6.00 |      |

—**virg. keteleeri**. 15 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

|                      |      |      |      |
|----------------------|------|------|------|
| 2 to 2½ ft. B&B..... | 3.50 | 3.25 | 3.00 |
| 2½ to 3 ft. B&B..... | 4.50 | 4.25 | 4.00 |
| 3 to 4 ft. B&B.....  | 5.50 | 5.25 | 5.00 |
| 4 to 5 ft. B&B.....  | 6.50 | 6.00 |      |

—**pyramidaformia**. 20 ft. (Hill's Pyramid Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

|                      |      |      |      |
|----------------------|------|------|------|
| 2 to 2½ ft. B&B..... | 3.50 | 3.25 | 3.00 |
| 2½ to 3 ft. B&B..... | 4.50 | 4.25 | 4.00 |
| 3 to 4 ft. B&B.....  | 5.50 | 5.25 | 5.00 |

**JUNIPERUS**—Continued

|   |    |            | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|----|------------|-------------|--------------|---------------|
| — <b>virg. schottii.</b> 18 ft. (Schott's Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun. |    |            |             |              |               |
| 2   | to | 2½ ft. B&B | 3.50        | 3.25         | 3.00          |
| 2½  | to | 3 ft. B&B  | 4.50        | 4.25         | 4.00          |
| 3   | to | 4 ft. B&B  | 5.50        | 5.00         |               |
| 4   | to | 5 ft. B&B  | 6.50        | 6.00         |               |

**KALMIA**

—**latifolia.** 6 ft. (Mountain Laurel) Woodsy or peaty loam, moist, well drained, PH 4.5-6.0, sun-shade, shade in hot climate.

|    |    |            |      |      |      |
|----|----|------------|------|------|------|
| 15 | to | 18 in. B&B | 3.00 | 2.75 | 2.50 |
| 18 | to | 24 in. B&B | 3.50 | 3.25 | 3.00 |
| 24 | to | 30 in. B&B | 4.50 | 4.25 | 4.00 |
| 30 | to | 36 in. B&B | 5.50 | 5.25 | 5.00 |

**KERRIA**

—**japonica pleniflora** 4 ft. (double japanese kerria) Rich medium loam, moist, PH 5.5-6.5. sun.

|    |    |        |     |     |  |
|----|----|--------|-----|-----|--|
| 15 | to | 18 in. | .70 | .60 |  |
| 18 | to | 24 in. | .80 | .75 |  |

**KOELREUTERA**

—**paniculata.** 25 ft. (Goldenrain Tree) Rich, medium loam, moist, PH 6.0-7.5, sun.

|    |    |        |      |      |      |
|----|----|--------|------|------|------|
| 18 | to | 24 in. | 1.75 | 1.50 | 1.25 |
| 2  | to | 3 ft.  | 2.50 | 2.25 | 2.00 |

**KOLKWITZIA**

—**amabilis.** 6 ft. (Beautybush) Sandy to silty clay, moist, PH 6.0-7.5, sun or slight shade.

|    |    |        |      |     |     |
|----|----|--------|------|-----|-----|
| 18 | to | 24 in. | .60  | .55 | .50 |
| 2  | to | 3 ft.  | .75  | .65 | .60 |
| 3  | to | 4 ft.  | 1.00 | .90 | .80 |

**LARIX**

—**deciduous.** 60 ft. (European larch) medium loam, well drained, PH 5.0-6.5.

|   |    |           |      |      |  |
|---|----|-----------|------|------|--|
| 3 | to | 4 ft. B&B | 4.50 | 4.00 |  |
| 4 | to | 5 ft. B&B | 6.00 | 5.50 |  |
| 5 | to | 6 ft. B&B | 9.00 | 8.00 |  |

**LABURNUM**

—**vossi.** 20 ft. (Golden Chain) Rich medium loam, moist, PH 6.0-8.0, sun.

|   |    |            |       |       |      |
|---|----|------------|-------|-------|------|
| 5 | to | 6 ft. B&B  | 8.00  | 7.50  | 7.00 |
| 6 | to | 8 ft. B&B  | 10.00 | 9.00  | 8.00 |
| 8 | to | 10 ft. B&B | 12.00 | 10.00 |      |

**LESPEDeza**

—**thunbergi (penduliflorum)** (Bushclover) Medium loam, dry-moist, PH 6.5-7.5, sun.

|   |      |  |     |     |     |
|---|------|--|-----|-----|-----|
| 2 | year |  | .70 | .65 | .60 |
| 3 | year |  | .90 | .80 | .75 |

**LEUCOTHOE**

|  | 1-24<br>Each | 25-249<br>Each | 250-up<br>Each |
|--|--------------|----------------|----------------|
| — <i>catesbaei</i> . 6 ft. (Drooping Leucothoe) Woodsy or peaty loam, moist, well drained, PH 4.5-6.0, shady location. |              |                |                |
| 12 to 15 in. B&B.....  | 3.00         | 2.75           | 2.50           |
| 15 to 18 in. B&B.....  | 3.50         | 3.25           | 3.00           |
| 18 to 24 in. B&B.....  | 4.50         | 4.00           |                |

**LIGUSTRUM**

|  |     |     |     |
|--|-----|-----|-----|
| — <i>amurense</i> . 12 ft. (Amur Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.                       |     |     |     |
| 12 to 18 in.....   | .15 | .13 | .12 |
| 18 to 24 in., 3 canes and up...  | .18 | .16 | .15 |
| 2 to 3 ft.....   | .25 | .22 | .20 |
| 3 to 4 ft.....   | .35 | .30 |     |
| — <i>ibolium</i> . 10 ft. (Hardy California Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.            |     |     |     |
| 12 to 18 in.....   | .15 | .13 | .12 |
| 18 to 24 in.....   | .18 | .16 | .14 |
| 2 to 3 ft.....   | .25 | .22 | .20 |
| — <i>obtusifolium</i> ( <i>ibota</i> .) 8 ft. (Chinese Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade. |     |     |     |
| 18 to 24 in.....   | .35 | .30 | .25 |
| 2 to 3 ft.....   | .40 | .35 | .30 |
| 3 to 4 ft.....   | .50 | .45 | .40 |
| — <i>ibota regelianum</i> . 6 ft. (Regal Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.               |     |     |     |
| 12 to 18 in.....   | .35 | .30 | .25 |
| 18 to 24 in.....   | .45 | .40 | .35 |
| 24 to 30 in.....   | .50 | .45 | .40 |
| — <i>ovalifolium</i> . 10 ft. (California Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.              |     |     |     |
| 12 to 18 in., 2 canes and up....   | .14 | .12 | .10 |
| 18 to 24 in., 3 canes and up....   | .15 | .14 | .13 |
| 2 to 3 ft., 4 canes and up....   | .25 | .22 | .20 |
| — <i>vicary</i> . 5 ft. (Golden <i>ibota</i> privet)<br>Sandy loam to silty clay, moist, PH 6.0-7.5, sun or shade.     |     |     |     |
| 12 to 18 in.....   | .50 | .45 | .40 |
| 18 to 24 in.....   | .60 | .55 | .50 |
| 24 to 30 in.....   | .75 | .65 | .60 |
| — <i>vulgare</i> . 10 ft. (English Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.                     |     |     |     |
| 12 to 18 in.....   | .20 | .15 |     |
| 18 to 24 in.....   | .25 | .20 |     |
| 2 to 3 ft.....   | .35 | .30 |     |
| 3 to 4 ft.....   | .45 | .40 |     |

LILAC (see *Syringa*)LINDEN (see *Tilia*)**LINDERA**

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <i>benzoin</i> . 12 ft. (Spicebush) Sandy to clay loam, moist, PH 4.5-6.0, sun or part shade, stands wet soil. |             |              |               |
| 18 to 24 in.....   | .50         | .45          | .40           |
| 2 to 3 ft.....   | .60         | .55          | .50           |
| 3 to 4 ft.....   | .85         | .80          | .75           |
| 4 to 5 ft.....   | 1.25        | 1.00         |               |

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
|--|-------------|--------------|---------------|

**LIRIODENDRON**

—**tulipifera**. 60 ft. (Tulip Tree) Rich, medium loam, moist, well drained, PH 6.0-7.0, sun or part shade.

|    |    |    |     |       |       |       |
|----|----|----|-----|-------|-------|-------|
| 6  | to | 8  | ft. | 4.00  | 3.50  | 3.00  |
| 8  | to | 10 | ft. | 4.50  | 4.00  | 3.50  |
| 1¼ | to | 1½ | in. | 5.00  | 4.25  | 4.50  |
| 1½ | to | 1¾ | in. | 7.00  | 6.50  | 6.00  |
| 1¾ | to | 2  | in. | 8.50  | 8.00  | 7.50  |
| 2  | to | 2½ | in. | 11.00 | 12.00 | 10.00 |
| 3  | to | 3½ | in. | 22.50 | 20.00 |       |
| 3½ | to | 4  | in. | 25.00 | 22.50 |       |

**LIQUIDAMBER**

—**styraciflua**. 50 ft. (Sweet Gum) Rich, medium loam, moist, PH 5.5-7.0, sun.

|    |    |    |     |                  |       |      |
|----|----|----|-----|------------------|-------|------|
| 5  | to | 6  | ft. | 3.00             | 2.75  | 2.50 |
| 6  | to | 8  | ft. | 4.00             | 3.75  | 3.50 |
| 2½ | to | 3  | in. | 17.50            | 15.00 |      |
| 3  | to | 3½ | in. | 22.50            | 20.00 |      |
| 3½ | to | 4  | in. | 30.00            | 25.00 |      |
| 4  | to | 5  | in. | 35.00            | 30.00 |      |
| 5  | to | 7  | in. | price on request |       |      |

**LONICERA**

—**bella albida**. 8 ft. (White Bell Honeysuckle) Sandy loam to silty clay, moist, PH 6.5-8.0, sun-shade.

|   |    |   |     |     |     |     |
|---|----|---|-----|-----|-----|-----|
| 2 | to | 3 | ft. | .50 | .45 | .40 |
| 3 | to | 4 | ft. | .55 | .50 | .45 |
| 4 | to | 5 | ft. | .75 | .65 | .60 |
| 5 | to | 6 | ft. | .85 | .80 | .75 |

—**bella rosea**. 8 ft. (Pink Bell Honeysuckle) Sandy loam to silty clay, moist, PH 5.5-8.0, sun-shade.

|   |    |   |     |     |     |     |
|---|----|---|-----|-----|-----|-----|
| 2 | to | 3 | ft. | .50 | .45 | .40 |
| 3 | to | 4 | ft. | .55 | .50 | .45 |
| 4 | to | 5 | ft. | .75 | .65 | .60 |
| 5 | to | 6 | ft. | .85 | .80 | .75 |

—**fragrantissima**. 8 ft. (Winter Honeysuckle) Medium loam to silty clay, moist well drained, PH 6.0-7.5, sun-med. shade.

|    |    |    |     |     |     |     |
|----|----|----|-----|-----|-----|-----|
| 18 | to | 24 | in. | .45 | .40 | .35 |
| 2  | to | 3  | ft. | .55 | .50 | .45 |
| 3  | to | 4  | ft. | .60 | .55 | .50 |

—**gold flame**. 15 ft., Sandy loam to silty clay, dry-moist, PH 6.0-8.0, sun or part shade.

|   |       |       |  |     |     |  |
|---|-------|-------|--|-----|-----|--|
| 2 | years | No. 1 |  | .45 | .40 |  |
|---|-------|-------|--|-----|-----|--|

—**halliana**. 15 ft. (Hall's Japan Honeysuckle) Sandy loam to silty clay, dry-moist, PH 6.0-8.0, sun or part shade.

|   |      |       |                 |     |     |     |
|---|------|-------|-----------------|-----|-----|-----|
| 2 | year | No. 1 | \$175.00 per M. | .25 | .22 | .20 |
|---|------|-------|-----------------|-----|-----|-----|

—**korolkowi floribunda**. 10 ft. (Blueleaf Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

|    |    |    |     |     |     |     |
|----|----|----|-----|-----|-----|-----|
| 18 | to | 24 | in. | .60 | .55 | .50 |
| 2  | to | 3  | ft. | .70 | .65 | .60 |
| 3  | to | 4  | ft. | .85 | .80 | .75 |



**LONICERA** — Continued

—**korolkowi zabeli** 10' Sandy loam to silty clay, moist, PH 6.0-7.5 sun, part shade.

|                | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .55         | .50          | .45           |
| 3 to 4 ft..... | .60         | .55          | .50           |

—**maacki**. 10 ft. (Amur Honeysuckle) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-part shade.

|                | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .50         | .45          | .40           |
| 3 to 4 ft..... | .55         | .50          | .45           |
| 4 to 5 ft..... | .75         | .65          | .60           |

—**morrowi**. 8 ft. (Morrow Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

|                | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .50         | .45          | .40           |
| 3 to 4 ft..... | .55         | .50          | .45           |
| 4 to 5 ft..... | .75         | .65          | .60           |

—**morrowi yellow fruited**. 8 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

|                | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .50         | .45          | .40           |
| 3 to 4 ft..... | .55         | .50          | .45           |
| 4 to 5 ft..... | .75         | .65          | .60           |

—**ruprechtiana**. 10 ft. (Manchurian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

|                | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .50         | .45          | .40           |
| 3 to 4 ft..... | .55         | .50          | .45           |
| 4 to 5 ft..... | .75         | .65          | .60           |

—**sempervirens**. 15 ft. (Scarlet Trumpet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

|                   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-------------------|-------------|--------------|---------------|
| 2 year No. 1..... | .40         | .35          | .30           |
| 3 year No. 1..... | .50         | .45          | .40           |

—**standishi**. 5 ft. Medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|                  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|------------------|-------------|--------------|---------------|
| 18 to 24 in..... | .50         | .45          | .40           |
| 2 to 3 ft.....   | .60         | .55          | .50           |
| 3 to 4 ft.....   | .75         | .65          | .60           |

—**syringantha**. 4 ft. (Lilac Honeysuckle) Medium loam to silty clay, moist, PH 6.0-7.5, sun.

|                  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|------------------|-------------|--------------|---------------|
| 18 to 24 in..... | .50         | .45          | .40           |
| 2 to 3 ft.....   | .60         | .55          | .50           |
| 3 to 4 ft.....   | .80         | .70          |               |

—**tatarica abla**. 10 ft. (White Tatarian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

|                | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .50         | .45          | .40           |
| 3 to 4 ft..... | .55         | .50          | .45           |
| 4 to 5 ft..... | .75         | .65          | .60           |
| 5 to 6 ft..... | .85         | .80          | .75           |

—**tatarica rosea grandiflora**. 10 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

|                | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .50         | .45          | .40           |
| 3 to 4 ft..... | .55         | .50          | .45           |
| 4 to 5 ft..... | .75         | .65          | .60           |
| 5 to 6 ft..... | .85         | .80          | .75           |

|   |       | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------|-------------|--------------|---------------|
| <b>LONICERA — Continued</b>                                   |       |             |              |               |
| — <b>tatarica sibirica.</b> 10 ft. (Red Tatarian Honeysuckle) |       |             |              |               |
| Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.  |       |             |              |               |
| 2 to  | 3 ft. | .50         | .45          | .40           |
| 3 to  | 4 ft. | .55         | .50          | .45           |
| 4 to  | 5 ft. | .75         | .65          | .60           |

**LYCIUM**

|   |       |     |     |     |
|---|-------|-----|-----|-----|
| — <b>Chinese.</b> 10 ft. (Chinese Matrimony Vine) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade. |       |     |     |     |
| 2 to  | 3 ft. | .40 | .35 | .30 |
| 3 to  | 4 ft. | .45 | .40 | .35 |
| 4 to  | 5 ft. | .50 | .45 |     |

**MAGNOLIA**

—**acuminata.** 70 ft. (Cucumber Tree) Rich, medium loam, moist, well drained, PH 5.0-7.5, sun.

|       |            |       |       |  |
|-------|------------|-------|-------|--|
| 3 to  | 4 ft. B&B  | 5.00  | 4.00  |  |
| 4 to  | 5 ft. B&B  | 7.00  | 6.00  |  |
| 5 to  | 6 ft. B&B  | 9.00  | 8.00  |  |
| 6 to  | 8 ft. B&B  | 11.00 | 10.00 |  |
| 8 to  | 10 ft. B&B | 15.00 | 14.00 |  |
| 10 to | 12 ft. B&B | 18.00 | 16.00 |  |

—**soulangeana.** 18 ft. (Saucer Magnolia) Rich, medium loam, moist, well drained, PH 5.5-7.0, sun-part shade.

|       |            |      |      |      |
|-------|------------|------|------|------|
| 18 to | 24 in. B&B | 3.00 | 2.75 | 2.50 |
| 2 to  | 3 ft. B&B  | 4.00 | 3.75 | 3.50 |
| 3 to  | 4 ft. B&B  | 6.00 | 5.50 | 5.00 |
| 4 to  | 5 ft. B&B  | 8.00 | 7.50 |      |

Broad, transplanted specimen, width equals height, dug with 36 inch balls

|           |           |       |       |  |
|-----------|-----------|-------|-------|--|
| 10x10 ft. | B&B Spec. | 50.00 | 45.00 |  |
| 12x12 ft. | B&B       | 60.00 | 55.00 |  |

—**soulangeana.** Tree Form. 20 ft. Same as above.

|       |                      |       |       |  |
|-------|----------------------|-------|-------|--|
| 8 to  | 10 ft. B&B           | 40.00 | 35.00 |  |
| 10 to | 12 ft. B&B, 36" ball | 50.00 | 45.00 |  |

—**soulangeana nigra.** 18 ft. (Dark Red) Rich medium loam, moist, well drained, PH 5.5-7.0, sun-partial shade.

|      |                 |       |      |  |
|------|-----------------|-------|------|--|
| 2 to | 3 ft. B&B       | 5.00  | 4.50 |  |
| 3 to | 4 ft. B&B       | 7.50  | 7.00 |  |
| 6 to | 8 ft. B&B Spec. | 40.00 |      |  |

—**stellata.** 8 ft. (Star Magnolia) Rich, medium loam, moist, well drained, PH 5.5-7.0, sun-partial shade.

|      |                 |       |       |  |
|------|-----------------|-------|-------|--|
| 6 to | 8 ft. B&B       | 25.00 | 20.00 |  |
| 6 to | 8 ft. B&B Spec. | 40.00 |       |  |

**MAGNOLIA** — Continued

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <i>virginiana</i> (glauca). 20 ft. (Sweet Bay) Rich, medium loam, moist, PH 5.0-6.5, sun-part shade. |             |              |               |
| 18 to 24 in. B&B.....  | 2.50        | 2.25         | 2.00          |
| 2 to 3 ft. B&B.....  | 3.50        | 3.25         | 3.00          |
| 3 to 4 ft. B&B.....  | 4.50        | 4.25         | 4.00          |
| 4 to 5 ft. B&B.....  | 7.00        | 6.00         |               |
| 5 to 6 ft. B&B.....  | 9.00        | 8.00         |               |
| 6 to 8 ft. B&B.....  | 11.00       | 10.00        |               |
| 8 to 10 ft. B&B.....   | 16.00       | 15.00        |               |
| 10 to 12 ft. B&B.....  | 25.00       | 20.00        |               |

**MAHONIA**

—*acutifolium*. 5 ft. (Oregon Hollygrape). Sandy to medium loam, dry-moist, PH 6.0-7.5, partial shade.

|                       |      |      |      |
|-----------------------|------|------|------|
| 12 to 15 in. B&B..... | 2.25 | 2.00 | 1.75 |
| 15 to 18 in. B&B..... | 2.75 | 2.50 | 2.25 |
| 18 to 24 in. B&B..... | 3.50 | 3.00 |      |

—*arnoldiana*. 10 ft. (Arnold Crab) Semi-double pink flowers, small yellow fruit. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

|                 |      |      |      |
|-----------------|------|------|------|
| 2 to 3 ft. .... | .80  | .70  | .60  |
| 3 to 4 ft.....  | 1.00 | .85  | .75  |
| 4 to 5 ft.....  | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft.....  | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft.....  | 4.00 | 3.75 | 3.50 |

—*coronaria*. 15 ft. (Wild Sweet Crab) Clustered rose-pink flowers, yellowish fruits. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

|                  |      |      |  |
|------------------|------|------|--|
| 4 to 5 ft. ....  | 1.50 | 1.25 |  |
| 5 to 6 ft. ....  | 2.25 | 2.00 |  |
| 6 to 8 ft.....   | 3.50 | 3.25 |  |
| 8 to 10 ft. .... | 5.00 | 4.50 |  |

—*dolga* 15 ft. White, red fruit. Sandy loam to silty clay, PH 6.0-7.5 sun, part shade.

|                |      |      |      |
|----------------|------|------|------|
| 2 to 3 ft..... | .80  | .70  |      |
| 3 to 4 ft..... | 1.00 | .85  | .75  |
| 4 to 5 ft..... | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft..... | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft..... | 4.00 | 3.75 |      |

—*floribunda*. 18 ft. (Japanese Flowering Crab) Rose-red flowers, small red fruit. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|                |      |      |      |
|----------------|------|------|------|
| 2 to 3 ft..... | .80  | .70  | .60  |
| 3 to 4 ft..... | 1.00 | .85  | .75  |
| 4 to 5 ft..... | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft..... | 2.50 | 2.25 | 2.00 |

—*floribunda atrosanguinea*. 20 ft. (Carmine Crab) Late flowering, buds and flowers deep red, small, yellow fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|                |      |      |      |
|----------------|------|------|------|
| 2 to 3 ft..... | .80  | .70  | .60  |
| 3 to 4 ft..... | 1.00 | .85  | .75  |
| 4 to 5 ft..... | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft..... | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft..... | 4.00 | 3.75 |      |

**MALUS**

| 1-4  | 5-24 | 25-up |
|------|------|-------|
| Each | Each | Each  |

—**hopa**. 12 ft. (Red Flowering Crab) Rosy-crimson flowers, round, red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

|            |      |      |      |
|------------|------|------|------|
| 2 to 3 ft. | .80  | .70  | .60  |
| 3 to 4 ft. | 1.00 | .85  | .75  |
| 4 to 5 ft. | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft. | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.75 | 3.50 |

—**halliana parkmannii**. (Parkman's Crab). Semi-double rose-pink flowers, sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

|            |      |      |
|------------|------|------|
| 2 to 3 ft. | .80  | .70  |
| 3 to 4 ft. | 1.35 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 |
| 5 to 6 ft. | 2.50 | 2.25 |

—**ioensis**. 20 ft. (Prairie Crab) Single pink flowers, greenish-fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|             |      |      |
|-------------|------|------|
| 6 to 8 ft.  | 3.50 | 3.25 |
| 8 to 10 ft. | 5.00 | 4.50 |

—**ioensis plena**. 12 ft. (Bechtel's Crab) Double pink flowers, very showy, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|            |      |      |      |
|------------|------|------|------|
| 2 to 3 ft. | 1.25 | 1.00 | .85  |
| 3 to 4 ft. | 1.50 | 1.35 | 1.25 |
| 4 to 5 ft. | 2.25 | 2.00 | 1.75 |
| 5 to 6 ft. | 3.00 | 2.50 |      |
| 6 to 8 ft. | 5.00 | 4.50 |      |

—**micromalus** 10 ft. (Midgetcrab) single pink. Sandy loam to silty clay, moist, PH 6.0-7.5. Sun, part shade.

|            |      |      |      |
|------------|------|------|------|
| 2 to 3 ft. | 1.00 | .85  | .75  |
| 3 to 4 ft. | 1.25 | 1.15 | 1.00 |
| 4 to 5 ft. | 1.75 | 1.50 |      |
| 5 to 6 ft. | 3.00 | 2.50 |      |

—**niedzwetzkyana**. 12 ft. (Redvein Crab) Purplish leaves, deep pink flowers, purple fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|            |      |      |      |
|------------|------|------|------|
| 2 to 3 ft. | .80  | .70  | .60  |
| 3 to 4 ft. | 1.00 | .85  | .75  |
| 4 to 5 ft. | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft. | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.75 | 3.50 |

—**purpurea**. 20 ft. (Purple Crab). Purple leaves, red flowers, dark red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|            |      |      |      |
|------------|------|------|------|
| 2 to 3 ft. | .80  | .70  | .60  |
| 3 to 4 ft. | 1.00 | .85  | .75  |
| 4 to 5 ft. | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft. | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.75 |      |

**MALUS** — Continued

|                           |  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---------------------------|--|-------------|--------------|---------------|
| — <b>purpurea eleyi</b> . | 20 ft. (Eley Crab). Deep red flowers, large, edible red fruit, sandy loam to silty clay, moist. PH 6.0-7.5. sun-partial shade.   |             |              |               |
|                           | 2 to 3 ft. ....  | .80         | .70          | .60           |
|                           | 3 to 4 ft. ....  | 1.00        | .85          | .75           |
|                           | 4 to 5 ft. ....  | 1.50        | 1.35         | 1.25          |
|                           | 5 to 6 ft. ....  | 2.50        | 2.25         | 2.00          |
|                           | 6 to 8 ft. ....  | 4.00        | 3.75         |               |
| — <b>prunifolia rinki</b> | 15 ft. (Chinese pearleaf crab) single pink and white flowers. Sandy loam to silty clay, moist. PH 6.0-7.5.   |             |              |               |
|                           | 3 to 4 ft. ....  | 1.00        | .85          | .75           |
|                           | 4 to 5 ft. ....  | 1.50        | 1.35         | 1.25          |
|                           | 5 to 6 ft. ....  | 2.50        | 2.25         | 2.00          |
|                           | 6 to 8 ft. ....  | 4.00        | 3.75         | 3.50          |
| — <b>robusta</b>          | 15 ft. (Cherry crab) single pinkish white flowers. Sandy loam to silty clay, moist, PH 6.0-7.5 sun or part shade.  |             |              |               |
|                           | 2 to 3 ft. ....  | 1.25        | 1.00         |               |
|                           | 3 to 4 ft. ....  | 1.50        | 1.25         |               |
|                           | 4 to 5 ft. ....  | 1.75        | 1.50         |               |
| — <b>sargentii</b> .      | 8 ft. (Sargent Crab) Sharptoothed leaves, white flowers, dark red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.                                   |             |              |               |
|                           | 2 to 3 ft. ....  | 1.50        | 1.25         | 1.00          |
|                           | 3 to 4 ft. ....  | 1.75        | 1.50         | 1.25          |
|                           | 4 to 5 ft. ....  | 2.25        | 2.00         |               |
| — <b>scheideckeri</b> .   | 20 ft. (Scheidecker Crab). Double pink flowers, orange fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.  |             |              |               |
|                           | 2 to 3 ft. ....  | .80         | .70          | .60           |
|                           | 3 to 4 ft. ....  | 1.00        | .85          | .75           |
|                           | 4 to 5 ft. ....  | 1.50        | 1.35         | 1.25          |
|                           | 5 to 6 ft. ....  | 2.50        | 2.25         | 2.00          |
|                           | 6 to 8 ft. ....  | 4.00        | 3.75         | 3.50          |
| — <b>seiboldi</b> .       | 15 ft. (Toringo Crab) Blush pink flowers, yellowish red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.   |             |              |               |
|                           | 3 to 4 ft. ....  | 1.00        | .85          | .75           |
|                           | 4 to 5 ft. ....  | 1.50        | 1.35         | 1.25          |
|                           | 5 to 6 ft. ....  | 2.50        | 2.25         | 2.00          |
|                           | 6 to 8 ft. ....  | 4.00        | 3.75         |               |
| — <b>spectabilis</b> .    | 15 ft. (Chinese Crab). Coral-rose flowers, small, yellow fruit, medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.   |             |              |               |
|                           | 2 to 3 ft. ....  | .80         | .70          |               |
|                           | 3 to 4 ft. ....  | 1.00        | .85          |               |
|                           | 4 to 5 ft. ....  | 1.50        | 1.35         |               |
|                           | 5 to 6 ft. ....  | 2.50        | 2.25         |               |
|                           | 6 to 8 ft. ....  | 4.00        | 3.75         |               |
| — <b>theifera</b> .       | 18 ft. (Tea Crab). Flowers white, tinted pale pink. One of the best of the flowering crabs in cultivation, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade. |             |              |               |
|                           | 2 to 3 ft. ....  | .80         | .70          | .60           |
|                           | 3 to 4 ft. ....  | 1.00        | .85          | .75           |
|                           | 4 to 5 ft. ....  | 1.50        | 1.35         | 1.25          |
|                           | 5 to 6 ft. ....  | 2.50        | 2.25         | 2.00          |
|                           | 6 to 8 ft. ....  | 3.50        | 3.25         |               |



**MALUS** — Continued

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
|--|-------------|--------------|---------------|

—Zumi. 15 ft. (Zumi crabapple)

Sandy loam to silty clay, moist, PH 6.0-7.5 sun or part shade.

|            |      |      |  |
|------------|------|------|--|
| 2 to 3 ft. | .80  | .70  |  |
| 3 to 4 ft. | 1.00 | .85  |  |
| 6 to 8 ft. | 4.00 | 3.75 |  |

**MORUS**

—alba tatarica (Russian mulberry) 40 ft., sandy loam to clay, moist, PH 6.0-7.5, sun.

|            |      |      |  |
|------------|------|------|--|
| 5 to 6 ft. | 1.25 | 1.00 |  |
| 6 to 8 ft. | 1.50 | 1.25 |  |

**MYRICA**

—carolinensis. 5 ft. (Northern Bayberry) sandy to medium loam, well drained, dry-moist, PH 5.0-6.5, sun-part shade.

|                  |      |      |      |
|------------------|------|------|------|
| 12 to 15 in. B&B | 2.50 | 2.25 | 2.00 |
| 15 to 18 in. B&B | 3.00 | 2.75 | 2.50 |
| 18 to 24 in. B&B | 3.50 | 3.25 | 3.00 |

—cerifera. 5 ft. (Southern Waxmyrtle) sandy to medium loam, well drained, dry-moist, PH 5.5-7.0, sun-part shade.

|                  |      |      |      |
|------------------|------|------|------|
| 12 to 15 in. B&B | 2.50 | 2.25 | 2.00 |
| 15 to 18 in. B&B | 3.00 | 2.75 | 2.50 |
| 18 to 24 in. B&B | 3.50 | 3.25 | 3.00 |

—gale. 4 ft. (Sweetgale) Sandy to medium loam, well drained, PH 5.5-7.0, sun, part shade.

|                  |      |      |  |
|------------------|------|------|--|
| 15 to 18 in. B&B | 2.25 | 2.00 |  |
| 18 to 24 in. B&B | 3.00 | 2.50 |  |

**NYSSA**

—sylvatica. 40 ft. (Tupelo), rich, medium loam, moist, PH 5.5-6.5, sun-partial shade.

|                  |       |       |      |
|------------------|-------|-------|------|
| 18 to 24 in. B&B | 2.50  | 2.25  | 2.00 |
| 2 to 3 ft. B&B   | 3.00  | 2.75  | 2.50 |
| 3 to 4 ft. B&B   | 4.00  | 3.50  |      |
| 4 to 5 ft. B&B   | 6.00  | 5.00  |      |
| 5 to 6 ft. B&B   | 9.00  | 8.00  |      |
| 6 to 8 ft. B&B   | 11.00 | 10.00 |      |

**OXYDENDRON**

—arboreum. 30 ft. (Sourwood), high organic content loam, moist, well drained, PH 5.5-6.5, sun-partial shade.

|                  |       |       |  |
|------------------|-------|-------|--|
| 2 to 3 ft. B&B   | 3.00  | 2.50  |  |
| 3 to 4 ft. B&B   | 4.00  | 3.50  |  |
| 4 to 5 ft. B&B   | 4.50  | 4.00  |  |
| 6 to 8 ft. B&B   | 12.00 | 10.00 |  |
| 8 to 10 ft. B&B  | 15.00 | 14.00 |  |
| 10 to 12 ft. B&B | 20.00 | 17.50 |  |

**PACHYCANDRA**

—terminalis. 1 ft. (Japanese Spurge), medium to silty clay, moist, PH 5.0-7.0, partial shade to shade.

|                         |                |     |     |     |
|-------------------------|----------------|-----|-----|-----|
| 1 year                  | \$100.00 per M | .15 | .14 | .12 |
| 2 year from pots, Per M | \$120          | .18 | .16 | .14 |

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| <b>PARTHENOCISSUS (Ampelopsis)</b>   |             |              |               |
| — <b>quinquifolia</b> . 40 ft. (Virginia Creeper) Medium loam, moist, PH 6.0-7.5, sun or part shade.             |             |              |               |
| 2 year   | .35         | .30          | .25           |
| 3 year   | .40         | .35          | .30           |
| — <b>quinquifolia engelmanni</b> . 40 ft. (Engelmann Creeper) Medium loam, moist, PH 6.0-7.5, sun or part shade. |             |              |               |
| 2 year   | .35         | .30          | .25           |
| 3 year   | .40         | .35          | .30           |
| — <b>tricuspidata veitchi</b> . 50 ft. (Boston Ivy) Medium loam, moist, PH 6.0-7.5, sun or part shade.           |             |              |               |
| 2 year medium  | .40         | .35          | .30           |
| 2 year No. 1   | .50         | .45          | .40           |

## PHILADELPHUS

|  |      |      |      |
|--|------|------|------|
| — <b>albatre</b> . 6 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun or light shade.                              |      |      |      |
| 2 to 3 ft.   | .55  | .50  | .45  |
| 3 to 4 ft.   | .60  | .55  | .50  |
| — <b>avalanche</b> . 6 ft., sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.                             |      |      |      |
| 2 to 3 ft.   | .55  | .50  | .45  |
| 3 to 4 ft.   | .60  | .55  | .50  |
| — <b>banniere</b> . 8 ft., sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.                              |      |      |      |
| 2 to 3 ft.   | .50  | .45  | .40  |
| 3 to 4 ft.   | .55  | .50  | .45  |
| 4 to 5 ft.   | .75  | .65  | .60  |
| — <b>coronarius</b> . 9 ft. (Sweet Scented Mockorange) sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.  |      |      |      |
| 2 to 3 ft.   | .50  | .45  | .40  |
| 3 to 4 ft.   | .55  | .50  | .45  |
| 4 to 5 ft.   | .75  | .65  | .60  |
| 5 to 6 ft.   | .85  | .80  | .75  |
| 6 to 8 ft.   | 1.25 | 1.15 | 1.00 |
| — <b>coronarius aureus</b> . 5 ft. (Golden Mockorange), sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade. |      |      |      |
| 9 to 12 in.  | .60  | .55  | .50  |
| 12 to 15 in.   | .70  | .65  | .60  |
| 15 to 18 in.   | .90  | .80  | .70  |
| — <b>glacier</b> . 6 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.   |      |      |      |
| 2 to 3 ft.   | .50  | .45  | .40  |
| 3 to 4 ft.   | .55  | .50  | .45  |
| — <b>gordonianus</b> . 10 ft. (Gordon Mockorange), sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.      |      |      |      |
| 2 to 3 ft.   | .50  | .45  | .40  |
| 3 to 4 ft.   | .55  | .50  | .45  |
| 4 to 5 ft.   | .75  | .65  | .60  |
| 5 to 6 ft.   | .85  | .80  | .75  |
| 6 to 8 ft.   | 1.25 | 1.15 | 1.00 |

**PHILADELPHUS** — Continued

| 1-4  | 5-24 | 25-up |
|------|------|-------|
| Each | Each | Each  |

—**grandiflorus**. 12 ft. (Big Scented Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.

|            |      |      |      |
|------------|------|------|------|
| 2 to 3 ft. | .50  | .45  | .40  |
| 3 to 4 ft. | .55  | .50  | .45  |
| 4 to 5 ft. | .75  | .65  | .60  |
| 5 to 6 ft. | .85  | .80  | .75  |
| 6 to 8 ft. | 1.25 | 1.15 | 1.00 |

—**lemoinei erectus**. 5 ft. (Lemoine Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-partial shade.

|              |     |     |     |
|--------------|-----|-----|-----|
| 18 to 24 in. | .40 | .35 | .30 |
| 2 to 3 ft.   | .50 | .45 | .40 |
| 3 to 4 ft.   | .60 | .55 | .50 |
| 4 to 5 ft.   | .80 | .75 | .65 |

—**mt. blanc**. 10 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.

|            |     |     |     |
|------------|-----|-----|-----|
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .55 | .50 | .45 |
| 4 to 5 ft. | .80 | .75 | .65 |

—**nivalis**. 7 ft. (Snowbank Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-partial shade.

|            |     |     |     |
|------------|-----|-----|-----|
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .55 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | .60 |

—**norma**. 8 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun, part shade.

|            |     |     |     |
|------------|-----|-----|-----|
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .55 | .50 | .45 |

—**pyramidale**. 6 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.

|            |     |     |     |
|------------|-----|-----|-----|
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .55 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | .60 |

—**virginal**. 8 ft. (Double White) Sandy loam to silty clay, moist, PH 6.0-7.0, sun.

|              |     |     |     |
|--------------|-----|-----|-----|
| 18 to 24 in. | .50 | .45 | .40 |
| 2 to 3 ft.   | .60 | .55 | .50 |
| 3 to 4 ft.   | .75 | .65 | .60 |

**PHILLODENDRON**

—**amurense**. 50 ft. (Amour cork tree) Sandy loam to clay, dry-moist, PH 6.0-7.5, sun.

|            |      |      |
|------------|------|------|
| 5 to 6 ft. | 2.50 | 2.00 |
| 6 to 8 ft. | 3.50 | 3.00 |

**PHOTINIA**

—**laevis**. 15 ft. Rich, medium loam, moist, PH 6.0-7.5, sun-partial shade.

|            |      |      |
|------------|------|------|
| 3 to 4 ft. | 1.50 | 1.25 |
| 4 to 5 ft. | 1.75 | 1.50 |

—**villosa**. 12 ft. (Christmasberry) Rich, medium loam, moist, PH 6.0-7.5, sun-partial shade.

|              |      |      |      |
|--------------|------|------|------|
| 18 to 24 in. | .50  | .45  | .40  |
| 2 to 3 ft.   | .75  | .70  | .60  |
| 3 to 4 ft.   | .90  | .80  | .75  |
| 4 to 5 ft.   | 1.25 | 1.15 | 1.00 |
| 5 to 6 ft.   | 1.75 | 1.50 |      |
| 6 to 8 ft.   | 2.50 | 2.00 |      |
| 8 to 10 ft.  | 3.50 | 3.00 |      |

# PHYSOCARPUS

—**monogynus**. 5 ft. (Dwarf Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.

|                | Each<br>1-4 | Each<br>5-24 | Each<br>25-up |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .50         | .45          | .40           |
| 3 to 4 ft..... | .55         | .50          | .45           |
| 4 to 5 ft..... | .75         | .65          | .60           |
| 5 to 6 ft..... | .85         | .80          | .75           |

—**opulifolia**. 10 ft. (Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-med. shade.

|                | Each<br>1-4 | Each<br>5-24 | Each<br>25-up |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .50         | .45          | .40           |
| 3 to 4 ft..... | .55         | .50          | .45           |
| 4 to 5 ft..... | .75         | .65          | .60           |
| 5 to 6 ft..... | .85         | .80          | .75           |

—**opulifolius lutens**. 10 ft. (Goldleaf Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.

|                | Each<br>1-4 | Each<br>5-24 | Each<br>25-up |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .50         | .45          | .40           |
| 3 to 4 ft..... | .55         | .50          | .45           |
| 4 to 5 ft..... | .75         | .65          | .60           |
| 5 to 6 ft..... | .85         | .80          | .75           |

—**opulifolius nanus**. 5 ft. Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.

|                | Each<br>1-4 | Each<br>5-24 | Each<br>25-up |
|----------------|-------------|--------------|---------------|
| 2 to 3 ft..... | .50         | .45          | .40           |
| 3 to 4 ft..... | .55         | .50          | .45           |
| 4 to 5 ft..... | .75         | .65          | .60           |

# PICEA

—**canadensis**. 50 ft. (White Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.

|                       | Each<br>1-4 | Each<br>5-24 | Each<br>25-up |
|-----------------------|-------------|--------------|---------------|
| 18 to 24 in. B&B..... | 3.00        | 2.75         | 2.50          |
| 2 to 3 ft. B&B.....   | 4.50        | 4.25         | 4.00          |
| 3 to 4 ft. B&B.....   | 5.50        | 5.25         | 5.00          |
| 4 to 5 ft. B&B.....   | 6.50        | 6.00         |               |
| 5 to 6 ft. B&B.....   | 8.50        | 8.00         |               |

—**canadensis albertiana**. 60 ft. (Black Hills Spruce) Medium loam, PH 5.0-6.5, sun-slight shade.

|                       | Each<br>1-4 | Each<br>5-24 | Each<br>25-up |
|-----------------------|-------------|--------------|---------------|
| 18 to 24 in. B&B..... | 3.00        | 2.75         |               |
| 2 to 3 ft. B&B.....   | 4.50        | 4.25         |               |
| 3 to 4 ft. B&B.....   | 5.50        | 5.25         |               |
| 4 to 5 ft. B&B.....   | 6.50        | 6.00         |               |
| 5 to 6 ft. B&B.....   | 8.50        | 8.00         |               |

—**excelsa abies**. 75 ft. (Norway Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.

|                       | Each<br>1-4 | Each<br>5-24 | Each<br>25-up |
|-----------------------|-------------|--------------|---------------|
| 18 to 24 in. B&B..... | 2.50        | 2.25         | 2.00          |
| 2 to 3 ft. B&B.....   | 3.50        | 3.25         | 3.00          |
| 3 to 4 ft. B&B.....   | 5.00        | 4.50         | 3.00          |
| 4 to 5 ft. B&B.....   | 6.50        | 6.00         | 5.50          |
| 5 to 6 ft. B&B.....   | 8.00        | 7.50         | 7.00          |
| 6 to 8 ft. B&B.....   | 12.00       | 11.00        | 10.00         |

—**pungens**. 60 ft. (Colorado Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.

|                       | Each<br>1-4 | Each<br>5-24 | Each<br>25-up |
|-----------------------|-------------|--------------|---------------|
| 18 to 24 in. B&B..... | 3.00        | 2.75         | 2.50          |
| 2 to 3 ft. B&B.....   | 5.00        | 4.50         | 4.00          |
| 3 to 4 ft. B&B.....   | 5.50        | 5.00         |               |
| 4 to 5 ft. B&B.....   | 7.00        | 6.50         |               |

**PICEA** — Continued

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <b>pungens glauca</b> . 60 ft. (Colorado Blue Spruce) Medium loam, moist, PH 5.0-6.5, sun.     |             |              |               |
| 18 to 24 in. B&B.....  | 5.00        | 4.50         | 4.00          |
| 2 to 3 ft. B&B.....  | 5.50        | 5.00         |               |
| — <b>pungens kosteri</b> . 60 ft. (Kosters Blue Spruce) Medium loam, moist, PH 5.0-6.5, sun.     |             |              |               |
| 15 to 18 in. B&B.....  | 6.00        | 5.50         | 5.00          |
| 18 to 24 in. B&B.....  | 7.00        | 6.50         | 6.00          |
| 10 to 11 ft. specimen B&B....  | 60.00       | 55.00        |               |
| 11 to 12 ft. specimen B&B....  | 70.00       | 65.00        |               |
| — <b>pungens moerheimi</b> . 40 ft. (Moerheimi Blue Spruce) medium loam, moist, PH 5.0-6.5, sun. |             |              |               |
| 15 to 18 in. B&B.....  | 7.00        | 6.50         | 6.00          |
| 18 to 24 in. B&B.....  | 8.00        | 7.50         | 7.00          |
| 24 to 30 in. B&B.....  | 10.00       | 9.00         |               |
| 10 to 11 ft. B&B Spec. ....  | 65.00       | 60.00        |               |
| 11 to 12 ft. B&B Spec.....   | 75.00       | 70.00        |               |
| 12 to 14 ft. B&B Spec.....   | 85.00       | 80.00        |               |

**PIERIS**

|  |      |      |      |
|--|------|------|------|
| — <b>floribunda</b> . 3 ft. (Mountain Andromeda) Woodsy peaty loam, moist, well drained, PH 5.0-6.0, partial shade.  |      |      |      |
| 15 to 18 in. B&B.....  | 4.50 | 4.00 |      |
| — <b>japonica</b> . 4 ft. (Japanese Andromeda) Woodsy or peaty loam, moist, well drained, PH 5.0-6.0, partial shade. |      |      |      |
| 12 to 15 in. B&B.....  | 3.00 | 2.75 | 2.50 |
| 15 to 18 in. B&B.....  | 3.75 | 3.50 | 3.25 |
| 18 to 24 in. B&B.....  | 5.00 | 4.50 | 4.00 |

**PINUS**

|  |       |       |      |
|--|-------|-------|------|
| — <b>densiflora</b> . 60 ft. (Japanese Red Pine) Sandy loam to silty clay, dry-moist, PH 5.0-6.5, sun.                   |       |       |      |
| 5 to 6 ft. B&B.....  | 15.00 | 14.00 |      |
| 6 to 8 ft. B&B.....  | 20.00 | 17.50 |      |
| — <b>montana</b> . 10 ft. (Swiss Mountain Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0.                         |       |       |      |
| 24 to 0 in. B&B.....   | 3.50  | 3.00  |      |
| 30 to 36 in. B&B.....  | 4.50  | 4.00  |      |
| 3 to 4 ft. B&B.....  | 6.00  | 5.50  |      |
| — <b>montana mughus</b> . 4 ft. (Dwarf Mountain Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun-slight shade. |       |       |      |
| 9 to 12 in. B&B.....   | 2.00  | 1.75  | 1.50 |
| 12 to 15 in. B&B.....  | 2.50  | 2.25  | 2.00 |
| 15 to 18 in. B&B.....  | 3.50  | 3.25  | 3.00 |
| 18 to 24 in. B&B.....  | 4.50  | 4.00  |      |
| — <b>nigra austriaca</b> . 60 ft. (Austrian Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun.                  |       |       |      |
| 2 to 3 ft. B&B.....  | 5.00  | 4.50  |      |
| 3 to 4 ft. B&B.....  | 6.50  | 6.00  |      |
| 4 to 5 ft. B&B.....  | 12.00 | 10.00 |      |
| 5 to 6 ft. B&B.....  | 16.00 | 14.00 |      |
| 6 to 8 ft. B&B.....  | 30.00 | 25.00 |      |
| 8 to 10 ft. B&B.....   | 35.00 | 30.00 |      |
| 10 to 12 ft. B&B.....  | 40.00 | 35.00 |      |



| <b>PINUS</b> — Continued   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <b>resinosa</b> . 50 ft. (Red Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun.                    |             |              |               |
| 5 to 6 ft. B&B.....  | 15.00       | 14.00        |               |
| 6 to 8 ft. B&B.....  | 20.00       | 17.50        |               |
| — <b>sylvestris</b> . 75 ft. (Scotch Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun-partial shade. |             |              |               |
| 6 to 8 ft. B&B.....  | 25.00       | 20.00        |               |
| 8 to 10 ft. B&B.....   | 30.00       | 25.00        |               |
| 10 to 12 ft. B&B.....  | 35.00       | 30.00        |               |

**PLATANUS**

|   |       |       |       |
|---|-------|-------|-------|
| — <b>occidentalis</b> . 75 ft. (American Sycamore) Medium loam to silty clay, moist, PH 6.0-7.5, sun.             |       |       |       |
| 6 to 8 ft.....  | 3.00  | 2.50  |       |
| 8 to 10 ft.....   | 3.50  | 3.00  |       |
| 2 to 2½ in.....   | 9.00  | 8.00  |       |
| — <b>orientalis</b> . 70 ft. (European Sycamore) Medium loam to silty clay, moist, well drained, PH 6.0-7.5, sun. |       |       |       |
| 6 to 8 ft.....  | 3.00  | 2.75  | 2.50  |
| 8 to 10 ft.....   | 3.50  | 3.25  | 3.00  |
| 1¼ to 1½ in.....  | 4.50  | 4.25  | 4.00  |
| 1½ to 1¾ in.....  | 5.50  | 5.25  | 5.00  |
| 1¾ to 2 in.....   | 8.00  | 7.50  | 7.00  |
| 2 to 2½ in.....   | 12.00 | 11.00 | 10.00 |
| 2½ to 3 in.....   | 15.00 | 14.00 |       |
| 3 to 3½ in.....   | 20.00 | 17.50 |       |
| 3½ to 4 in.....   | 22.50 | 20.00 |       |
| 4 to 5 in.....  | 30.00 | 25.00 |       |

**POLYGONUM**

|  |     |     |     |
|--|-----|-----|-----|
| — <b>auberti</b> . 25 ft. (Silver lace Vine) sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade. |     |     |     |
| 2 yr. No. 1 .....  | .50 | .45 | .40 |

**POPULUS**

|   |      |      |      |
|---|------|------|------|
| — <b>populus alba</b> 60' (white poplar) sandy loam to silty clay, very-moist PH 6.0-7.5 sun.           |      |      |      |
| 6 to 8 ft.....  | 1.50 | 1.35 | 1.25 |
| 8 to 10 ft.....   | 2.50 | 2.25 | 2.00 |
| 1¼ to 1½ in.....  | 3.50 | 3.25 | 3.00 |
| — <b>bolleana</b> . 50 ft. (Silver Poplar) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.        |      |      |      |
| 5 to 6 ft.....  | 1.15 | 1.25 | 1.00 |
| 6 to 8 ft.....  | 1.50 | 1.35 | 1.25 |
| 8 to 10 ft.....   | 2.50 | 2.25 | 2.00 |
| 1¼ to 1½ in.....  | 3.50 | 3.25 | 3.00 |
| 1½ to 1¾ in.....  | 4.00 | 3.75 | 3.50 |
| 1¾ to 2 in.....   | 4.50 | 4.25 | 4.00 |
| — <b>nigra italica</b> . 75 ft. (Lombardy Poplar) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun. |      |      |      |
| 6 to 8 ft.....  | .75  | .65  | .60  |
| 8 to 10 ft.....   | 1.00 | .90  | .85  |
| 10 to 12 ft.....  | 1.50 | 1.25 | 1.15 |
| 1½ to 1¾ in.....  | 2.00 | 1.75 | 1.50 |
| 1¾ to 2 in.....   | 3.00 | 2.75 | 2.50 |
| 2 to 2½ in.....   | 4.00 | 3.75 | 3.50 |
| 2½ to 3 in.....   | 6.00 | 5.50 | 5.00 |

**POPULUS** — Continued

|   |    |        | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|----|--------|-------------|--------------|---------------|
| — <b>simoni</b> . 30 ft. (Simon Poplar) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun. |    |        |             |              |               |
| 6   | to | 8 ft.  | 1.75        | 1.50         | 1.25          |
| 8   | to | 10 ft. | 2.50        | 2.25         | 2.00          |
| 10  | to | 12 ft. | 3.00        | 2.75         | 2.50          |
| 1½  | to | 1¾ in. | 4.00        | 3.50         |               |
| 1¾  | to | 2 in.  | 5.00        | 4.50         |               |

**PRUNUS**

—**americana**. 20 ft. (American Plum) Medium loam to silty clay, moist, PH 6.0-7.5, sun.

|   |    |       |      |      |     |
|---|----|-------|------|------|-----|
| 3 | to | 4 ft. | .50  | .45  | .40 |
| 4 | to | 5 ft. | .75  | .65  |     |
| 5 | to | 6 ft. | 1.25 | 1.00 |     |
| 6 | to | 8 ft. | 1.75 | 1.50 |     |

—**besseyi**. 7 ft. (Bessey Cherry) sandy to medium loam, dry-moist, PH 6.0-7.5, sun-part shade.

|   |    |       |     |     |  |
|---|----|-------|-----|-----|--|
| 2 | to | 3 ft. | .45 | .40 |  |
| 3 | to | 4 ft. | .60 | .50 |  |
| 4 | to | 5 ft. | .85 | .75 |  |

—**cerasifera pissardi**. 12 ft. (Purpleleaved Plum) sandy loam to silty clay, moist, PH 6.0-7.5, sun.

|   |    |       |      |      |      |
|---|----|-------|------|------|------|
| 2 | to | 3 ft. | 1.00 | .85  | .75  |
| 3 | to | 4 ft. | 1.25 | 1.15 | 1.00 |
| 4 | to | 5 ft. | 1.50 | 1.35 | 1.25 |
| 5 | to | 6 ft. | 1.75 | 1.65 | 1.50 |
| 6 | to | 8 ft. | 2.50 | 2.25 | 2.00 |

—**cistina**. 10 ft. (Hansen's Purpleleaved Plum) sandy loam to silty clay, moist, PH 6.0-7.5, sun.

|   |    |       |      |      |      |
|---|----|-------|------|------|------|
| 2 | to | 3 ft. | 1.00 | .85  | .75  |
| 3 | to | 4 ft. | 1.25 | 1.15 | 1.00 |
| 4 | to | 5 ft. | 1.50 | 1.35 | 1.25 |
| 5 | to | 6 ft. | 1.75 | 1.65 | 1.50 |

—**glandulosa sinensis**. 5 ft. (Double Pink Flowering Almond) sandy loam to silty clay, moist, PH 6.0-7.5, sun.

|    |    |        |     |     |     |
|----|----|--------|-----|-----|-----|
| 15 | to | 18 in. | .50 | .45 | .40 |
| 18 | to | 24 in. | .60 | .55 | .50 |
| 2  | to | 3 ft.  | .75 | .65 | .60 |

—**glandulosa albiplena**. 5 ft. (Double White Flowering Almond) Own root, sandy loam to silty clay, moist, PH 6.0-7.5, sun.

|    |    |        |     |     |     |
|----|----|--------|-----|-----|-----|
| 15 | to | 18 in. | .50 | .40 |     |
| 18 | to | 24 in. | .60 | .55 | .50 |
| 2  | to | 3 ft.  | .75 | .65 | .60 |

—**maritima**. 12 ft. (Beech Plum) sandy to sandy loam, dry-moist, PH 6.0-7.5, sun.

|   |    |       |      |      |     |
|---|----|-------|------|------|-----|
| 2 | to | 3 ft. | .75  | .65  | .60 |
| 3 | to | 4 ft. | 1.00 | .85  | .80 |
| 4 | to | 5 ft. | 1.50 | 1.25 |     |

—**padus**. 20 ft. (European Bird Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-slight shade.

|   |    |       |      |      |  |
|---|----|-------|------|------|--|
| 5 | to | 6 ft. | 1.75 | 1.50 |  |
| 6 | to | 8 ft. | 2.50 | 2.00 |  |

**PRUNUS** — Continued

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| <b>—pennsylvanicum.</b> 25 ft. (Pin Cherry) Sandy to silty loam, moist, PH 5.5-7.0, sun-slight shade.          |             |              |               |
| 3 to 4 ft.....   | 1.00        | .75          |               |
| 4 to 5 ft.....   | 1.50        | 1.25         |               |
| 5 to 6 ft.....   | 2.00        | 1.75         |               |
| 6 to 8 ft.....   | 3.00        | 2.50         |               |
| 8 to 10 ft.....  | 3.50        | 3.00         |               |
| <b>—persica.</b> 10 ft. (Double Flowering Peach) Medium loam, moist, PH 6.0-7.5.                               |             |              |               |
| alboplana  |             |              |               |
| rubroplana   |             |              |               |
| 3 to 4 ft.....   | 1.25        | 1.00         |               |
| 4 to 5 ft.....   | 1.50        | 1.25         |               |
| <b>—pumila.</b> 5 ft. (Sand Cherry) sandy to sandy loam, dry-moist, PH 6.0-7.5, sun-part shade.                |             |              |               |
| 2 to 3 ft.....   | .55         | .50          | .45           |
| 3 to 4 ft.....   | .75         | .60          |               |
| <b>—serotina.</b> 60 ft. (Black Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-partial shade.             |             |              |               |
| 4 to 5 ft.....   | 1.50        | 1.25         |               |
| 5 to 6 ft.....   | 2.00        | 1.75         |               |
| 6 to 8 ft.....   | 3.00        | 2.50         |               |
| 8 to 10 ft.....  | 3.50        | 3.00         |               |
| <b>—tomentosa.</b> 10 ft. (Nanking Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-partial shade.          |             |              |               |
| 18 to 24 in.....   | .50         | .45          | .40           |
| 2 to 3 ft.....   | .85         | .75          | .65           |
| 3 to 4 ft.....   | 1.25        | 1.00         |               |
| 4 to 5 ft.....   | 2.00        | 1.50         |               |
| 5 to 6 ft.....   | 3.00        | 2.50         |               |
| 6 to 8 ft.....   | 4.50        | 4.00         |               |
| <b>—triloba plena.</b> 10 ft. (Flowering Plum) Medium loam, moist, PH 6.0-7.5, sun.                            |             |              |               |
| 18 to 24 in.....   | .60         | .55          | .50           |
| 2 to 3 ft.....   | 1.00        | .90          | .85           |
| 3 to 4 ft.....   | 1.25        | 1.15         | 1.00          |
| <b>—virginiana.</b> 30 ft. (Common Chokeberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade. |             |              |               |
| 3 to 4 ft.....   | 1.00        | .75          |               |
| 4 to 5 ft.....   | 1.50        | 1.25         |               |
| 5 to 6 ft.....   | 2.00        | 1.75         |               |
| 6 to 8 ft.....   | 3.00        | 2.50         |               |

The following japanese flowering cherries are available in the following grades:

|   |      |      |  |
|---|------|------|--|
| <b>—amanogawa</b> — semi-double pink, sandy loam to silty loam, moist, well drained, PH 6.0-7.5. sun. |      |      |  |
| 2 to 3 ft.....  | 2.00 | 1.75 |  |
| 3 to 4 ft.....  | 3.00 | 2.50 |  |
| 4 to 5 ft.....  | 3.50 | 3.00 |  |
| 5 to 6 ft.....  | 4.50 | 4.00 |  |

**PRUNUS — Continued**

| 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-------------|--------------|---------------|
|-------------|--------------|---------------|

—**james veitch** — double blush pink, sandy loam to silty loam, moist, well drained, PH 6.0-7.5, sun.

|            |      |      |
|------------|------|------|
| 2 to 3 ft. | 2.00 | 1.75 |
| 3 to 4 ft. | 3.00 | 2.50 |
| 4 to 5 ft. | 3.50 | 3.00 |
| 5 to 6 ft. | 4.50 | 4.00 |

Larger caliper trees, price on request.

—**kwanzan.** 25 ft. double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5 sun.

|            |      |      |
|------------|------|------|
| 2 to 3 ft. | 2.00 | 1.75 |
| 3 to 4 ft. | 3.00 | 2.50 |
| 4 to 5 ft. | 3.50 | 3.00 |

—**naden** — double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun.

|            |      |      |
|------------|------|------|
| 2 to 3 ft. | 2.00 | 1.75 |
| 3 to 4 ft. | 3.00 | 2.50 |
| 4 to 5 ft. | 3.50 | 3.00 |

—**seiboldi** — double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun.

|            |      |      |
|------------|------|------|
| 2 to 3 ft. | 2.00 | 1.75 |
| 3 to 4 ft. | 3.00 | 2.50 |
| 4 to 5 ft. | 3.50 | 3.00 |
| 5 to 6 ft. | 4.50 | 4.00 |

—**yoshino** — blush pink to white, sandy loam to silty clay, moist, well drained PH 6.0-7.5, sun.

|            |      |      |
|------------|------|------|
| 2 to 3 ft. | 2.00 | 1.75 |
| 3 to 4 ft. | 3.00 | 2.50 |
| 4 to 5 ft. | 3.50 | 3.00 |

**PSEUDOTSUGA**

—**taxifolia (Douglasi).** 75 ft. (Douglas Fir) light to medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|                |       |       |      |
|----------------|-------|-------|------|
| 2 to 3 ft. B&B | 4.00  | 3.50  | 3.00 |
| 3 to 4 ft. B&B | 5.50  | 5.00  | 4.50 |
| 4 to 5 ft. B&B | 8.00  | 7.50  | 7.00 |
| 5 to 6 ft. B&B | 12.00 | 10.00 |      |
| 6 to 8 ft. B&B | 16.00 | 15.00 |      |

**PYRACANTHA**

—**coccinea lalandi.** 6 ft. (Firethorn) medium to heavy loam, moist, well drained, PH 6.0-7.5, sun-shade.

|                  |      |      |      |
|------------------|------|------|------|
| 12 to 15 in. B&B | 2.00 | 1.75 | 1.50 |
| 15 to 18 in. B&B | 2.50 | 2.25 | 2.00 |
| 18 to 24 in. B&B | 4.00 | 3.75 | 3.50 |
| 24 to 30 in. B&B | 6.00 | 5.50 | 5.00 |
| 30 to 36 in. B&B | 7.00 | 6.50 | 6.00 |

**QUERCUS**

—**alba.** 65 ft. (White Oak) rich, medium loam, moist, well drained, PH 5.5-7.0, sun.

|             |       |       |      |
|-------------|-------|-------|------|
| 6 to 8 ft.  | 3.50  | 3.25  | 3.00 |
| 8 to 10 ft. | 4.50  | 4.25  | 4.00 |
| 2½ to 3 in. | 17.50 | 15.00 |      |
| 3 to 3½ in. | 22.50 | 20.00 |      |
| 3½ to 4 in. | 27.50 | 25.00 |      |
| 4 to 5 ft.  | 35.00 | 30.00 |      |

| QUERCUS — Continued   |    |    |     | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|----|----|-----|-------------|--------------|---------------|
| —bicolor. 60 ft. (Swamp White Oak) medium to silty loam, moist, PH 6.0-7.0, sun.                            |    |    |     |             |              |               |
| 6   | to | 8  | ft. | 3.50        | 3.25         | 3.00          |
| 8   | to | 10 | ft. | 4.50        | 4.25         | 4.00          |
| 2½  | to | 3  | in. | 17.50       | 15.00        |               |
| 3   | to | 3½ | in. | 22.50       | 20.00        |               |
| 3½  | to | 4  | in. | 27.50       | 25.00        |               |
| —borealis (rubra) 70 ft. (Northern Red Oak) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun |    |    |     |             |              |               |
| 6   | to | 8  | ft. | 4.00        | 3.50         | 3.00          |
| 8   | to | 10 | ft. | 5.00        | 4.50         | 4.00          |
| 1¼  | to | 1½ | in. | 6.00        | 5.50         | 5.00          |
| 1½  | to | 1¾ | in. | 8.00        | 7.50         | 7.00          |
| 1¾  | to | 2  | in. | 10.00       | 9.00         |               |
| 2   | to | 2½ | in. | 15.00       | 12.00        |               |
| 2½  | to | 3  | in. | 17.50       | 15.00        |               |
| 3   | to | 3½ | in. | 22.50       | 20.00        |               |
| 3½  | to | 4  | in. | 30.00       | 27.50        | 25.00         |
| 4   | to | 5  | in. | 40.00       | 35.00        | 30.00         |
| 6, 7 and 8 in., price on request  |    |    |     |             |              |               |
| —coccinea. 75 ft. (Scarlet Oak) porous gravely to medium loam, moist, well drained, PH 6.0-7.0, sun.        |    |    |     |             |              |               |
| 3   | to | 3½ | in. | 22.50       | 20.00        |               |
| 3½  | to | 4  | in. | 30.00       | 27.50        |               |
| 4   | to | 5  | in. | 40.00       | 35.00        |               |
| 5 to 6 in. Price on request   |    |    |     |             |              |               |
| —lyrata. 70 ft. (Overcup Oak) sandy to medium loam, moist, PH 6.0-7.0, sun.                                 |    |    |     |             |              |               |
| 2   | to | 2½ | in. | 15.00       | 12.00        |               |
| 2½  | to | 3  | in. | 16.00       | 15.00        |               |
| 3   | to | 3½ | in. | 22.50       | 20.00        |               |
| —macrocarpa. 75 ft. (Bur Oak) Medium loam, moist, well drained, PH 5.5-7.0, sun.                            |    |    |     |             |              |               |
| 1¾  | to | 2  | in. | 10.00       | 9.00         |               |
| 2   | to | 2½ | in. | 15.00       | 12.00        |               |
| 2½  | to | 3  | in. | 12.50       | 15.00        |               |
| 3   | to | 3½ | in. | 22.50       | 20.00        |               |
| 3½  | to | 4  | in. | 30.00       | 27.50        |               |
| 4   | to | 5  | in. | 40.00       | 35.00        |               |
| —palustris. 70 ft. (Pin Oak) rich, medium loam, moist, well drained, PH 5.5-6.5, sun.                       |    |    |     |             |              |               |
| 6   | to | 8  | ft. | 3.00        | 2.75         | 2.50          |
| 8   | to | 10 | ft. | 4.00        | 3.75         | 3.50          |
| 1¼  | to | 1½ | in. | 5.00        | 4.75         | 4.50          |
| 1½  | to | 1¾ | in. | 7.00        | 6.50         | 6.00          |
| 1¾  | to | 2  | in. | 10.00       | 9.50         | 9.00          |
| 2   | to | 2½ | in. | 15.00       | 13.00        | 12.00         |
| 2½  | to | 3  | in. | 17.50       | 15.00        |               |
| 3   | to | 3½ | in. | 20.00       | 17.50        |               |
| 3½  | to | 4  | in. | 25.00       | 22.50        | 20.00         |
| 4   | to | 5  | in. | 35.00       | 32.50        | 30.00         |
| 6, 7 and 8 inch, price on request   |    |    |     |             |              |               |
| —phellos. 45 ft. (Willow Oak) medium loam to silty loam, moist, well drained, PH 5.5-6.5, sun.              |    |    |     |             |              |               |
| 6   | to | 8  | ft. | 4.50        | 4.00         |               |



**QUERCUS** — Continued

|                             |   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-----------------------------|---|-------------|--------------|---------------|
| — <b>robur fastigiata</b> . | 40 ft. (Pyramidal English Oak)<br>medium loam, moist, well drained, PH 6.0-7.0,<br>sun. |             |              |               |
| 2                           | to 2½ in. B&B   | 30.00       | 27.50        | 25.00         |
| 2½                          | to 3 in. B&B  | 35.00       | 32.50        | 30.00         |
| 3                           | to 3½ in. B&B   | 45.00       | 40.00        |               |
| 3½                          | to 4 in. B&B  | 60.00       | 50.00        |               |
| — <b>valutina</b> .         | 70 ft. (Black Oak) medium loam to silty<br>clay, moist, well drained, PH 5.5-7.0, sun.  |             |              |               |
| 1¾                          | to 2 in.  | 10.00       | 9.00         |               |
| 2                           | to 2½ in.   | 15.00       | 13.00        |               |
| 2½                          | to 3 in.  | 17.50       | 15.00        |               |
| 3                           | to 3½ in.   | 22.50       | 20.00        |               |
| 3½                          | to 4 in.  | 30.00       | 27.50        |               |

**RHAMNUS**

|                       |   |     |     |     |
|-----------------------|---|-----|-----|-----|
| — <b>carhartica</b> . | 12 ft. (Buckthorn) sandy loam to silty<br>clay, dry-moist, PH 6.0-7.5, sun-partial shade.     |     |     |     |
| 2                     | to 3 ft.  | .60 | .55 | .50 |
| 3                     | to 4 ft.  | .75 | .65 | .60 |
| 4                     | to 5 ft.  | .90 | .85 | .75 |
| — <b>frangula</b> .   | 10 ft. (Glossy Buckthorn) sandy loam to<br>silty clay, moist, PH 6.0-7.5, sun-partial shade.  |     |     |     |
| 2                     | to 3 ft.  | .60 | .55 | .50 |
| 3                     | to 4 ft.  | .75 | .65 | .60 |
| 4                     | to 5 ft.  | .90 | .85 | .75 |
| — <b>purshiana</b> .  | 12 ft. (Cascara Buckthorn) sandy loam to<br>silty clay, moist, PH 6.0-7.5, sun-partial shade. |     |     |     |
| 18                    | to 24 in.   | .40 | .35 | .30 |
| 2                     | to 3 ft.  | .60 | .55 | .50 |
| 3                     | to 4 ft.  | .75 | .65 | .60 |

**RHODODENDRON**

|  |   |      |      |      |
|--|---|------|------|------|
| — <b>catawbiense</b> .                     | 6 ft. (Nursery Grown Catawba Rhodo-<br>dendron) woody or peaty loam, moist, well<br>drained, PH 4.5-6.0, sun-partial shade. |      |      |      |
| 18   | to 24 in. B&B   | 4.00 | 3.50 |      |
| 24   | to 30 in. B&B   | 5.00 | 4.50 |      |
| 30   | to 36 in. B&B   | 6.00 | 5.50 |      |
| — <b>catawbiense grandiflora grafted</b> . | 6 ft. woody or peaty<br>loam, moist, well drained, PH 4.5-6.5, sun-<br>partial shade.                                       |      |      |      |
| 12   | to 15 in. B&B   | 4.00 | 3.50 | 3.00 |
| 15   | to 18 in. B&B   | 5.00 | 4.50 | 4.00 |
| 18   | to 24 in. B&B   | 6.00 | 5.50 | 5.00 |
| 24   | to 30 in. B&B   | 8.00 | 7.50 | 7.00 |
| — <b>maximum collected</b> .               | 10 ft. (Rosebay Rhododendron)<br>woody or peaty loam, moist, well drained,<br>PH 4.5-6.0, partial shade.                    |      |      |      |
| 24   | to 30 in. B&B   | 4.00 | 3.50 |      |
| 30   | to 36 in. B&B   | 5.00 | 4.50 |      |
| 3  | to 4 ft. B&B  | 6.00 | 5.50 |      |

**RHODOTYPOS**

|                                 |   |     |     |     |
|---------------------------------|---|-----|-----|-----|
| — <b>scandens (kerroides)</b> . | 6 ft. (Jetbead) rich, medium<br>loam, moist, well drained, PH 6.0-7.5, sun-<br>shade. |     |     |     |
| 18                              | to 24 in.   | .60 | .55 | .50 |
| 2                               | to 3 ft.  | .70 | .65 | .60 |

## RHUS

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <i>aromatica</i> . 6 ft. (Fragrant Sumac) sandy to medium loam, dry, good drainage, PH 6.0-7.5, sun-partial shade. |             |              |               |
| 18 to 24 in.....   | .70         | .60          | .50           |
| 2 to 3 ft.....   | .80         | .70          | .60           |
| — <i>copallina</i> . 12 ft. (Shining Sumac) sandy to medium loam, dry-good drainage, PH 5.5-7.0, sun.                |             |              |               |
| 18 to 24 in.....   | .50         | .45          | .40           |
| 2 to 3 ft.....   | .60         | .55          | .50           |
| 3 to 4 ft.....   | .75         | .65          | .60           |
| 4 to 5 ft.....   | .90         | .80          | .75           |
| — <i>cotinus</i> . (See <i>cotinus coggygrina</i> )  |             |              |               |
| — <i>glabra</i> . 12 ft. (Smooth Sumac) sandy to medium loam, dry-moist, PH 5.0-7.0, sun.                            |             |              |               |
| 2 to 3 ft.....   | .45         | .40          | .35           |
| 3 to 4 ft.....   | .60         | .55          | .50           |
| 4 to 5 ft.....   | .75         | .65          | .60           |
| — <i>typhina</i> . 15 ft. (Staghorn Sumac) sandy to medium loam, dry-moist, PH 5.0-7.0, sun.                         |             |              |               |
| 2 to 3 ft.....   | .45         | .40          | .35           |
| 3 to 4 ft.....   | .60         | .55          | .50           |
| 4 to 5 ft.....   | .75         | .65          | .60           |
| 5 to 6 ft.....   | .90         | .80          | .75           |

## RIBES

|  |     |     |     |
|--|-----|-----|-----|
| — <i>alpinum</i> . 5 ft. (Mountain Currant) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.      |     |     |     |
| 9 to 12 in.....  | .45 | .40 | .35 |
| 12 to 15 in.....   | .60 | .55 | .50 |
| 15 to 18 in.....   | .70 | .65 | .60 |
| — <i>aureum</i> . 8 ft. (Golden Currant) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade. |     |     |     |
| 2 to 3 ft.....   | .50 | .45 |     |
| 3 to 4 ft.....   | .60 | .55 |     |

## ROBINA

|  |      |      |      |
|--|------|------|------|
| — <i>hispidia</i> . 9 ft. (Rose Acacia) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.        |      |      |      |
| 18 to 24 in.....   | .40  | .35  | .30  |
| 2 to 3 ft.....   | .55  | .50  | .45  |
| 3 to 4 ft.....   | .70  | .65  | .60  |
| 4 to 5 ft.....   | .90  | .80  | .75  |
| — <i>pseudoacacia</i> . 55 ft. (Common Locust) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun. |      |      |      |
| 6 to 8 ft.....   | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft.....  | 2.00 | 1.75 | 1.50 |
| 1½ to 1¾ in.....   | 3.00 | 2.50 |      |
| 1¾ to 2 in.....  | 4.00 | 3.50 |      |
| — <i>viscosa</i> . 10 ft. (Clammy Locust) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.      |      |      |      |
| 18 to 24 in.....   | .40  | .35  | .30  |
| 2 to 3 ft.....   | .55  | .50  | .45  |
| 3 to 4 ft.....   | .70  | .65  | .60  |

|   | Each<br>1-4 | Each<br>5-24 | Each<br>25-up |
|---|-------------|--------------|---------------|
| <b>ROSA —</b>   |             |              |               |
| — <b>blanda</b> . 5 ft. (Meadow rose) sandy to silty clay loam,<br>moist, well drained, PH 6.0-7.5.                         |             |              |               |
| 18 to 24 in.....  | .50         | .45          | .40           |
| 2 to 3 ft.....  | .60         | .55          | .50           |
| — <b>canina</b> 8' (dog rose) sandy to silty clay, moist, well<br>drained, PH 6.0-7.0 sun.                                  |             |              |               |
| 18 to 24 in.....  | .50         | .45          | .40           |
| 2 to 3 ft.....  | .60         | .55          | .50           |
| — <b>carolina</b> . 5 ft. (Pasture Rose) sandy to silty clay<br>loam, moist, well drained, PH 6.0-7.5, sun.                 |             |              |               |
| 18 to 24 in.....  | .50         | .45          | .40           |
| 2 to 3 ft.....  | .60         | .55          | .50           |
| — <b>lucida</b> . 5 ft. (Virginia Rose) sandy to silty clay loam,<br>moist, well drained, PH 6.0-7.0, sun-slight<br>shade.  |             |              |               |
| 18 to 24 in.....  | .50         | .45          | .40           |
| 2 to 3 ft.....  | .60         | .55          | .50           |
| — <b>multiflora</b> . 8 ft. (Japanese rose) sand to silty clay<br>loam, moist, well drained, PH 6.0-7.0 sun, part<br>shade. |             |              |               |
| 18 to 24 in.....  | .35         | .30          | .25           |
| 2 to 3 ft.....  | .40         | .35          | .30           |
| — <b>nitida</b> . 3 ft. (Bristly Rose) sandy to silty clay loam,<br>moist, well drained, PH 6.0-7.0, sun.                   |             |              |               |
| 18 to 24 in.....  | .50         | .56          | .40           |
| 2 to 3 ft.....  | .60         | .55          | .50           |
| — <b>palustris</b> . 8 ft. (Swamp Rose) sandy to silty clay<br>loam, moist, PH 6.0-7.0, sun-slight shade.                   |             |              |               |
| 18 to 24 in.....  | .50         | .56          | .40           |
| 2 to 3 ft.....  | .60         | .55          | .50           |
| — <b>rubiginosa</b> 6 ft. (Sweetbriar rose) sandy to silty clay,<br>moist, PH 6.0-7.0, sun or part shade.                   |             |              |               |
| 2 to 3 ft.....  | .60         | .50          |               |
| 3 to 4 ft.....  | .75         | .60          |               |
| — <b>rubrifolia</b> . 6 ft. (Redleaf Rose) sandy to silty clay<br>loam, moist, well drained, PH 6.0-7.0, sun.               |             |              |               |
| 18 to 24 in.....  | .50         | .45          | .40           |
| 2 to 3 ft.....  | .60         | .55          | .50           |
| — <b>rugosa alba</b> . (Pure White) sandy to silty clay loam,<br>moist, well drained, PH 6.0-7.0, sun-partial<br>shade.     |             |              |               |
| 18 to 24 in.....  | .50         | .45          |               |
| 2 to 3 ft.....  | .75         | .60          |               |
| — <b>rugosa rubra</b> . (Rose Red) sandy to silty clay loam,<br>moist, well drained, PH 6.0-7.0, sun-partial<br>shade.      |             |              |               |
| 18 to 24 in.....  | .50         | .45          | .40           |
| 2 to 3 ft.....  | .75         | .60          | .50           |
| 3 to 4 ft.....  | .85         | .75          | .65           |
| — <b>setigera</b> . 6 ft. (Prairie Rose) sandy to silty clay loam,<br>moist, PH 6.0-7.0, sun-partial shade.                 |             |              |               |
| 2 to 3 ft.....  | .50         | .45          | .40           |
| 3 to 4 ft.....  | .65         | .60          | .50           |

ROSA — Continued

—**wichuriana**. 2 ft. Sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun or part shade.

|                   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-------------------|-------------|--------------|---------------|
| 1 year No. 1..... | .50         | .45          | .40           |
| 2 year No. 1..... | .60         | .55          | .50           |
| 3 to 4 ft.....    | .75         | .60          |               |

RUBUS

—**odoratus**. 6 ft. (Fragrant Thumbleberry) Sandy to medium loam, dry well drained, PH 6.0-7.5, sun.

|                  |     |     |  |
|------------------|-----|-----|--|
| 18 to 24 in..... | .60 | .50 |  |
|------------------|-----|-----|--|

SALIX

—**babylonica**. 50 ft. (Babylon Weeping Willow) Sandy to medium loam, moist, PH 5.5-7.5, sun.

|                  |      |      |      |
|------------------|------|------|------|
| 6 to 8 ft.....   | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft.....  | 2.25 | 2.00 | 1.75 |
| 1¼ to 1½ in..... | 3.00 | 2.75 | 2.50 |
| 1½ to 1¾ in..... | 3.50 | 3.25 | 3.00 |
| 1¾ to 2 in.....  | 4.00 | 3.75 | 3.50 |
| 2 to 2½ in.....  | 5.00 | 4.50 |      |
| 2½ to 3 in.....  | 7.00 | 6.50 |      |

—**babylonica salamoni**. 50 ft. (Salmon Weeping Willow) sandy to medium loam, moist, PH 5.5-7.5, sun.

|                  |      |      |      |
|------------------|------|------|------|
| 6 to 8 ft.....   | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft.....  | 2.25 | 2.00 | 1.75 |
| 1¼ to 1½ in..... | 3.00 | 2.75 | 2.50 |
| 1½ to 1¾ in..... | 3.50 | 3.25 | 3.00 |
| 1¾ to 2 in.....  | 4.00 | 3.75 | 3.50 |
| 2 to 2½ in.....  | 5.00 | 4.50 |      |
| 2½ to 3 in.....  | 7.00 | 6.50 |      |

—**blanda**. 40 ft. (Wisconsin Weeping Willow) sandy to medium loam, moist, PH 5.5-7.5, sun.

|                  |      |      |      |
|------------------|------|------|------|
| 6 to 8 ft.....   | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft.....  | 2.25 | 2.00 | 1.75 |
| 1¼ to 1½ in..... | 3.00 | 2.75 | 2.50 |
| 1½ to 1¾ in..... | 3.50 | 3.25 | 3.00 |
| 1¾ to 2 in.....  | 4.00 | 3.75 | 3.50 |
| 2 to 2½ in.....  | 5.00 | 4.50 |      |
| 2½ to 3 in.....  | 7.00 | 6.50 |      |

—**discolor**. 18 ft. (Pussy Willow) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|                 |      |      |      |
|-----------------|------|------|------|
| 3 to 4 ft.....  | .40  | .35  | .30  |
| 4 to 5 ft.....  | .50  | .45  | .40  |
| 5 to 6 ft.....  | .85  | .75  | .65  |
| 6 to 8 ft.....  | 1.00 | .90  | .80  |
| 8 to 10 ft..... | 1.25 | 1.15 | 1.00 |

**SALIX** — Continued

—*elegantissima*. 60 ft. (ThurLOW Willow) sandy to medium loam, moist, PH 6.0-7.5, sun.

|              | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--------------|-------------|--------------|---------------|
| 6 to 8 ft.   | 1.50        | 1.35         | 1.25          |
| 8 to 10 ft.  | 2.25        | 2.00         | 1.75          |
| 1¼ to 1½ in. | 3.00        | 2.75         | 2.50          |
| 1½ to 1¾ in. | 3.50        | 3.25         | 3.00          |
| 1¾ to 2 in.  | 4.00        | 3.75         | 3.50          |
| 2 to 2½ in.  | 5.00        | 4.75         | 4.50          |
| 2½ to 3 in.  | 7.00        | 6.50         | 6.00          |
| 3 to 3½ in.  | 8.00        | 7.50         |               |

—*eleagnos (incana)*. 20 ft. (Rosemary Willow) sandy to medium loam, moist, PH 6.0-7.5, sun-partial shade.

|              |      |      |      |
|--------------|------|------|------|
| 18 to 24 in. | .40  | .35  | .30  |
| 2 to 3 ft.   | .50  | .45  | .40  |
| 3 to 4 ft.   | .55  | .50  | .45  |
| 4 to 5 ft.   | .75  | .65  | .60  |
| 5 to 6 ft.   | 1.10 | 1.00 | .90  |
| 6 to 8 ft.   | 1.50 | 1.35 | 1.25 |

—*matsudona tortuosa*. 22 ft. (Corkscrew Willow) sandy to medium loam, moist, PH 6.0-7.5, sun.

|              |      |      |      |
|--------------|------|------|------|
| 5 to 6 ft.   | 1.25 | 1.15 | 1.00 |
| 6 to 8 ft.   | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft.  | 2.50 | 2.25 | 2.00 |
| 1¼ to 1½ in. | 3.00 | 2.75 | 2.50 |
| 1½ to 1¾ in. | 4.00 | 3.50 |      |
| 1¾ to 2 in.  | 4.50 | 4.00 |      |
| 2 to 2½ in.  | 6.00 | 5.50 |      |
| 2½ to 3 in.  | 7.00 | 6.50 |      |

—*mutabilis*. 5 ft. sandy to medium loam, moist, PH 6.0-7.5, sun.

|              |     |     |     |
|--------------|-----|-----|-----|
| 18 to 24 in. | .50 | .45 | .40 |
| 2 to 3 ft.   | .60 | .55 | .50 |
| 3 to 4 ft.   | .85 | .75 | .65 |

—*nigra*. 12 ft. (Black Willow) sandy to medium loam, moist, PH 6.0-7.5, sun.

|            |      |     |     |
|------------|------|-----|-----|
| 5 to 6 ft. | .80  | .70 | .60 |
| 6 to 8 ft. | 1.00 | .90 | .75 |

—*niobe*. 30 ft. (Golden Weeping Willow) Sandy to medium loam, moist, PH 6.0-7.5, sun.

|              |      |      |      |
|--------------|------|------|------|
| 6 to 8 ft.   | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft.  | 2.25 | 2.00 | 1.75 |
| 1¼ to 1½ in. | 3.00 | 2.75 | 2.50 |
| 1½ to 1¾ in. | 3.50 | 3.25 | 3.00 |
| 1¾ to 2 in.  | 4.00 | 3.75 | 3.50 |
| 2 to 2½ in.  | 5.00 | 4.75 | 4.50 |
| 2½ to 3 in.  | 7.00 | 6.50 | 6.00 |

—*petandra*. 25 ft. (Laurelleaved Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|             |      |      |      |
|-------------|------|------|------|
| 4 to 5 ft.  | 1.00 | .75  |      |
| 5 to 6 ft.  | 1.25 | 1.00 |      |
| 6 to 8 ft.  | 1.50 | 1.35 | 1.25 |
| 8 to 10 ft. | 2.00 | 1.75 | 1.50 |



**SALIX — Continued**

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| <b>—purpurea nana.</b> 5 ft. (Dwarf Purpleosier Willow)<br>Sandy loam to silty clay, moist, PH 6.0-7.5, sun. |             |              |               |
| 12 to 15 in.....   | .35         | .30          | .25           |
| 15 to 18 in.....   | .40         | .35          | .30           |
| 18 to 24 in.....   | .45         | .40          | .35           |
| 24 to 30 in.....   | .50         | .45          | .40           |
| <b>—vitellina.</b> 30 ft. (Golden Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.                  |             |              |               |
| 6 to 8 ft.....   | 1.75        | 1.50         | 1.25          |
| 8 to 10 ft.....  | 2.25        | 2.00         | 1.75          |
| 1¼ to 1½ in.....   | 3.00        | 2.75         | 2.50          |
| 1½ to 1¾ in.....   | 3.50        | 3.00         | 2.75          |
| 1¾ to 2 in.....  | 4.00        | 3.50         | 3.25          |
| 2 to 2½ in.....  | 4.50        | 4.00         |               |

**SAMBUCUS**

|   |     |     |     |
|---|-----|-----|-----|
| <b>—canadensis.</b> 10 ft. (American Elder) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.         |     |     |     |
| 2 to 3 ft.....  | .50 | .45 | .40 |
| 3 to 4 ft.....  | .55 | .50 | .45 |
| 4 to 5 ft.....  | .75 | .65 | .60 |
| <b>—canadensis acutiloba.</b> 10 ft. (Cutleaf Elder) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.              |     |     |     |
| 2 to 3 ft.....  | .45 | .40 |     |
| 3 to 4 ft.....  | .60 | .50 |     |
| <b>—nigra.</b> 15 ft. (European Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.              |     |     |     |
| 2 to 3 ft.....  | .50 | .45 |     |
| 3 to 4 ft.....  | .60 | .50 |     |
| <b>—nigra aurea.</b> 15 ft. (Golden European Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade. |     |     |     |
| 2 to 3 ft.....  | .50 | .45 | .40 |
| 3 to 4 ft.....  | .55 | .50 | .45 |
| <b>—pubens.</b> 8 ft. (scarlet elder) Sandy loam to silty clay, moist, PH 6.0-7.5 sun.                              |     |     |     |
| 18 to 24 in.....  | .45 | .40 | .35 |
| 2 to 3 ft.....  | .55 | .50 | .45 |
| 3 to 4 ft.....  | .70 | .65 | .60 |

**SASSAFRAS**

|  |      |      |  |
|--|------|------|--|
| <b>—varifolium.</b> 50 ft. (Sassafras) Sandy loam to silty clay, moist, PH 5.5-7.5, sun-partial shade. |      |      |  |
| 6 to 8 ft.....   | 4.00 | 3.50 |  |
| 8 to 10 ft.....  | 5.00 | 4.50 |  |

**SOPHORA**

|   |      |      |      |
|---|------|------|------|
| <b>—japonica.</b> 20 ft. (Chinese Scholartree) Medium loam to silty clay, dry-moist, PH 6.0-7.5, sun. |      |      |      |
| 15 to 18 in. B&B.....   | 3.00 | 2.50 | 2.00 |
| 18 to 24 in. B&B.....   | 3.50 | 3.00 | 2.50 |
| 2 to 3 ft. B&B.....   | 5.00 | 4.50 | 4.00 |

**SORBARIA**

| 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-------------|--------------|---------------|
|-------------|--------------|---------------|

—**atchisoni**. 7 ft. (Kashmir False Spirea) Medium loam, moist, PH 6.0-7.5, sun-partial shade.

|            |     |     |
|------------|-----|-----|
| 2 to 3 ft. | .50 | .45 |
| 3 to 4 ft. | .60 | .55 |

—**sorbifolia**. 5 ft. (Ural False Spirea) Medium loam, moist, PH 6.0-7.5, sun-partial shade.

|            |     |     |
|------------|-----|-----|
| 2 to 3 ft. | .50 | .45 |
| 3 to 4 ft. | .60 | .55 |

**SORBUS**

—**aucuparia**. 30 ft. (European Mountain Ash) Medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|             |       |       |
|-------------|-------|-------|
| 6 to 8 ft.  | 3.50  | 3.00  |
| 8 to 10 ft. | 4.50  | 4.00  |
| 3 to 3½ in. | 25.00 | 20.00 |
| 4 to 5 in.  | 30.00 |       |

**SPIREA**

—**anthony waterer**. 3 ft. (Dwarf Pink Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

|              |     |     |     |
|--------------|-----|-----|-----|
| 12 to 15 in. | .40 | .35 | .30 |
| 15 to 18 in. | .50 | .45 | .40 |
| 18 to 24 in. | .55 | .50 | .45 |

—**arguta**. 7 ft. (Garland Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

|            |     |     |     |
|------------|-----|-----|-----|
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .55 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 |     |
| 5 to 6 ft. | .85 | .80 |     |

—**billardi**. 5 ft. (Pink Flowering Spirea) Sandy to silty clay, dry-moist. PH 6.0-7.5, sun.

|            |     |     |     |
|------------|-----|-----|-----|
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .55 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | .60 |

—**collosa alba**. 2½ ft. (White Japanese Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

|              |     |     |     |
|--------------|-----|-----|-----|
| 12 to 15 in. | .45 | .40 | .35 |
| 15 to 18 in. | .50 | .45 | .40 |

—**cantonensis**. 8 ft. (Reeves spirea) Sandy loam to silty clay, dry-moist, PH 6.0-7.5 sun.

|              |     |     |     |
|--------------|-----|-----|-----|
| 18 to 24 in. | .40 | .35 | .30 |
| 2 to 3 ft.   | .50 | .45 | .40 |

—**douglasi**. 6 ft. (Red Flowering) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

|            |     |     |     |
|------------|-----|-----|-----|
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .55 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | .60 |

**SPIREA** — Continued

|   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------------|--------------|---------------|
| — <b>froebeli</b> . 4 ft. (Dwarf Pink) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.                    |             |              |               |
| 12 to 15 in.....  | .35         | .30          | .25           |
| 15 to 18 in.....  | .40         | .35          | .30           |
| 18 to 24 in.....  | .45         | .40          | .35           |
| 24 to 30 in.....  | .50         | .45          | .40           |
| 2½ to 3 ft.....   | .55         | .50          | .45           |
| — <b>prunifolia plena</b> . 10 ft. (Double Bridal Wreath) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade. |             |              |               |
| 18 to 24 in.....  | .45         | .40          | .35           |
| 2 to 3 ft.....  | .55         | .50          | .45           |
| 3 to 4 ft.....  | .60         | .55          | .50           |
| — <b>salicifolia</b> . 5 ft. (Willowleaf Spirea) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.                         |             |              |               |
| 2 to 3 ft.....  | .50         | .45          | .40           |
| 3 to 4 ft.....  | .55         | .50          | .45           |
| 4 to 5 ft.....  | .75         | .65          | .60           |
| — <b>thunbergi</b> . 5 ft. (White Flowering Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.       |             |              |               |
| 18 to 24 in.....  | .45         | .40          | .35           |
| 2 to 3 ft.....  | .50         | .45          | .40           |
| 3 to 4 ft.....  | .60         | .55          | .50           |
| — <b>trichocarpa</b> . 5 ft. (Korean Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.               |             |              |               |
| 2 to 3 ft.....  | .50         | .45          | .40           |
| 3 to 4 ft.....  | .55         | .50          | .45           |
| 4 to 5 ft.....  | .75         | .65          | .60           |
| — <b>vanhoutti</b> . 10 ft. (Single White Flowering) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.      |             |              |               |
| 2 to 3 ft.....  | .40         | .35          | .30           |
| 3 to 4 ft.....  | .45         | .40          | .35           |

**STEPHANANDRA**

|  |     |     |     |
|--|-----|-----|-----|
| — <b>incisa</b> (flexuosa). 6 ft. (Creamy White) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade. |     |     |     |
| 18 to 24 in.....   | .35 | .30 | .25 |
| 2 to 3 ft.....   | .50 | .45 | .40 |
| 3 to 4 ft.....   | .55 | .50 | .45 |

**SYMPHORICARPOS**

|  |     |     |     |
|--|-----|-----|-----|
| — <b>albus</b> (racemosus) 6 ft. (White Snowberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade. |     |     |     |
| 18 to 24 in.....   | .35 | .30 | .25 |
| 2 to 3 ft.....   | .50 | .45 | .40 |
| 3 to 4 ft.....   | .50 | .45 | .40 |

# SYMPHORICARPOS — Continued

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <i>chenaulti</i> . 6 ft. (Improved Coralberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade. |             |              |               |
| 18 to 24 in. . . . .   | .35         | .30          | .25           |
| 2 to 3 ft. . . . .   | .40         | .35          | .30           |
| 3 to 4 ft. . . . .   | .50         | .45          | .40           |
| — <i>mollis</i> . 6 ft. (Spreading Snowberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.    |             |              |               |
| 18 to 24 in. . . . .   | .35         | .30          | .25           |
| 2 to 3 ft. . . . .   | .40         | .35          | .30           |
| 3 to 4 ft. . . . .   | .50         | .45          | .40           |
| — <i>orbiculatus (vulgaris)</i> . 4 ft. (Coralberry) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-shade. |             |              |               |
| 18 to 24 in. . . . .   | .35         | .30          | .25           |
| 2 to 3 ft. . . . .   | .40         | .35          | .30           |
| 3 to 4 ft. . . . .   | .50         | .45          | .40           |

## SYRINGA

|   |      |      |      |
|---|------|------|------|
| — <i>chinensis syn. rothomagensis</i> . 10 ft. (Chinese Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun. |      |      |      |
| 18 to 24 in. . . . .  | .50  | .45  | .40  |
| 2 to 3 ft. . . . .  | .60  | .55  | .50  |
| 3 to 4 ft. . . . .  | .70  | .65  | .60  |
| — <i>japonica</i> . 20 ft. (Japanese Tree Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.               |      |      |      |
| 2 to 3 ft. . . . .  | .75  | .70  | .65  |
| 3 to 4 ft. . . . .  | 1.00 | .90  | .80  |
| 4 to 5 ft. . . . .  | 1.35 | 1.25 | 1.00 |
| — <i>josikaea</i> . 10 ft. (Hungarian Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.                   |      |      |      |
| 2 to 3 ft. . . . .  | .50  | .45  | .40  |
| 3 to 4 ft. . . . .  | .60  | .55  | .50  |
| 4 to 5 ft. . . . .  | .85  | .75  |      |
| — <i>persica</i> . 10 ft. (Persian Lilacs) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.                     |      |      |      |
| 2 to 3 ft. . . . .  | .60  | .55  | .50  |
| 3 to 4 ft. . . . .  | .70  | .65  | .60  |
| 4 to 5 ft. . . . .  | 1.25 | 1.00 |      |
| — <i>pekinensis</i> . 15 ft. (Peking Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.                    |      |      |      |
| 2 to 3 ft. . . . .  | .75  | .70  | .65  |
| 3 to 4 ft. . . . .  | 1.00 | .90  | .80  |
| 4 to 5 ft. . . . .  | 1.50 | 1.35 | 1.25 |
| — <i>villosa</i> . 8 ft. (Late Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.                          |      |      |      |
| 2 to 3 ft. . . . .  | .50  | .45  |      |
| 3 to 4 ft. . . . .  | .60  | .55  |      |

| <b>SYRINGA</b> — Continued   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <b>vulgaris</b> . 12 ft. (Common Purple Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.              |             |              |               |
| 2 to 3 ft.   | .75         | .65          | .55           |
| 3 to 4 ft.   | .80         | .75          | .70           |
| 4 to 5 ft.   | 1.10        | 1.00         |               |
| 5 to 6 ft.   | 1.50        | 1.35         |               |
| — <b>vulgaris alba</b> . 12 ft. (Common White Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.          |             |              |               |
| 3 to 4 ft.   | 1.10        | 1.00         |               |
| 4 to 5 ft.   | 1.75        | 1.50         |               |
| — <b>vulgaris hybrids</b> . 10 ft. following named varieties. Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun. |             |              |               |
| Belle de Nancy — Double rose   |             |              |               |
| Chas. Joly — purplish red  |             |              |               |
| Chas. X — single reddish mauve   |             |              |               |
| Congo — single red   |             |              |               |
| Frau B. Dammann — single white   |             |              |               |
| Georges Bellair — double, light lilac  |             |              |               |
| J. Calot — rosy pink   |             |              |               |
| La tour d'Auvergne — double purple   |             |              |               |
| Marie LeGraye — single white   |             |              |               |
| Mad. Lemoini — double white  |             |              |               |
| Mad. Casimir Perier — double creamy white  |             |              |               |
| Mad. Felix Dykhuis — double white  |             |              |               |
| Michel Buchner — double pinkish lilac  |             |              |               |
| Pres. Carnot — double orchid pink  |             |              |               |
| Pres. Grevy — double blue  |             |              |               |
| Scuv. de Ludwig Spaeth — single red  |             |              |               |
| Viviand Morel — double lilac   |             |              |               |
| 18 to 24 in.   | .70         | .65          | .60           |
| 2 to 3 ft.   | 1.00        | .90          | .80           |
| 3 to 4 ft.   | 1.50        | 1.35         | 1.25          |

## TAMARIX

|  |     |     |     |
|--|-----|-----|-----|
| — <b>africana</b> . 12 ft. (Early Light Pink) Light, sandy loam, dry, PH 6.0-7.5, sun.             |     |     |     |
| 2 to 3 ft.   | .50 | .45 | .40 |
| 3 to 4 ft.   | .55 | .50 | .45 |
| 4 to 5 ft.   | .65 | .60 | .55 |
| — <b>gallica</b> . 8 ft. (Blue-green leaves, Pink flowers) Light sandy loam, dry, PH 6.0-7.5, sun. |     |     |     |
| 2 to 3 ft.   | .50 | .45 | .40 |
| 3 to 4 ft.   | .55 | .50 | .45 |
| — <b>hispida</b> . 8 ft. (Silvery leaves, Pink flowers) Light sandy loam, dry, PH 6.0-7.5, sun.    |     |     |     |
| 2 to 3 ft.   | .50 | .45 | .40 |
| 3 to 4 ft.   | .55 | .50 | .45 |

## TAXODIUM

|   |       |       |  |
|---|-------|-------|--|
| — <b>distichum</b> . 80 ft. (Common Bald Cypress) Medium to heavy loam, wet, PH 5.0-6.5, sun. |       |       |  |
| 10 to 12 ft. B&B.   | 20.00 | 17.50 |  |



## TAXUS

| 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-------------|--------------|---------------|
|-------------|--------------|---------------|

- baccata repandens.** 2 ft. (Spreading English Yew)  
Sandy loam to silty clay, moist, well drained,  
PH 6.0-7.5, part shade.

|                       |      |      |      |
|-----------------------|------|------|------|
| 12 to 15 in. B&B..... | 3.00 | 2.75 | 2.50 |
| 15 to 18 in. B&B..... | 4.00 | 3.75 | 3.50 |
| 18 to 24 in. B&B..... | 5.00 | 4.75 | 4.50 |
| 24 to 30 in. B&B..... | 6.50 | 6.00 |      |

- baccata washingtoni.** 8 ft. (Golden Washington Yew)  
Sandy loam to silty clay, moist, well drained,  
PH 6.0-7.5, partial shade.

|                       |      |      |      |
|-----------------------|------|------|------|
| 12 to 15 in. B&B..... | 2.50 | 2.25 | 2.00 |
| 15 to 18 in. B&B..... | 3.50 | 3.25 | 3.00 |
| 18 to 24 in. B&B..... | 5.00 | 4.50 | 4.00 |
| 24 to 30 in. B&B..... | 6.00 | 5.50 |      |

- cuspidata.** 6 ft. (Japanese Spreading Yew) Sandy  
loam to silty clay, moist, well drained, PH  
5.5-7.5, sun-shade.

|                       |       |       |       |
|-----------------------|-------|-------|-------|
| 12 to 15 in. B&B..... | 2.50  | 2.25  | 2.00  |
| 15 to 18 in. B&B..... | 3.50  | 3.25  | 3.00  |
| 18 to 24 in. B&B..... | 4.25  | 4.00  | 3.75  |
| 24 to 30 in. B&B..... | 6.00  | 5.75  | 5.50  |
| 30 to 36 in. B&B..... | 8.00  | 7.50  | 7.00  |
| 3 to 3½ ft. B&B.....  | 12.00 | 11.00 | 10.00 |
| 3½ to 4 ft. B&B.....  | 15.00 | 13.00 |       |

- cuspidata capitata.** 12 ft. (Upright Japanese Yew)  
Sandy loam to silty clay, moist, well drained,  
PH 5.5-7.5, sun-shade.

|                       |       |       |      |
|-----------------------|-------|-------|------|
| 15 to 18 in. B&B..... | 3.00  | 2.75  | 2.50 |
| 18 to 24 in. B&B..... | 4.50  | 4.25  | 4.00 |
| 24 to 30 in. B&B..... | 6.50  | 6.25  | 6.00 |
| 30 to 36 in. B&B..... | 8.00  | 7.50  | 7.00 |
| 36 to 42 in. B&B..... | 10.00 | 9.00  |      |
| 3½ to 4 ft. B&B.....  | 13.00 | 12.00 |      |

- columnaris** 10' broad, columnar form, dark green  
foliage, similar to capitata, sandy loam to  
silty clay, moist, well drained. PH 5.5-7.5.

|                       |      |      |      |
|-----------------------|------|------|------|
| 24 to 30 in. B&B..... | 5.00 | 4.50 | 4.00 |
| 30 to 36 in. B&B..... | 6.00 | 5.50 | 5.00 |
| 36 to 42 in. B&B..... | 7.00 | 6.50 | 6.00 |
| 42 to 48 in. B&B..... | 9.00 | 8.50 | 8.00 |

- cuspidata intermedia.** 6 ft. sandy loam to silty clay,  
moist, well drained, PH 5.5-7.5, sun-shade.

|                       |      |      |      |
|-----------------------|------|------|------|
| 12 to 15 in. B&B..... | 3.00 | 2.75 | 2.50 |
| 15 to 18 in. B&B..... | 4.00 | 3.75 | 3.50 |
| 18 to 24 in. B&B..... | 5.00 | 4.50 |      |
| 24 to 30 in. B&B..... | 6.50 | 6.00 |      |

- cuspidata Kallay's Vase-shaped** sandy loam to silty  
clay, moist, well drained, PH 5.5-7.5, sun-  
shade.

|                       |      |      |      |
|-----------------------|------|------|------|
| 12 to 15 in. B&B..... | 2.50 | 2.25 | 2.00 |
| 15 to 18 in. B&B..... | 3.50 | 3.25 | 3.00 |
| 18 to 24 in. B&B..... | 4.25 | 4.00 | 3.75 |
| 24 to 30 in. B&B..... | 6.00 | 5.75 | 5.50 |

**TAXUS** — Continued

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| <b>—cuspidata nana compacta. 3 ft.</b> (Compact Japanese Yew) Sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.      |             |              |               |
| 12 to 15 in. B&B.....  | 3.00        | 2.75         | 2.50          |
| 15 to 18 in. B&B.....  | 4.00        | 3.75         | 3.50          |
| 18 to 24 in. B&B.....  | 6.00        | 5.50         | 5.00          |
| <b>-- cuspidata nana brevifolia. 6 ft.</b> (Dwarf Japanese Yew) sandy loam to silty clay, moist, well drained. PH 5.5-7.5, sun-shade.    |             |              |               |
| 9 to 12 in. B&B.....   | 2.25        | 2.00         | 1.75          |
| 12 to 15 in. B&B.....  | 3.00        | 2.75         | 2.50          |
| 15 to 18 in. B&B.....  | 4.00        | 3.75         | 3.50          |
| 18 to 24 in. B&B.....  | 5.50        | 5.00         |               |
| <b>—media andersoni. 8 ft.</b> (Anderson Yew) sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.                      |             |              |               |
| 12 to 15 in. B&B.....  | 2.50        | 2.25         | 2.00          |
| 15 to 18 in. B&B.....  | 3.50        | 3.25         | 3.00          |
| 18 to 24 in. B&B.....  | 4.25        | 4.00         | 3.75          |
| 24 to 30 in. B&B.....  | 6.00        | 5.75         | 5.50          |
| 30 to 36 in. B&B.....  | 8.00        | 7.50         | 7.00          |
| <b>—media browni. 6 ft.</b> (Brown's Yew) sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.                          |             |              |               |
| 12 to 15 in. B&B.....  | 2.50        | 2.25         | 2.00          |
| 15 to 18 in. B&B.....  | 3.50        | 3.25         | 3.00          |
| 18 to 24 in. B&B.....  | 4.50        | 4.25         | 4.00          |
| 24 to 30 in. B&B.....  | 6.00        | 5.75         | 5.50          |
| 30 to 36 in. B&B.....  | 8.00        | 7.50         | 7.00          |
| <b>—media hatfieldi. 8 ft.</b> (Hatfield's Yew) sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.                    |             |              |               |
| 12 to 15 in. B&B.....  | 2.50        | 2.25         | 2.00          |
| 15 to 18 in. B&B.....  | 3.50        | 3.25         | 3.00          |
| 18 to 24 in. B&B.....  | 4.50        | 4.25         | 4.00          |
| 24 to 30 in. B&B.....  | 6.00        | 5.75         | 5.50          |
| 30 to 36 in. B&B.....  | 8.00        | 7.50         | 7.00          |
| <b>—media hicksi. 10 ft.</b> (Hicks Yew) sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun-shade.                           |             |              |               |
| 15 to 18 in. B&B.....  | 3.25        | 3.00         | 2.75          |
| 18 to 24 in. B&B.....  | 4.00        | 3.75         | 3.50          |
| 24 to 30 in. B&B.....  | 5.00        | 4.75         | 4.50          |
| 30 to 36 in. B&B.....  | 7.00        | 6.50         | 6.00          |
| 3 to 3½ ft. B&B.....   | 9.00        | 8.50         | 8.00          |
| 3½ to 4 ft. B&B.....   | 14.00       | 12.00        |               |
| 4 to 5 ft. B&B Spec....  | 20.00       | 17.50        |               |
| <b>—media hicksi improved. 8 ft.</b> (Improved Broad Hicks Yew) Sandy loam to silty clay, moist, well drained, PH 5.5-7.5, sun or shade. |             |              |               |
| 12 to 15 in. B&B.....  | 2.50        | 2.25         | 2.00          |
| 15 to 18 in. B&B.....  | 3.25        | 3.00         | 2.75          |
| 18 to 24 in. B&B.....  | 4.00        | 3.75         | 3.50          |
| 24 to 30 in. B&B.....  | 5.00        | 4.75         | 4.50          |
| 30 to 36 in. B&B.....  | 7.00        | 6.50         | 6.00          |

**THUYA**

| 1-4  | 5-24 | 25-up |
|------|------|-------|
| Each | Each | Each  |

—**occidentalis**. 40 ft. (American Arborvitae) Silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |    |   |         |      |      |      |
|----|----|---|---------|------|------|------|
| 2½ | to | 3 | ft. B&B | 3.00 | 2.75 | 2.50 |
| 3  | to | 4 | ft. B&B | 3.50 | 3.25 | 3.00 |
| 4  | to | 5 | ft. B&B | 4.50 | 4.25 | 4.00 |
| 5  | to | 6 | ft. B&B | 6.00 | 5.50 | 5.00 |
| 6  | to | 7 | ft. B&B | 8.00 | 7.50 | 7.00 |
| 7  | to | 8 | ft. B&B | 9.00 | 8.50 | 8.00 |

—**occ. columbia**. 40 ft. (Silver Tip Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |    |    |         |      |      |      |
|----|----|----|---------|------|------|------|
| 2  | to | 2½ | ft. B&B | 3.00 | 2.75 | 2.50 |
| 2½ | to | 3  | ft. B&B | 3.50 | 3.25 | 3.00 |
| 3  | to | 4  | ft. B&B | 4.00 | 3.75 | 3.50 |
| 4  | to | 5  | ft. B&B | 5.00 | 4.50 |      |
| 5  | to | 6  | ft. B&B | 6.00 | 5.50 |      |

—**occ. compacta**. 4 ft. (Parson's Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |    |    |         |      |      |      |
|----|----|----|---------|------|------|------|
| 12 | to | 15 | in. B&B | 1.50 | 1.35 | 1.25 |
| 15 | to | 18 | in. B&B | 2.00 | 1.75 | 1.50 |
| 18 | to | 24 | in. B&B | 2.50 | 2.25 | 2.00 |
| 24 | to | 30 | in. B&B | 3.00 | 2.75 | 2.50 |
| 30 | to | 36 | in. B&B | 3.50 | 3.25 | 3.00 |

—**occ. douglasi aurea**. 15 ft. (Douglas Golden Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |    |    |         |      |      |      |
|----|----|----|---------|------|------|------|
| 2  | to | 2½ | ft. B&B | 3.00 | 2.75 | 2.50 |
| 2½ | to | 3  | ft. B&B | 3.50 | 3.25 | 3.00 |
| 3  | to | 4  | ft. B&B | 4.00 | 3.75 | 3.50 |
| 4  | to | 5  | ft. B&B | 5.00 | 4.50 |      |
| 5  | to | 6  | ft. B&B | 6.00 | 5.50 |      |
| 6  | to | 7  | ft. B&B | 8.00 | 7.00 |      |

—**occ. elegantissima**. 15 ft. (Golden Tip Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |    |    |         |      |      |      |
|----|----|----|---------|------|------|------|
| 2  | to | 2½ | ft. B&B | 3.00 | 2.75 | 2.50 |
| 2½ | to | 3  | ft. B&B | 3.50 | 3.25 | 3.00 |
| 3  | to | 4  | ft. B&B | 4.00 | 3.75 | 3.50 |
| 4  | to | 5  | ft. B&B | 5.00 | 4.50 | 4.00 |
| 5  | to | 6  | ft. B&B | 7.00 | 6.50 | 6.00 |

—**occ. ellwangeriana**. 6 ft. (Tom Thumb Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |    |    |         |      |      |      |
|----|----|----|---------|------|------|------|
| 15 | to | 18 | in. B&B | 1.75 | 1.65 | 1.50 |
| 18 | to | 24 | in. B&B | 2.25 | 2.00 | 1.75 |

—**occ. globosa**. 3 ft. (Globe Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |    |    |         |      |      |      |
|----|----|----|---------|------|------|------|
| 12 | to | 15 | in. B&B | 1.50 | 1.35 | 1.25 |
| 15 | to | 18 | in. B&B | 2.00 | 1.75 | 1.50 |
| 18 | to | 24 | in. B&B | 2.50 | 2.25 | 2.00 |
| 24 | to | 30 | in. B&B | 3.00 | 2.75 | 2.50 |

**THUYA** — Continued

—**occ. hoveyi**. 6 ft. (Hovey's Golden Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|                        | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|------------------------|-------------|--------------|---------------|
| 12 to 15 in. B&B ..... | 1.50        | 1.35         | 1.25          |
| 15 to 18 in. B&B ..... | 2.00        | 1.75         | 1.50          |
| 18 to 24 in. B&B ..... | 2.50        | 2.25         | 2.00          |
| 24 to 30 in. B&B ..... | 3.00        | 2.75         | 2.50          |
| 30 to 36 in. B&B ..... | 3.50        | 3.25         | 3.00          |

—**occ. lutea**. 5 ft. (Geo. Peabody Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|                       |      |      |      |
|-----------------------|------|------|------|
| 2 to 2½ ft. B&B ..... | 3.00 | 2.75 | 2.50 |
| 2½ to 3 ft. B&B ..... | 3.50 | 3.25 | 3.00 |
| 3 to 4 ft. B&B .....  | 4.00 | 3.75 | 3.50 |
| 4 to 5 ft. B&B .....  | 5.00 | 4.50 |      |

—**occ. nigra**. 20 ft. (Dark Green Arborvitae) Silty clay loam, moist, well drained, PH 6.0-7.5, sun, partial shade.

|                       |      |      |      |
|-----------------------|------|------|------|
| 2 to 2½ ft. B&B ..... | 3.00 | 2.75 | 2.50 |
| 2½ to 3 ft. B&B ..... | 3.50 | 3.25 | 3.00 |
| 3 to 4 ft. B&B .....  | 4.00 | 3.75 | 3.50 |
| 4 to 5 ft. B&B .....  | 5.00 | 4.50 | 4.00 |
| 5 to 6 ft. B&B .....  | 7.00 | 6.50 | 6.00 |
| 6 to 7 ft. B&B .....  | 8.00 | 7.50 | 7.00 |

—**occ. pyramidalis**. 25 ft. (Pyramidal Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|                        |      |      |      |
|------------------------|------|------|------|
| 18 to 24 in. B&B ..... | 2.00 | 1.75 | 1.50 |
| 2 to 2½ ft. B&B .....  | 2.50 | 2.25 | 2.00 |
| 2½ to 3 ft. B&B .....  | 3.50 | 3.25 | 3.00 |
| 3 to 4 ft. B&B .....   | 4.00 | 3.75 | 3.50 |
| 4 to 5 ft. B&B .....   | 5.00 | 4.50 | 4.00 |
| 5 to 6 ft. B&B .....   | 6.00 | 5.50 | 5.00 |
| 6 to 7 ft. B&B .....   | 6.50 | 6.00 |      |
| 7 to 8 ft. B&B .....   | 8.00 | 7.50 | 7.00 |

—**occ. rosenthali**. 10 ft. (Rosenthal Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|                        |      |      |  |
|------------------------|------|------|--|
| 18 to 24 in. B&B ..... | 2.00 | 1.75 |  |
| 2 to 2½ ft. B&B .....  | 3.00 | 2.75 |  |
| 2½ to 3 ft. B&B .....  | 4.00 | 3.50 |  |

—**occ. spiralis** 25 ft. (Spiral Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|                       |      |      |      |
|-----------------------|------|------|------|
| 2½ to 3 ft. B&B ..... | 3.50 | 3.25 | 3.00 |
| 3 to 4 ft. B&B .....  | 4.00 | 3.75 |      |
| 4 to 5 ft. B&B .....  | 5.00 | 4.50 |      |
| 5 to 6 ft. B&B .....  | 6.00 | 5.50 |      |

**THUYA** — Continued

| 1-4  | 5-24 | 25-up |
|------|------|-------|
| Each | Each | Each  |

—**occ. wareana.** 15 ft. (Siberian Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |       |              |      |      |      |
|----|-------|--------------|------|------|------|
| 15 | to 18 | in. B&B..... | 2.00 | 1.75 | 1.50 |
| 18 | to 24 | in. B&B..... | 2.50 | 2.25 | 2.00 |
| 2  | to 2½ | ft. B&B..... | 3.00 | 2.75 | 2.50 |
| 2½ | to 3  | ft. B&B..... | 3.50 | 3.25 | 3.00 |
| 3  | to 3½ | ft. B&B..... | 4.00 | 3.50 |      |
| 3½ | to 4  | ft. B&B..... | 4.50 | 4.00 |      |

—**occ. woodwardi.** 3 ft. (Woodward Globe Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |       |              |      |      |      |
|----|-------|--------------|------|------|------|
| 12 | to 15 | in. B&B..... | 1.50 | 1.35 | 1.25 |
| 15 | to 18 | in. B&B..... | 2.00 | 1.75 | 1.50 |
| 18 | to 24 | in. B&B..... | 2.50 | 2.25 | 2.00 |
| 2  | to 2½ | ft. B&B..... | 3.00 | 2.75 | 2.50 |

—**orientalis compacta** 10 ft. (compact Chinese orborvitae) Silty clay loam, moist, well drained, PH 6.0-7.5 sun.

|    |       |              |      |      |      |
|----|-------|--------------|------|------|------|
| 18 | to 24 | in. B&B..... | 2.00 | 1.75 | 1.50 |
| 24 | to 30 | in. B&B..... | 2.50 | 2.25 | 2.00 |
| 30 | to 36 | in. B&B..... | 3.00 | 2.75 | 2.50 |

—**orientalis Kallay's Golden.** 10 ft. (Golden Chinese Arborvitae) silty clay loam, moist, well darined, PH 6.0-7.5, sun-partial shade.

|    |       |              |      |      |      |
|----|-------|--------------|------|------|------|
| 12 | to 15 | in. B&B..... | 2.00 | 1.75 | 1.50 |
| 15 | to 18 | in. B&B..... | 2.50 | 2.25 | 2.00 |
| 18 | to 24 | in. B&B..... | 3.00 | 2.75 |      |

**TILIA**

—**americana.** 80 ft. (American Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

|    |       |         |       |       |      |
|----|-------|---------|-------|-------|------|
| 8  | to 10 | ft..... | 3.00  | 2.75  | 2.50 |
| 1½ | to 1¾ | in..... | 4.00  | 3.50  |      |
| 1¾ | to 2  | in..... | 5.00  | 4.50  |      |
| 2  | to 2½ | in..... | 10.00 | 8.00  |      |
| 2½ | to 3  | in..... | 14.00 | 12.00 |      |
| 3  | to 3½ | in..... | 17.50 | 15.00 |      |
| 3½ | to 4  | in..... | 22.50 | 20.00 |      |

—**cordata.** 65 ft. (Little Leaf European Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

|   |      |         |       |       |  |
|---|------|---------|-------|-------|--|
| 4 | to 5 | in..... | 30.00 | 25.00 |  |
|---|------|---------|-------|-------|--|

—**vulgaris.** 70 ft. (Common European Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

|    |       |         |       |       |      |
|----|-------|---------|-------|-------|------|
| 8  | to 10 | ft..... | 4.00  | 3.50  | 3.00 |
| 1½ | to 1¾ | in..... | 5.00  | 4.50  |      |
| 1¾ | to 2  | in..... | 8.00  | 7.50  | 7.00 |
| 2  | to 2½ | in..... | 11.00 | 10.00 |      |
| 2½ | to 3  | in..... | 15.00 | 14.00 |      |
| 3  | to 3½ | in..... | 20.00 | 17.50 |      |



**TSUGA**

—**canadensis**. 75 ft. (Canadian Hemlock) good, medium loam, moist, well drained, PH 5.0-6.5, sun-shade.

|    |    |            | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|----|----|------------|-------------|--------------|---------------|
| 18 | to | 24 in. B&B | 2.50        | 2.25         | 2.00          |
| 2  | to | 2½ ft. B&B | 4.00        | 3.50         | 3.00          |
| 2½ | to | 3 ft. B&B  | 5.00        | 4.50         | 4.00          |
| 3  | to | 4 ft. B&B  | 5.50        | 5.25         | 5.00          |
| 4  | to | 5 ft. B&B  | 9.00        | 8.50         | 8.00          |
| 5  | to | 6 ft. B&B  | 12.00       | 11.00        | 10.00         |
| 6  | to | 8 ft. B&B  | 17.50       | 15.00        |               |

**ULMUS**

—**alata**. 45 ft. (Winged Elm) rich, medium silty clay loam, moist, PH 6.0-7.5, sun.

|    |    |        |       |       |  |
|----|----|--------|-------|-------|--|
| 2  | to | 2½ in. | 6.50  | 6.00  |  |
| 2½ | to | 3 in.  | 8.50  | 8.00  |  |
| 3  | to | 3½ in. | 14.00 | 12.00 |  |

—**americana**. 80 ft. (American Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

|    |    |        |       |       |       |
|----|----|--------|-------|-------|-------|
| 6  | to | 8 ft.  | 2.00  | 1.75  | 1.50  |
| 8  | to | 10 ft. | 2.25  | 2.00  | 1.75  |
| 1¼ | to | 1½ in. | 3.00  | 2.75  | 2.50  |
| 1½ | to | 1¾ in. | 4.00  | 3.75  | 3.50  |
| 1¾ | to | 2 in.  | 5.00  | 4.75  | 4.50  |
| 2  | to | 2½ in. | 8.00  | 7.50  | 7.00  |
| 2½ | to | 3 in.  | 12.00 | 11.00 | 10.00 |
| 3  | to | 3½ in. | 16.00 | 15.00 | 14.00 |
| 3½ | to | 4 in.  | 20.00 | 17.50 |       |
| 4  | to | 5 in.  | 30.00 | 25.00 |       |

5 to 6 in., price on request

—**americana moline**. 80 ft. (Moline Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

|    |    |        |       |       |      |
|----|----|--------|-------|-------|------|
| 6  | to | 8 ft.  | 2.25  | 2.00  | 1.75 |
| 8  | to | 10 ft. | 2.50  | 2.25  | 2.00 |
| 1¼ | to | 1½ in. | 3.25  | 3.00  | 2.75 |
| 1½ | to | 1¾ in. | 4.50  | 4.25  | 4.00 |
| 1¾ | to | 2 in.  | 5.50  | 5.25  | 5.00 |
| 2  | to | 2½ in. | 9.00  | 8.50  | 8.00 |
| 2½ | to | 3 in.  | 13.00 | 12.00 |      |
| 3  | to | 3½ in. | 17.50 | 15.00 |      |

—**americana vase shaped**. 60 ft. (Vase Elm) rich, medium to silty clay, moist, PH 6.0-7.5, sun.

|    |    |        |       |       |  |
|----|----|--------|-------|-------|--|
| 6  | to | 8 ft.  | 2.00  | 1.75  |  |
| 8  | to | 10 ft. | 2.50  | 2.25  |  |
| 1¼ | to | 1½ in. | 3.25  | 3.00  |  |
| 1½ | to | 1¾ in. | 4.50  | 4.00  |  |
| 1¾ | to | 2 in.  | 5.50  | 5.00  |  |
| 2  | to | 2½ in. | 9.00  | 8.50  |  |
| 2½ | to | 3 in.  | 13.00 | 12.00 |  |

**ULMUS** — Continued

|      |      |       |
|------|------|-------|
| 1-4  | 5-24 | 25-up |
| Each | Each | Each  |

—*procera* (*campestris*) 80 ft. (English Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

|    |    |    |     |       |       |
|----|----|----|-----|-------|-------|
| 6  | to | 8  | ft. | 2.25  | 2.00  |
| 8  | to | 10 | ft. | 3.00  | 2.50  |
| 1¼ | to | 1½ | in. | 3.50  | 3.00  |
| 1½ | to | 1¾ | in. | 5.00  | 4.50  |
| 1¾ | to | 2  | in. | 6.00  | 5.50  |
| 2  | to | 2½ | in. | 10.00 | 9.00  |
| 2½ | to | 3  | in. | 14.00 | 13.00 |
| 3  | to | 3½ | in. | 16.00 | 15.00 |
| 3½ | to | 4  | in. | 22.50 | 20.00 |
| 4  | to | 5  | in. | 30.00 | 25.00 |

—*compestris wheatleyi*. 75 ft. (Wheatley Elm) rich, medium silty clay loam, moist, PH 6.0-7.5, sun.

|    |    |   |     |       |       |
|----|----|---|-----|-------|-------|
| 6  | to | 8 | ft. | 4.50  | 4.00  |
| 3½ | to | 4 | in. | 25.00 | 22.50 |

—*pumila*. 75 ft. (Asiatic Elm) sandy to silty clay, moist, PH 6.0-7.5, sun.

|    |    |    |     |      |      |      |
|----|----|----|-----|------|------|------|
| 6  | to | 8  | ft. | 2.00 | 1.75 | 1.50 |
| 8  | to | 10 | ft. | 2.50 | 2.25 | 2.00 |
| 1¼ | to | 1½ | in. | 3.00 | 2.75 | 2.50 |
| 1½ | to | 1¾ | in. | 3.50 | 3.25 | 3.00 |
| 1¾ | to | 2  | in. | 4.50 | 4.25 | 4.00 |
| 2  | to | 2½ | in. | 7.00 | 6.50 | 6.00 |
| 2½ | to | 3  | in. | 8.50 | 8.00 |      |

**VIBURNUM**

—*acerifolium*. 5 ft. (Mapleleaf Viburnum) medium loam, dry-moist, PH 4.5-6.5, sun or shade.

|    |    |    |     |      |      |
|----|----|----|-----|------|------|
| 18 | to | 24 | in. | .65  | .60  |
| 2  | to | 3  | ft. | 1.00 | .85  |
| 3  | to | 4  | ft. | 1.25 | 1.00 |

—*burkwoodi*. 4 ft. light to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |    |    |         |      |      |      |
|----|----|----|---------|------|------|------|
| 12 | to | 15 | in. B&B | 2.00 | 1.75 | 1.50 |
| 15 | to | 18 | in. B&B | 2.50 | 2.25 | 2.00 |
| 18 | to | 24 | in. B&B | 3.00 | 2.75 | 2.50 |
| 2  | to | 3  | ft. B&B | 3.50 | 3.00 |      |
| 3  | to | 4  | ft. B&B | 4.00 | 3.50 |      |

—*carlesi*. 4 ft. (Fragrant Viburnum) light to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

|    |    |    |         |      |      |      |
|----|----|----|---------|------|------|------|
| 12 | to | 15 | in. B&B | 2.00 | 1.75 | 1.50 |
| 15 | to | 18 | in. B&B | 2.50 | 2.25 | 2.00 |
| 18 | to | 24 | in. B&B | 3.00 | 2.75 | 2.50 |

—*cassinoides*. 6 ft. (White Rod) medium to silty clay loam, moist, PH 6.0-7.5, sun-shade.

|    |    |    |     |     |     |     |
|----|----|----|-----|-----|-----|-----|
| 18 | to | 24 | in. | .60 | .55 | .50 |
| 2  | to | 3  | ft. | .75 | .65 | .60 |
| 3  | to | 4  | ft. | .85 | .75 |     |

**VIBURNUM** — Continued

|   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|---|-------------|--------------|---------------|
| <b>—dentatum.</b> 12 ft. (Arrowwood) Sandy to silty clay loam, moist, PH 6.0-7.5, sun-shade.                    |             |              |               |
| 18 to 24 in.  | .45         | .40          | .35           |
| 2 to 3 ft.  | .55         | .50          | .45           |
| 3 to 4 ft.  | .65         | .60          | .55           |
| 4 to 5 ft.  | .75         | .70          | .65           |
| 5 to 6 ft.  | 1.25        | 1.00         |               |
| <b>—dilitatum.</b> 10 ft. (Linden viburnum) Sandy to silty clay loam, moist, PH 6.0-7.5 sun or part shade.      |             |              |               |
| 15 to 18 in.  | .60         | .55          | .50           |
| 18 to 24 in.  | .75         | .65          | .60           |
| 2 to 3 ft.  | .90         | .80          | .75           |
| <b>—lantana.</b> 15 ft. (Wayfaring Tree) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.  |             |              |               |
| 18 to 24 in.  | .50         | .45          | .40           |
| 2 to 3 ft.  | .60         | .55          | .50           |
| <b>—lentago.</b> 20 ft (Nannyberry) light loam to silty clay, moist, PH 6.0-7.5, sun-shade.                     |             |              |               |
| 18 to 24 in.  | .45         | .40          | .35           |
| 2 to 3 ft.  | .55         | .50          | .45           |
| 3 to 4 ft.  | .75         | .65          | .60           |
| 4 to 5 ft.  | 1.00        | .85          | .75           |
| 5 to 6 ft.  | 1.15        | 1.10         | 1.00          |
| 6 to 8 ft.  | 2.00        | 1.75         | 1.50          |
| 8 to 10 ft.   | 2.50        | 2.00         |               |
| <b>—molle.</b> 10 ft. (Kentucky Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade. |             |              |               |
| 3 to 4 ft.  | .75         | .60          |               |
| 4 to 5 ft.  | .85         | .75          |               |
| <b>—nudum.</b> 8 ft. (Smooth White Rod) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.   |             |              |               |
| 18 to 24 in.  | .60         | .50          |               |
| 2 to 3 ft.  | .75         | .65          |               |
| <b>—opulus.</b> 10 ft. (Highbush Cranberry) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.             |             |              |               |
| 18 to 24 in.  | .50         | .45          | .40           |
| 2 to 3 ft.  | .60         | .55          | .50           |
| 3 to 4 ft.  | .75         | .70          | .65           |
| 4 to 5 ft.  | .90         | .80          | .75           |
| 5 to 6 ft.  | 1.25        | 1.15         | 1.00          |
| <b>—opulus nanum.</b> 2 ft. (Dwarf Cranberry) sandy loam to   |             |              |               |
| 6 to 9 in.  | .90         | .80          | .75           |
| 9 to 12 in.   | 1.25        | 1.15         | 1.00          |
| <b>—opulus sterile.</b> 12 ft. (Common Snowball) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.        |             |              |               |
| 18 to 24 in.  | .50         | .45          | .40           |
| 2 to 3 ft.  | .60         | .55          | .50           |
| 3 to 4 ft.  | .75         | .70          | .65           |
| 4 to 5 ft.  | .90         | .80          | .75           |

**VIBURNUM** — Continued

|  | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|--|-------------|--------------|---------------|
| — <b>prunifolium</b> . 12 ft. (Blackhaw) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.                         |             |              |               |
| 18 to 24 in.....   | 1.00        | .85          | .75           |
| 2 to 3 ft.....   | 1.50        | 1.35         | 1.25          |
| 3 to 4 ft.....   | 1.75        | 1.65         | 1.50          |
| 4 to 5 ft.....   | 2.50        | 2.25         | 2.00          |
| — <b>pubescens</b> . 6 ft. (Downy Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.                      |             |              |               |
| 18 to 24 in.....   | .50         | .45          | .40           |
| 2 to 3 ft.....   | .60         | .55          | .50           |
| — <b>seiboldi</b> . 10 ft. (Seibold Viburnum) light loam to silty clay, moist, PH 6.0-7.5, sun-shade.                                  |             |              |               |
| 18 to 24 in.....   | .75         | .65          |               |
| 2 to 3 ft.....   | .85         | .75          |               |
| — <b>tomentosum</b> . 8 ft. (Doublefile Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.                |             |              |               |
| 18 to 24 in.....   | .55         | .50          | .45           |
| 2 to 3 ft.....   | .70         | .65          | .60           |
| — <b>tomentosum plicatum</b> . 8 ft. (Japanese Snowball) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade. |             |              |               |
| 18 to 24 in.....   | 1.00        | .75          |               |
| 2 to 3 ft.....   | 1.25        | 1.00         |               |
| — <b>trilobum (americanum)</b> 8 ft. (American Cranberry Bush) medium loam, moist, PH 6.0-7.5, sun or partial shade.                   |             |              |               |
| 18 to 24 in.....   | .55         | .50          | .45           |
| 2 to 3 ft.....   | .70         | .65          | .60           |
| 3 to 4 ft.....   | .85         | .75          |               |
| — <b>wrightii</b> . 8 ft. (Wright's Viburnum) Light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.            |             |              |               |
| 18 to 24 in.....   | 1.00        | .85          | .75           |
| 2 to 3 ft.....   | 1.25        | 1.15         | 1.00          |

**VINCA**

|  |     |     |     |
|--|-----|-----|-----|
| — <b>minor</b> . 6 in (Periwinkle) Sandy to silty clay loam, moist, PH 6.0-7.5, sun-shade. |     |     |     |
| 2 year field grown.....  | .15 | .12 | .10 |

**VITEX**

|  |     |     |     |
|--|-----|-----|-----|
| — <b>agnus castus</b> . 4 ft. (Chaste Tree) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun-slight shade.                |     |     |     |
| 18 to 24 in.....   | .50 | .45 | .40 |
| 2 to 3 ft.....   | .60 | .55 | .50 |
| 3 to 4 ft.....   | .75 | .65 | .60 |
| — <b>latifolia (macrophylla)</b> (Hardy Lilac Chaste Tree). Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun-light shade. |     |     |     |
| 18 to 24 in.....   | .50 | .45 | .40 |
| 2 to 3 ft.....   | .60 | .55 | .50 |
| 3 to 4 ft.....   | .75 | .65 | .60 |

## VITIS

- aestivalis**. 40 ft. (Summer Grape) Sandy loam to silty clay, moist, PH 5.5-7.5, sun-partial shade.  
2 year No. 1..... .50 .45 .40

## WEIGELA

- abel carriere**. 10 ft. Medium loam, moist, well drained, PH 6.0-7.5, sun-shade.  
18 to 24 in..... .40 .35 .30  
2 to 3 ft..... .50 .45 .40  
3 to 4 ft..... .60 .55 .50
- amabilis**. 8 ft. (Rose Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.  
18 to 24 in..... .40 .35 .30  
2 to 3 ft..... .50 .45 .40  
3 to 4 ft..... .60 .55 .50
- candida**. 10 ft. (White Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.  
18 to 24 in..... .40 .35 .30  
2 to 3 ft..... .50 .45 .40  
3 to 4 ft..... .60 .55 .50
- desboisi**. 10 ft. (Pink Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.  
18 to 24 in..... .40 .35 .30  
2 to 3 ft..... .50 .45 .40  
3 to 4 ft..... .60 .55 .50
- Eva Rathke**. 5 ft. (New, Red Flowering Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.  
18 to 24 in..... .50 .45 .40  
2 to 3 ft..... .60 .55 .50  
3 to 4 ft..... .75 .65 .60
- florida (rosea)** 8 ft. (Pink Flowering Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.  
18 to 24 in..... .40 .35 .30  
2 to 3 ft..... .50 .45 .40  
3 to 4 ft..... .60 .55 .50
- floribunda**. 8 ft. (Crimson Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-part shade.  
18 to 24 in..... .45 .40 .35  
2 to 3 ft..... .55 .50 .45  
3 to 4 ft..... .65 .60 .55
- hendersoni**. 10 ft. (Pink Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.  
18 to 24 in..... .40 .35 .30  
2 to 3 ft..... .50 .45 .40  
3 to 4 ft..... .55 .50 .45
- nana variegata**. 5 ft. (Variegated Leaf Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.  
18 to 24 in..... .50 .45 .40  
2 to 3 ft..... .60 .55 .50



**WEIGELA — Continued**

—**vanhoutti**. 8 ft. (Rose Pink Weigela) Medium loam moist, well drained, PH 6.0-7.5, sun, partial shade.

|                   | 1-4<br>Each | 5-24<br>Each | 25-up<br>Each |
|-------------------|-------------|--------------|---------------|
| 18 to 24 in. .... | .45         | .40          | .35           |
| 2 to 3 ft. ....   | .50         | .45          | .40           |

**WISTARIA**

—**multi juga**. 30 ft. (Japanese Wistaria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-slight shade.

|                    |     |     |  |
|--------------------|-----|-----|--|
| 2 year No. 1. .... | .75 | .65 |  |
| 3 year No. 1. .... | .85 | .75 |  |

—**sinensis blue**. 40 ft. (Chinese Purple Wistaria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.

|                    |     |     |  |
|--------------------|-----|-----|--|
| 2 year No. 1. .... | .60 | .50 |  |
| 3 year No. 1. .... | .70 | .60 |  |

—**sinensis white**. 40 ft. (Chinese White Wistaria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.

|                    |     |     |  |
|--------------------|-----|-----|--|
| 2 year No. 1. .... | .60 | .50 |  |
| 3 year No. 1. .... | .70 | .60 |  |

**ZANTHORHIZA**

—**apiifolia**. 3 ft. (Yellowroot) Sandy loam to silty clay, dry-moist, PH 5.0-6.5, sun-partial shade.

|                   |     |     |     |
|-------------------|-----|-----|-----|
| 12 to 15 in. .... | .60 | .55 | .50 |
| 15 to 18 in. .... | .75 | .65 | .60 |

**For schedule of prices on balling and burlapping deciduous trees and shrubs, see inside back cover.**

## BERRY-BEARING TREES AND SHRUBS

For late fall and winter effect; also attractive to birds.

### TREES

*Cornus florida*—red  
*Corylus americana*—brown  
*Corylus avellana*—brown  
*Crataegus* in variety—red

*Malus* in variety—red  
*Morus alba*—white  
*Nyssa sylvatica*—black  
*Sorbus aucuparia*—red

### DECIDUOUS SHRUBS

*Amelanchier canadensis*—purple  
*Amelanchier stolonifera*—purple  
*Aronia arbutifolia*—red  
*Aronia melanocarpa*—black  
*Berberis* in variety—red  
*Benzoin aestivale*—red  
*Chionanthus virginica*—blue  
*Cornus alternifolia*—black  
*Cornus alba sibirica*—white  
*Cornus amomum*—blue  
*Cornus mas*—red  
*Cornus paniculata*—white  
*Cornus stolonifera*—black  
*Cotoneaster* in variety—red  
*Euonymus alatus*—red  
*Euonymus americana*—red  
*Euonymus europaeus*—orange  
*Euonymus yedoensis*—orange  
*Ilex verticillata*—red  
*Ligustrum amurense*—black  
*Ligustrum ibota*—black  
*Ligustrum ibota releianum* —  
 black

*Ligustrum vulgare*—black  
*Lonicera* in variety—red  
*Myrica carolinensis*—gray  
*Photinia villosa*—red  
*Rhamnus catharticus*—black  
*Rhamnus frangula*—black  
*Rhus canadensis*—red  
*Sambucus canadensis*—black  
*Sambucus nigra*—black  
*Sambucus pubens*—scarlet  
*Symphoricarpos racemosus*—  
 white  
*Symphoricarpos vulgaris*—red  
*Symphoricarpos V. Chenaulti*—  
 black  
*Viburnum acerifolium*—black  
*Viburnum americanum*—red  
*Viburnum cassinoides*—red  
*Viburnum dentatum*—black  
*Viburnum lantana*—black  
*Viburnum apulus*—red  
*Viburnum Wrighti*—red

Specially attractive to birds on which they feed, and bird lovers should by all means include the following varieties in their plantings:

*Amelanchier* in variety  
*Aronia* in variety  
*Benzoin aestivale*  
*Chionanthus virginica*  
*Cornus* in variety  
*Cotoneaster* in variety  
*Crataegus* in variety  
*Ligustrum* in variety

*Lonicera* in variety  
*Malus* in variety  
*Myrica carolinensis*  
*Prunus* in variety  
*Rhus* in variety  
*Rosa* in variety  
*Symphoricarpos* in variety  
*Viburnum* in variety

## SCHEDULE OF B. & B. PRICES

The following is a schedule of prices for balling and burlapping deciduous trees and shrubs of various grades which are listed with bare roots. Items listed B. & B., price of balling is included in the list price.

Unless instructed to the contrary, the following size balls, will be supplied. If larger or smaller balls are required prices will be adjusted accordingly.

### SHRUBS AND FLOWERING TREES

| Ball Size | Lbs. |       |        | Each   | 1-5 Each | 5-25 Each |
|-----------|------|-------|--------|--------|----------|-----------|
| 10 in.    | 30   | 1½ to | 2 ft.  | \$ .70 | \$ .60   | \$ .50    |
| 12 in.    | 45   | 2 to  | 3 ft.  | .90    | .80      | .75       |
| 13 in.    | 55   | 3 to  | 4 ft.  | 1.10   | 1.00     | .95       |
| 15 in.    | 85   | 4 to  | 5 ft.  | 1.75   | 1.65     | 1.50      |
| 16 in.    | 105  | 5 to  | 6 ft.  | 2.25   | 2.15     | 2.00      |
| 18 in.    | 150  | 6 to  | 7 ft.  | 3.50   | 3.35     | 3.25      |
| 20 in.    | 200  | 7 to  | 8 ft.  | 4.75   | 4.50     | 4.25      |
| 22 in.    | 260  | 8 to  | 10 ft. | 6.50   | 6.00     | 5.50      |

### SHADE TREES

|        |      |              |       |       |       |
|--------|------|--------------|-------|-------|-------|
| 20 in. | 200  | 1¼ to 1½ in. | 4.75  | 4.50  | 4.25  |
| 22 in. | 260  | 1½ to 1¾ in. | 7.00  | 6.50  | 6.00  |
| 24 in. | 325  | 1¾ to 2 in.  | 8.00  | 7.50  | 7.00  |
| 28 in. | 400  | 2 to 2½ in.  | 10.00 | 9.00  | 8.50  |
| 30 in. | 650  | 2½ to 3 in.  | 14.00 | 13.00 | 12.00 |
| 36 in. | 1025 | 3 to 4 in.   | 22.00 | 21.00 | 20.00 |
| 42 in. | 1600 | 4 to 5 in.   | 26.00 | 25.00 | 24.00 |
| 48 in. | 2500 | 5 to 5½ in.  | 40.00 | 37.50 | 35.00 |
| 54 in. | 3500 | 5½ to 6 in.  | 50.00 | 45.00 | 42.50 |
| 60 in. | 5500 | 6 to 7 in.   | 70.00 | 65.00 | 60.00 |
| 66 in. | 5500 | 7 to 8 in.   | 80.00 | 75.00 | 70.00 |

Due to labor shortage, balling prices herein quoted are subject to change without notice.

Platforms \$5.00 each, additional.

### BOXING CHARGES

|           |                 |
|-----------|-----------------|
| 30x30 in. | \$ .85 per foot |
| 28x28 in. | .75 per foot    |
| 24x24 in. | .70 per foot    |
| 20x20 in. | .60 per foot    |
| 16x16 in. | .50 per foot    |
| 14x14 in. | .40 per foot    |
| 12x12 in. | .35 per foot    |

### BALES

Minimum 50c Cents. Large bales 1½ cents per lb.

The weight of balls as above indicated are approximate, price quoted includes loading on your truck. In case of car loading of balls larger than 24" balls, an additional charge will be made to cover cost of labor and material used.



